PB81-196941

# Waste Discharge Monitoring Requirements Under the NPDES (National Pollutant Discharge Elimination System) Permits Program

Systems Research Co.
Philadelphia, PA

Prepared for

Environmental Monitoring and Support Lab.
Cincinnati, OH

May 1981

**U.S. Department of Commerce**
**National Technical Information Service**
**NTIS**

## TECHNICAL REPORT DATA

*(Please read Instructions on the reverse before completing)*

| | | |
|---|---|---|
| 1. REPORT NO.<br>EPA-600/4/81-033 | 2.<br>ORD Report | 3. RECIPIENT'S ACCESSION NO.<br>PB81 196941 |
| 4. TITLE AND SUBTITLE<br>*WASTE DISCHARGE MONITORING REQUIREMENTS UNDER THE NPDES PERMITS PROGRAM* | | 5. REPORT DATE<br>May 1981 |
| | | 6. PERFORMING ORGANIZATION CODE |
| 7. AUTHOR(S)<br>*Susan R. Moore* | | 8. PERFORMING ORGANIZATION REPORT NO. |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>*Systems Research Company*<br>*3508 Market Street*<br>*Philadelphia, Pennsylvania*<br>*19104* | | 10. PROGRAM ELEMENT NO.<br>*1BD884* |
| | | 11. CONTRACT/GRANT NO.<br>*EPA Contract No.*<br>*68-03-2750* |
| 12. SPONSORING AGENCY NAME AND ADDRESS<br>*Environmental Monitoring and Support Laboratory*<br>*Office of Research and Development*<br>*U.S. Environmental Protection Agency*<br>*Cincinnati, Ohio 45268* | | 13. TYPE OF REPORT AND PERIOD COVERED<br>*Final 30 Oct 78 - 30 Jan 80* |
| | | 14. SPONSORING AGENCY CODE<br>*EPA/600/06* |

15. SUPPLEMENTARY NOTES

16. ABSTRACT

*This manual was prepared to provide a tool to aid the Equivalency staff of the Environmental Monitoring and Support Laboratory - Cincinnati in evaluating applications for alternate analytical methods under the National Pollutant Discharge Elimination System (NPDES) Permits Program.*

*The "Effluent Guidelines and Standards" point source category subparts were examined to identify the appropriate Standard Industrial Classification codes, and the analytical parameters for required testing for Best Practicable Technology, 1977 and Best Available Technology, 1983. A sample of 1051 actual NPDES Permits from the ten Environmental Protection Agency Regions was analyzed to determine which parameters are required to be monitored by each industry. Based on these data, six tables were developed to provide information on the parameters monitored under the Permits Program, the type of waste discharge in which parameters must be monitored, and how many dischargers must monitor each parameter.*

17. KEY WORDS AND DOCUMENT ANALYSIS

| a. DESCRIPTORS | b. IDENTIFIERS/OPEN ENDED TERMS | c. COSATI Field/Group |
|---|---|---|
| *Effluents, Industrial wastes, Regulations, Waste water, Water analysis, Sewage* | | *13/B* |

| | | |
|---|---|---|
| 18. DISTRIBUTION STATEMENT<br>*RELEASE TO PUBLIC* | 19. SECURITY CLASS *(This Report)*<br>*UNCLASSIFIED* | 21. NO. OF PAGES<br>*509* |
| | 20. SECURITY CLASS *(This page)*<br>*UNCLASSIFIED* | 22. PRICE |

EPA Form 2220-1 (9-73)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

## DISCLAIMER

This report has been reviewed by the Environmental Monitoring and Support Laboratory - Cincinnati, U. S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U. S. Environmental Protection Agency nor does mention of trade names or commerical products constitute endorsement or recommendation for use.

6-1/2"
9-1/8"
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

EPA 600/4-81-033
May 1981

PB81-196541

# WASTE DISCHARGE MONITORING REQUIREMENTS UNDER THE NPDES PERMITS PROGRAM

6-1/2"

by

Susan R. Moore
Systems Research Company
Philadelphia, Pennsylvania 19104

9-1/8"

EPA Contract Number 68-03-2750

PRODUCT OF:
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

Project Officer

Terry C. Covert
Office of the Director
Environmental Monitoring and Support Laboratory
Cincinnati, Ohio, 45268

Environmental Monitoring and Support Laboratory
Office of Research and Development
U. S. Environmental Protection Agency
Cincinnati, Ohio, 45268

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
DROPPED HEAD BEGIN SECTIONS HERE

# FOREWORD

Environmental measurements are required to determine the quality of ambient waters and the character of waste effluents. The Environmental Monitoring and Support Laboratory - Cincinnati conducts research to:

- Development and evaluate techniques to measure the presence and concentration of physical, chemical, and radiological pollutants in water, wastewater, bottom sediments, and solid waste.
- Investigate methods for the concentration, recovery, and identification of viruses, bacteria, and other microbiological organisms in water; and to determine the responses of aquatic organisms to water quality.
- Develop and operate an Agency-wide quality assurance program to assure standardization and quality control of systems for monitoring water and wastewater.
- Develop and operate a computerized system for instrument automation leading to improved data collection, analysis, and quality control.

The Equivalency Staff of the Environmental Monitoring and Support Laboratory - Cincinnati is responsible for developing a system for evaluating the equivalency of alternate analytical procedures which are proposed for nationwide use under the "National Pollutant Discharge Elimination System" (NPDES) Permits Program under Amendments 136, 40 Code of Federal Register, December 1, 1976. This manual was prepared to provide a tool to aid the Equivalency Staff in evaluating applications for alternate analytical methods.

Robert L. Booth

Robert L. Booth, Acting Director
Environmental Monitoring and Support
Laboratory - Cincinnati

BEGIN LAST LINE OF TEXT
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

# ABSTRACT

Under 40 CFR Amendments 136, as published in the Federal Register, 1 December 1976, entitled "Guidelines Establishing Test Procedures for Analysis of Pollutants," the Environmental Monitoring and Support Laboratory - Cincinnati is responsible for developing a system for evaluating the equivalency of alternate analytical procedures proposed for nationwide use under the National Pollutant Discharge Elimination System (NPDES) Permits Program.

To aid the Environmental Monitoring and Support Laboratory in evaluating applications for alternate analytical methods, a study was carried out to determine the waste types most critical to the Permits Program.

The "Effluent Guidelines and Standards" point source category subparts were examined to identify the appropriate Standard Industrial Classification (SIC) Codes, and the analytical parameters for required testing for Best Practicable Technology, 1977 and Best Available Technology, 1983. A sample of 1051 actual NPDES Permits from the ten Environmental Protection Agency Regions was analyzed to determine which parameters are required to be monitored by each SIC industry. Based on these data, six tables were developed to provide information on the parameters monitored under the NPDES Permits Program, the types of waste discharge in which parameters must be monitored, and how many dischargers must monitor each parameter.

This report was submitted in fulfillment of Contract No. 68-03-2750 by Systems Research Company under the sponsorship of the US Environmental Protection Agency. This report covers the period 30 October 1978 to 30 January 1980, and work was completed as of 29 February 1980.

## CONTENTS

Foreword iii

Abstract iv

Abbreviations and Symbols vi

Acknowledgement vii

1. Introduction 1
2. Effluent Guidelines 2
3. Monitoring Requirements Under the NPDES Permits Program 5

4. Tables

    1. SIC Codes and Related Effluent Guidelines 7
    2. Analytical Parameters for Required Testing for BPT and BAT for Each Point Source Regulation Subpart 39
    3. NPDES Permit Analytical Test Parameters 94
    4. Analytical Test Parameters by Number of Dischargers and SIC Codes (Nationwide) 100
    5. Analytical Test Parameters by Number of Dischargers and SIC Codes (Regional) 227
    6. SIC Codes with the Largest Number of Permits for Each Analytical Test Parameter 481

References 502

Appendix 503

EPA-287 (Cin.)
(4-76)

# LIST OF ABBREVIATIONS AND SYMBOLS

## ABBREVIATIONS

BOD5 -- biochemical oxygen demand, 5 day
BOD 20 -- biochemical oxygen demand 20
cm -- centimeter
COD -- chemical oxygen demand
d -- day
LC50 -- median lethal concentration
ml -- milliliter
pCi -- picocurie
pH -- hydrogen ion concentration
RDX -- cyclonite
TNT -- trinitrotoluene
TOC -- total organic carbon

## SYMBOLS

C -- carbon
$CaCO_3$ -- calcium carbonate
N -- nitrogen
P -- phosphorus
$PO_4$ -- phosphate
Ra-226 -- radium-226
S -- sulfur
$SO_3$ -- sulfite
$SO_4$ -- sulfate

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

## ACKNOWLEDGMENTS

The efforts of those individuals in the ten EPA Regional Offices who aided in the acquisition of NPDES Permit data for this study are gratefully acknowledged.

6-1/2"
9-1/2"
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

# SECTION I

## INTRODUCTION

The Environmental Monitoring and Support Laboratory, Cincinnati, is responsible for developing a system for evaluating the equivalency of alternate analytical procedures proposed for nationwide use under the National Pollutant Discharge Elimination System (NPDES) Permits Program. A system for evaluating applications for alternate analytical procedures would include the selection of random samples from various types of discharge, and analysis of each sample by both an approved procedure and the alternate procedure. Tabulations of waste type, total number of dischargers and the parameters to be monitored can be used to determine the waste types most critical to the NPDES program. Given a particular parameter, the waste types having the greatest number of permits can be identified using such tabulations. Data supporting the comparability of an alternate procedure would then have to include a certain number of samples taken from each of these waste types. To produce such tabulations, a two part effort was undertaken. The first part (Tables 1 and 2) is based on an analysis of the "Effluent Guidelines and Standards" (1), and comparison with the "Standard Industrial Classification Manual" (2). The second part (Tables 3 through 6) is based on a study of a sample from actual NPDES permits.

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

## SECTION 2

## EFFLUENT GUIDELINES

### GENERAL

Regulations promulgated under Parts 400-460 of 40 CFR Subchapter N (2) prescribe effluent limitation guidelines for existing sources, standards of performance for new sources and pretreatment standards for new and existing sources pursuant to sections of the Federal Water Pollution Control Act (3). Point sources of discharges of pollutants are required to comply with these regulations, where applicable, and with permits issued by States or the Environmental Protection Agency (EPA) under the National Pollutant Discharge Elimination System. The term "point source" means any discernible, confined and discrete conveyance from which pollutants are or may be discharged. Effluent limitations are any restrictions established by the Administrator of the EPA on quantities, rates, and concentrations of chemical, physical, biological and other constituents which are discharged from point sources, other than new sources, into navigable waters, the waters of the contiguous zone or the ocean.

The Water Pollution Control Act (3) requires the achievement by not later than July 1, 1977, of effluent limitations for point sources, other than publicly owned treatment works, which require the application of the best practicable control technology (BPT) currently available. The Act also requires the achievement by not later than July 1, 1983, of effluent limitations from point sources, other than publicly owned treatment works, which require the application of the best available technology (BAT) economically achievable which will result in reasonable further progress toward the national goal of eliminating the discharge of all pollutants.

The Standard Industrial Classification (SIC), developed by the Statistical Policy Division of the Office of Management and Budget, is used in the classification of establishments by type of activity in which they are engaged. Four digit industry codes are assigned to establishments on the basis of primary activity, which is determined by its principle product or group of products produced or distributed, or services rendered.

The 1972 edition of the Standard Industrial Classification Manual (1) was used for this project. For each four digit SIC code, the SIC Manual provides a title, description of the industry, and a list of specific types of establishments covered by the code. This information was compared with the Effluent Guidelines and Standards subpart title and description of applicability, to determine the SIC codes for the subparts in Tables 1 and 2.

The Cumulative List of CFR Sections Affected (4) was consulted to determine which sections of the "Effluent Guidelines and Standards" (2) had been changed through 31 July 1979. The pertinent sections of the Federal Register were consulted, and any corresponding changes were made in Tables 1 and 2.

## SIC CODES AND RELATED EFFLUENT GUIDELINES

Each point source category regulation subpart found in the "Effluent Guidelines and Standards" (2) was examined and the appropriate SIC codes were determined by comparison with the SIC Manual (1). In many cases only one SIC code fitted the subpart description; in other cases, many SIC code industries fit the description for one subpart.

Table 1 includes all SIC codes found in the "Permit Compliance System NPDES Majors and SIC Code Analysis" printout (5), with applicable Effluent Guidelines subpart numbers, and the total number of NPDES permits issued for major dischargers in each SIC code. SIC codes covered by Effluent Guidelines, but which have no major dischargers listed are also included.

There are certain problems involved in the correlation of SIC code and subpart number. There may be no major dischargers that fall under a particular SIC code, even though there is a corresponding subpart that specifically applies. There are major dischargers which do not appear to fall under any of the subparts, or they may fall under a subpart which has been revoked or altered. Therefore, some SIC codes covered by a subpart may have no major dischargers listed, or there may be no subpart to correspond to a SIC code with a number of major dischargers.

In Table 1 the number of permits listed is for the whole of the SIC code, whereas the Effluent Guidelines subpart may only apply to some individual establishments under that SIC code - or perhaps to none of the major dischargers. This is a result of the fact that, in some areas, the subparts are much narrower than the SIC code. A prime example of this occurs with SIC code 2819, which covers the production of a variety of inorganic chemicals. More than 50 subparts correspond to this one SIC code.

In some cases there may be no major dischargers in a specific SIC code covered by one or more Effluent Guidelines because that SIC code applies only to small establishments, or because all of the establishments in that industry are small.

## ANALYTICAL PARAMETERS FOR REQUIRED TESTING FOR BPT AND BAT

In Table 2 each point source category regulation subpart as found in the "Effluent Guidelines and Standards" (2) is listed, along with the applicable SIC codes, the current analytical parameters for required testing for Best Practicable Technology (BPT), 1977 and Best Available Technology (BAT), 1983. The regulation subpart description is also included for each subpart.

For the parameters listed under BPT and BAT in the "Effluent Guidelines and Standards," the parameter numbers found in the list of approved test procedures in the "Guidelines Establishing Test Procedures for Analysis of Pollutants" (6) were used in this table. For parameters not found on the list of approved test procedures, the name of the parameter was used. The list of approved test procedures is found in the Appendix.

In most cases the subparts list effluent limitations, not monitoring requirements as such.

All of the parameters listed for BPT or BAT in Table 2 do not necessarily apply to any one discharger, or at any one time. One set of parameters may apply if one industrial process is used and not if another process is used. The parameters may only apply to a specific discharge (i.e. from a single process or activity), or only to dischargers of a certain size. The regulation subpart must be consulted to determine exactly to what discharges the parameters apply. In some cases the standard is for no discharge under certain conditions, but in the case of other conditions, such as unusually heavy rainfall, overflow will be allowed, with certain standards for such overflow. Thus both the designation "No discharge" and several test parameters may be listed for BPT or BAT for a subpart. Where no parameters are listed in Table 2 for BPT or BAT for a particular subpart, there is no standard given in the effluent guidelines.

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

## SECTION 3

## MONITORING REQUIREMENTS UNDER THE NPDES PERMITS PROGRAM

### GENERAL

Tables 3-6 are based on data derived from a sample of 1051 actual NPDES Permits. Each EPA Regional Office was requested to select and copy 10% of the permits for each SIC code found on the National Majors List for that region (with a minimum of 1 from any SIC code). The permits were selected by the staff of the Regional office for each region except Region IV. In the case of Region IV the permits were selected by an SRC staff member. It was further requested that the permits be selected so as to be representative of the dischargers in that region.

The number of permits requested for each SIC code in each region was based on the number of permits listed in the "Permit Compliance System NPDES Majors and SIC Code Analysis" (5). Thus, if there were 19 major dischargers listed for SIC code 2261 in Region IV, a sample of two permits was requested. For SIC code 4952 (Sewerage Systems) only 5 permits were requested from each region.

For each permit, information extracted include: region, SIC code, and parameters to be monitored. The parameters include both those parameters listed in 40 CFR 136 (6) and additional parameters found in the permits.

Parameters listed for each permit are based on those in effect on 1 July 1979, or the last time period listed if the permit had expired by that date. If the permit listed a parameter with effluent limitations, but without monitoring requirements, the parameter was not included for that permit. If a parameter is listed on a permit without limitations but with monitoring requirements, it was included. Note that monitoring requirements may be significantly different from effluent limitations.

In general, the 40 CFR 400-460 subparts list effluent limitations, not monitoring requirements. Most NPDES permits list both monitoring requirements and effluent limitations. Factors which may influence the effluent limits or monitoring requirements for a particular discharger include: location; volume and characteristics of receiving waters; characteristics of intake water (such as low or high pH); additional industrial activities other than those usually associated with the major industrial group of the discharger; air pollution control equipment use; local climatic conditions, such as rainfall; physical plant; state regulations; seasonal

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

nature of some industrial operations and hence discharges from them; volume of discharge; and the effects of some pollutants in combination with other particular pollutants. On most permits, monitoring requirements are listed separately for each outfall, and may be different for each outfall. Also, some of the requirements may be conditional or seasonal, and not in effect at all times or under all conditions. However, for the purposes of this study, all effluent monitoring requirements found on the permits were included.

In some cases, monitoring of intake water, treatment plant intake, or receiving waters was also required. The parameters listed for such monitoring were also included.

## NPDES PERMIT ANALYTICAL TEST PARAMETERS

Table 3 lists all test parameters found in the NPDES Permits sample with parameter number (if any) and the total number of dischargers required to monitor that parameter. The parameters are listed in priority order, based on the number of dischargers.

Where there is more than one parameter with the same number of dischargers in the sample, the parameters are listed alphanumerically under one priority number. A total of 233 parameters, including the 116 numbered parameters, was found in the sample.

## ANALYTICAL TEST PARAMETERS BY NUMBER OF DISCHARGERS AND SIC CODES

In Tables 4 and 5 each parameter is listed in priority order with parameter number (if any), parameter description, SIC codes and number of dischargers in each, and total number of dischargers. These two tables are based on the same sample of NPDES permits, with Table 4 listing the parameters from all the permits in the sample (Nationwide) and Table 5 listing the information broken down by the ten EPA Regions.

## SIC CODES WITH THE LARGEST NUMBER OF PERMITS FOR EACH ANALYTICAL TEST PARAMETER

Table 6 consists of a listing of each numbered parameter, the five SIC codes containing the largest number of dischargers in this sample, and the SIC code description for each. The parameters are listed in numerical order. Where there are fewer than five SIC codes listed for a test parameter, no other SIC codes contained dischargers required to monitor that parameter.

EPA-287 (Cin.)
(4-76)

## TABLE 1. SIC CODES AND RELATED EFFLUENT GUIDELINES

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 0133 | ---- | 1 |
| 0174 | ---- | 1 |
| 0211 | 412A | 46 |
| 0212 | ---- | 7 |
| 0213 | 412A | 11 |
| 0214 | 412A | -- |
| 0219 | 412A | -- |
| 0241 | 412A | 7 |
| 0251 | 412A | 1 |
| 0252 | 412A | 9 |
| 0253 | 412A | 2 |
| 0259 | 412A, 412B | 26 |

(continued)

[illegible] for all subsequent pgs

EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 0272 | 412A | -- |
| 0291 | 412A | 3 |
| 0751 | ---- | 2 |
| 0913 | ---- | 1 |
| 0921 | ---- | 14 |
| 1011 | 440A | 6 |
| 1021 | 440B | 7 |
| 1031 | 440B | 23 |
| 1041 | 440B | 3 |
| 1044 | 440B | 2 |
| 1051 | 440C | -- |
| 1061 | 440D | 4 |
| 1081 | 440A, 440B, 440C, 440D, 440E, 440F, 440G | -- |
| 1092 | 440F | -- |

(continued)

EPA-287 (Cin.)
(4-78)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 1094 | 440D, 440E | 35 |
| 1099 | 440B, 440G | 4 |
| 1111 | 434B, 434C, 434D, 434E | -- |
| 1112 | 434B, 434C, 434D, 434E | -- |
| 1211 | 434B, 434C, 434D, 434E, 434F | 79 |
| 1213 | 434B, 434C, 434D, 434E, 434F | 1 |
| 1311 | 435A, 435C, 435D, 435E, 435F | 11 |
| 1321 | ---- | 1 |
| 1381 | 435A, 435C, 435D, 435E, 435F | -- |
| 1382 | 435A, 435C, 435D | -- |
| 1411 | 436A | -- |
| 1422 | 436B | 15 |
| 1423 | 436B | 1 |
| 1429 | 436B | 9 |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 1442 | 436C | 12 |
| 1446 | 436D | 3 |
| 1452 | 436V, 436AB | -- |
| 1453 | 436AA | -- |
| 1454 | 436AB | -- |
| 1455 | 436AG, 436AH | 7 |
| 1459 | 436W, 436AC, 436AD, 436AE, 436AI | 3 |
| 1472 | 436J | 1 |
| 1473 | 436K | 1 |
| 1474 | 415AX, 436L, 436M, 436N, 436O, 436P | -- |
| 1475 | 436R | 26 |
| 1476 | 436Q | 1 |
| 1477 | 436S | -- |
| 1479 | 436T, 436U | 2 |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 1481 | ---- | 2 |
| 1492 | 436E | -- |
| 1496 | 436AJ | -- |
| 1499 | 436F, 436G, 436H, 436I, 436X, 436Y, 436Z, 436AF, 436AK, 436AL | 3 |
| 1629 | ---- | 1 |
| 2011 | 432A, 432B, 432C, 432D, 432E, 432F, 432G, 432H, 432I | 44 |
| 2013 | 432E, 432G, 432H, 432I | 9 |
| 2016 | ---- | 44 |
| 2017 | ---- | 6 |
| 2021 | 405D | 1 |
| 2022 | 405E, 405F | 7 |
| 2023 | 405G, 405I, 405J, 405K, 405L | 5 |
| 2024 | 405H | 2 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2026 | 405B, 405C, 405E | 16 |
| 2032 | 407H | 2 |
| 2033 | 407A, 407B, 407C, 407F, 407G, 407H | 45 |
| 2034 | 407C, 407E, 407F, 407G | -- |
| 2035 | 407F, 407G, 407H | 7 |
| 2037 | 407A, 407B, 407C, 407D, 407F, 407G | 21 |
| 2038 | 407H | 3 |
| 2041 | 406B, 406C, 406D | 3 |
| 2043 | 406H, 406I | -- |
| 2044 | 406E, 406F | -- |
| 2046 | 406A, 406J | 11 |
| 2047 | 406G | 2 |
| 2048 | 406A, 406B, 406G, 422C | 6 |
| 2051 | ---- | 1 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2052 | ---- | 1 |
| 2061 | 409B, 409C, 409D, 409E, 409F, 409G, 409H | 6 |
| 2062 | 409B, 409C | 15 |
| 2063 | 409A | 30 |
| 2065 | ---- | 3 |
| 2066 | ---- | 1 |
| 2075 | ---- | 6 |
| 2077 | 408O, 432J | 19 |
| 2079 | ---- | 7 |
| 2082 | ---- | 7 |
| 2083 | --- | 1 |
| 2084 | ---- | 3 |
| 2085 | ---- | 22 |
| 2086 | ---- | 3 |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2087 | ---- | 1 |
| 2091 | 408A, 408B, 408C, 408D, 408E, 408F, 408G 408H, 408I, 408J, 408K, 408L, 408N, 408P, 408Q, 408R, 408S, 408T, 408U, 408V, 408W, 408X, 408Y, 408Z, 408AA, 408AB, 408AC, 408AD, 408AE, 408AF, 408AG | 26 |
| 2092 | 408A, 408B, 408C, 408D, 408E, 408F, 408G, 408H, 408I, 408J, 408K, 408L, 408M, 408N, 408P, 408Q, 408R, 408S, 408T, 408U, 408V, 408W, 408X, 408Y, 408Z, 408AA, 408AC, 408AD, 408AE, 408AF, 408AG | 13 |
| 2095 | ---- | 1 |
| 2099 | 407H | 10 |
| 2111 | ---- | 1 |
| 2131 | ---- | 1 |
| 2211 | 410C | 33 |
| 2221 | 410C | 11 |
| 2231 | 410B, 410C, 410D, 410G | 22 |
| 2241 | ---- | 1 |
| 2251 | 410E | -- |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2252 | 410E | 3 |
| 2253 | 410E | 5 |
| 2254 | 410E | -- |
| 2257 | 410E | 8 |
| 2258 | 410E | 6 |
| 2259 | 410E | -- |
| 2261 | 410D | 23 |
| 2262 | 410D | 10 |
| 2269 | 410D, 410G | 12 |
| 2271 | 410F | -- |
| 2272 | 410C, 410F | 12 |
| 2279 | 410F | -- |
| 2281 | 410C | 9 |
| 2282 | 410C, 410F | 3 |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2283 | 410C, 410F | 5 |
| 2284 | ---- | 1 |
| 2295 | 410C, 410D, 410E, 410F | 3 |
| 2296 | 410C | -- |
| 2297 | ---- | 4 |
| 2299 | 410A, 410B, 410F | 1 |
| 2392 | ---- | 2 |
| 2396 | ---- | 1 |
| 2411 | 429I, 429J | -- |
| 2421 | 429I, 429J, 429K, 429L | 7 |
| 2426 | 429I, 429J, 429K, 429L | -- |
| 2429 | 429I, 429J, 429L | -- |
| 2431 | ---- | 1 |
| 2434 | 429Q, 429R | -- |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2435 | 429A, 429B, 429C | 2 |
| 2436 | 429A, 429B, 429C | 2 |
| 2491 | 429F, 429G, 429H, 429L | 5 |
| 2492 | 429M | -- |
| 2499 | 429D, 429E, 429L | 6 |
| 2511 | 429Q, 429R | -- |
| 2512 | 429Q, 429R | -- |
| 2514 | --- | 2 |
| 2517 | 429Q, 429R | -- |
| 2521 | 429Q, 429R | -- |
| 2522 | ---- | 1 |
| 2531 | 429Q, 429R | 2 |
| 2541 | 429Q, 429R | -- |
| 2591 | 429Q, 429R | -- |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2599 | 429Q, 429R | -- |
| 2611 | 430A, 430B, 430C, 430D, 430F, 430G, 430K, 430V | 64 |
| 2621 | 430A, 430B, 430C, 430D, 430H, 430I, 430J, 430L, 430M, 430N, 430O, 430P, 430Q, 430R, 430S, 430T, 430U | 163 |
| 2631 | 430E, 430H | 86 |
| 2641 | ---- | 6 |
| 2643 | ---- | 2 |
| 2645 | ---- | 1 |
| 2646 | ---- | 3 |
| 2647 | ---- | 10 |
| 2648 | ---- | 1 |
| 2649 | 431A | 5 |
| 2653 | ---- | 3 |
| 2655 | ---- | 1 |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2661 | 427C, 427D, 427I, 427J, 427K, 431A | 17 |
| 2731 | ---- | 1 |
| 2752 | ---- | 2 |
| 2754 | ---- | 1 |
| 2782 | ---- | 1 |
| 2789 | ---- | 1 |
| 2795 | ---- | 2 |
| 2812 | 415F, 415N, 415O | 33 |
| 2813 | 415AF, 415AG, 415AO, 415AW | 5 |
| 2816 | 415V, 415AH, 415AR, 415BJ | 17 |
| 2819 | 415A, 415B, 415C, 415D, 415G, 415H, 415I, 415K, 415L, 415M, 415Q, 415R, 415S, 415T, 415U, 415W, 415X, 415Y, 415Z, 415AA, 415AB, 415AC, 415AD, 415AI, 415AJ, 415AK, 415AL, 415AM, 415AN, 415AP, 415AQ, 415AS, 415AT, 415AU, 415AX, 415AY, 415AZ, 415BA, 415BB, 415BC, 415BD, 415BE, 415BF, 415BG, 415BH, 415BI, 415BK, 421A, 422A, 422B, 422C, 422F, 424D, 424E | 135 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2821 | 416A, 416B, 416C, 416D, 416E, 416H, 416I, 416J, 416K, 416M, 416N, 416O, 416Q, 416R, 416S, 416T, 416U | 88 |
| 2822 | 416U, 428B, 428C, 428D | 15 |
| 2823 | 416G, 416L | 8 |
| 2824 | 416I, 416J, 416K, 416M, 416O, 416P 416S | 22 |
| 2831 | 439B, 439E | -- |
| 2833 | 439A, 439B, 439C, 439E | 17 |
| 2834 | 439A, 439B, 439C, 439D, 439E | 20 |
| 2841 | 417A, 417B, 417C, 417D, 417E, 417F, 417G, 417H, 417O, 417P, 417Q, 417R, 417S | 9 |
| 2843 | 417I, 417J, 417K, 417L, 417M, 417N | 4 |
| 2844 | ---- | 4 |
| 2851 | 446A | 1 |
| 2861 | 454A, 454B, 454C, 454D, 454F | 6 |
| 2865 | ---- | 17 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2869 | 416U, 455A, 455B | 130 |
| 2873 | 415J, 415AV, 418B, 418C, 418D, 418E, 418F, 418G | 43 |
| 2874 | 418A, 418G, 422B, 422D, 422E | 20 |
| 2875 | 418G | 1 |
| 2879 | 455C | 12 |
| 2891 | ---- | 3 |
| 2892 | 457A, 457C | 5 |
| 2893 | 447A | -- |
| 2895 | 458A, 458B, 458C, 458D | 1 |
| 2899 | 415P, 417B, 454D, 454E, 454F | 14 |
| 2911 | 414B, 419A, 419B, 419C, 419D, 419E, 443A, 443B | 163 |
| 2951 | 443A, 443B | 3 |
| 2952 | 443C | 3 |
| 2992 | ---- | 1 |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 2999 | ---- | 1 |
| 3011 | 428A | 8 |
| 3021 | 428E, 428F, 428G | 1 |
| 3031 | 428H, 428I | 1 |
| 3041 | 428E, 428F, 428G | -- |
| 3069 | 410D, 410E, 410G, 428E, 428F, 428G, 428J, 428K | 8 |
| 3079 | 416A, 416B, 416C, 416D, 416E, 416F, 416H, 416L, 416M, 416N, 410O, 416Q, 416S, 416T, 416U | 11 |
| 3111 | 425A, 425B, 425C, 425D, 425E, 425F | 19 |
| 3131 | ---- | 1 |
| 3211 | 426B, 426C, 426D, 426E, 426F, 426G | 6 |
| 3221 | 426H | 11 |
| 3229 | 426I, 426J, 426K, 426L, 426M | 13 |
| 3231 | 426F, 426G | 4 |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3241 | 411A, 411B, 411C | 13 |
| 3255 | ---- | 1 |
| 3261 | ---- | 1 |
| 3262 | ---- | 1 |
| 3264 | ---- | 5 |
| 3273 | 411A, 411B, 411C | 2 |
| 3274 | 415E, 415AE | 5 |
| 3291 | ---- | 4 |
| 3292 | 427A, 427B, 427E, 427F, 427G, 427H, 427I, 427J, 427K | 4 |
| 3293 | 428E, 428F, 428G | -- |
| 3295 | 436E, 436F, 436G, 436I, 436J, 436V 436W, 436X, 436Z, 436AA, 436AB, 436AC, 436AD, 436AE, 436AF, 436AG, 436AH, 436AI, 436AJ, 436AK, 436AL | 9 |
| 3296 | 426A | 2 |
| 3297 | ---- | 2 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3299 | ---- | 1 |
| 3312 | 420A, 420B, 420C, 420D, 420E, 420F, 420G, 420H, 420I, 420J, 420K, 420L, 420M, 420N, 420O, 420P, 420Q, 420R, 420S, 420T, 420U, 420V, 420W, 420X, 420Y, 420Z | 127 |
| 3313 | 420Q, 420R, 420W, 420X, 420Z, 422A, 424A, 424B, 424C, 424F, 424G | 10 |
| 3315 | 420Q, 420R, 420W, 420X, 420Y, 420Z | 13 |
| 3316 | 420Q, 420R, 420S, 420W, 420X, 420Z | 6 |
| 3317 | 420P, 420Q, 420R, 420W, 420X, 420Z | 4 |
| 3321 | ---- | 18 |
| 3322 | ---- | 3 |
| 3325 | ---- | 4 |
| 3331 | 421D, 421E | 7 |
| 3332 | 421G | 2 |
| 3333 | 412H | 4 |
| 3334 | 421B | 18 |

(continued)

EPA-287 (Cin)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3339 | ---- | 13 |
| 3341 | 421C, 421F | 14 |
| 3351 | ---- | 21 |
| 3353 | ---- | 6 |
| 3354 | ---- | 4 |
| 3355 | ---- | 5 |
| 3356 | ---- | 1 |
| 3357 | ---- | 3 |
| 3361 | ---- | 6 |
| 3362 | ---- | 3 |
| 3369 | ---- | 3 |
| 3399 | ---- | 3 |
| 3411 | ---- | 3 |
| 3412 | ---- | 2 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3423 | ---- | 1 |
| 3429 | ---- | 5 |
| 3431 | ---- | 2 |
| 3432 | ---- | 4 |
| 3441 | ---- | 1 |
| 3442 | ---- | 3 |
| 3443 | ---- | 4 |
| 3452 | ---- | 10 |
| 3462 | ---- | 5 |
| 3463 | ---- | 4 |
| 3465 | ---- | 6 |
| 3469 | ---- | 6 |
| 3471 | 413A, 413B, 413C, 413D, 413G | 99 |
| 3479 | 413E, 413F | 21 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3482 | 457C | -- |
| 3483 | 457C | 10 |
| 3484 | ---- | 4 |
| 3489 | ---- | 2 |
| 3494 | ---- | 1 |
| 3496 | ---- | 2 |
| 3499 | ---- | 7 |
| 3511 | ---- | 4 |
| 3519 | ---- | 2 |
| 3523 | ---- | 2 |
| 3531 | ---- | 3 |
| 3545 | ---- | 2 |
| 3546 | ---- | 1 |
| 3551 | ---- | 1 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3552 | ---- | 2 |
| 3554 | ---- | 1 |
| 3559 | ---- | 2 |
| 3562 | ---- | 3 |
| 3564 | ---- | 1 |
| 3567 | ---- | 1 |
| 3569 | ---- | 1 |
| 3573 | ---- | 1 |
| 3574 | ---- | 1 |
| 3585 | ---- | 8 |
| 3592 | ---- | 1 |
| 3599 | ---- | 1 |
| 3612 | ---- | 5 |
| 3613 | ---- | 4 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3621 | ---- | 2 |
| 3622 | ---- | 1 |
| 3623 | ---- | 1 |
| 3624 | ---- | 3 |
| 3629 | ---- | 1 |
| 3631 | ---- | 5 |
| 3633 | ---- | 2 |
| 3634 | ---- | 3 |
| 3639 | ---- | 1 |
| 3641 | 426L | -- |
| 3643 | ---- | 5 |
| 3644 | ---- | 2 |
| 3646 | ---- | 2 |
| 3648 | ---- | 2 |
| 3651 | ---- | 2 |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3652 | ---- | 1 |
| 3661 | ---- | 5 |
| 3662 | ---- | 2 |
| 3671 | ---- | 1 |
| 3672 | ---- | 4 |
| 3674 | ---- | 4 |
| 3675 | ---- | 2 |
| 3678 | ---- | 2 |
| 3679 | 413H | 13 |
| 3691 | ---- | 5 |
| 3692 | ---- | 3 |
| 3693 | ---- | 1 |
| 3694 | ---- | 4 |
| 3699 | ---- | 2 |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3711 | ---- | 11 |
| 3714 | ---- | 20 |
| 3721 | ---- | 4 |
| 3724 | ---- | 8 |
| 3728 | ---- | 4 |
| 3731 | ---- | 18 |
| 3743 | ---- | 2 |
| 3751 | ---- | 6 |
| 3769 | ---- | 1 |
| 3811 | ---- | 1 |
| 3822 | ---- | 1 |
| 3823 | ---- | 1 |
| 3825 | ---- | 1 |
| 3832 | ---- | 3 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 3841 | ---- | 2 |
| 3842 | ---- | 2 |
| 3843 | ---- | 1 |
| 3851 | ---- | 2 |
| 3861 | ---- | 5 |
| 3873 | ---- | 1 |
| 3911 | ---- | 6 |
| 3914 | 413B | 5 |
| 3949 | ---- | 2 |
| 3961 | ---- | 7 |
| 3963 | ---- | 1 |
| 3964 | ---- | 7 |
| 3996 | 443D | 1 |
| 3999 | ---- | 3 |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 4011 | ---- | 19 |
| 4013 | ---- | 7 |
| 4213 | ---- | 2 |
| 4231 | ---- | 1 |
| 4463 | ---- | 2 |
| 4469 | ---- | 1 |
| 4582 | ---- | 14 |
| 4583 | ---- | 1 |
| 4612 | ---- | 3 |
| 4742 | ---- | 1 |
| 4789 | ---- | 2 |
| 4911 | 423A, 423B, 423C, 423D | 487 |
| 4922 | ---- | 1 |
| 4925 | ---- | 2 |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 4930 | ---- | 1 |
| 4931 | 423A, 423B, 423C, 423D | 36 |
| 4939 | ---- | 8 |
| 4941 | ---- | 36 |
| 4952 | ---- | 3911 |
| 4953 | ---- | 15 |
| 4961 | ---- | 9 |
| 4971 | ---- | 1 |
| 5065 | ---- | 1 |
| 5085 | ---- | 1 |
| 5093 | ---- | 1 |
| 5122 | ---- | 2 |
| 5134 | ---- | 1 |
| 5143 | 405A | -- |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 5147 | ---- | 1 |
| 5149 | ---- | 1 |
| 5153 | ---- | 1 |
| 5159 | ---- | 1 |
| 5161 | ---- | 2 |
| 5171 | ---- | 5 |
| 5191 | ---- | 1 |
| 5311 | ---- | 1 |
| 5422 | 432E, 432F | -- |
| 5423 | 432E, 432F | -- |
| 5941 | ---- | 1 |
| 6512 | ---- | 2 |
| 6513 | ---- | 7 |
| 6515 | ---- | 1 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 6552 | ---- | 2 |
| 7011 | ---- | 3 |
| 7032 | ---- | 1 |
| 7215 | ---- | 1 |
| 7391 | 439E | 10 |
| 7395 | 459A | 1 |
| 7534 | 428E, 428F, 428G | -- |
| 7629 | ---- | 1 |
| 7699 | 413A, 413B, 413C | -- |
| 7819 | 459A | -- |
| 7996 | ---- | 1 |
| 7999 | ---- | 4 |
| 8062 | 460A | 4 |
| 8063 | 460A | 3 |

(continued)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 8069 | 460A | -- |
| 8211 | ---- | 2 |
| 8221 | ---- | 7 |
| 8249 | ---- | 1 |
| 8361 | ---- | 1 |
| 8911 | ---- | 1 |
| 8922 | 439E | -- |
| 9199 | ---- | 1 |
| 9223 | ---- | 3 |
| 9224 | ---- | 3 |
| 9431 | ---- | 1 |
| 9451 | ---- | 1 |
| 9611 | ---- | 3 |
| 9621 | ---- | 1 |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 1 (continued)

| SIC CODE | RELATED EFFLUENT GUIDELINES SUBPART NO. | TOTAL NATIONAL PERMITS |
|---|---|---|
| 9661 | ---- | 1 |
| 9711 | 459A | 100 |
| Reserved | 414A, 414C, 414D, 429N, 420O, 429P, 457B | |

EPA-287 (Cin.)
(4-78)

## TABLE 2. ANALYTICAL PARAMETERS FOR REQUIRED TESTING FOR BPT AND BAT FOR EACH POINT SOURCE REGULATION SUBPART

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 405A | 5143 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Receiving Stations |
| 405B | 2026 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Fluid Products |
| 405C | 2026 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Cultured Products |
| 405D | 2021 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Butter |
| 405E | 2022,<br>2026 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Cottage Cheese and Cultured Cream Cheese |
| 405F | 2022 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Natural and Processed Cheese |
| 405G | 2023 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Fluid Mix for Ice Cream and Other Frozen Desserts |
| 405H | 2024 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Ice Cream, Frozen Desserts, Novelties and Other Dairy Desserts |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 405I | 2023 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Condensed Milk |
| 405J | 2023 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Dry Milk |
| 405K | 2023 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Condensed Whey |
| 405L | 2023 | 10,22,106 | 10,22,106 | Dairy Products Processing Industry, Dry Whey |
| 406A | 2046,<br>2048 | 10,22,106 | 10,22,106 | Grain Mills, Corn Wet Milling |
| 406B | 2041,<br>2048 | 10,22,106 | 10,22,106 | Grain Mills, Corn Dry Milling |
| 406C | 2041 | No discharge | No discharge | Grain Mills, Normal Wheat Flour Milling |
| 406D | 2041 | 10,22,106 | 10,22,106 | Grain Mills, Bulgur Wheat Flour Milling |
| 406E | 2044 | No discharge | No discharge | Grain Mills, Normal Rice Milling |
| 406F | 2044 | 10,22,106 | 10,22,106 | Grain Mills, Parboiled Rice Processing |
| 406G | 2047,<br>2048 | No discharge | No discharge | Grain Mills, Animal Feed |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 406H | 2043 | No discharge | No discharge | Grain Mills, Hot Cereal |
| 406I | 2043 | 10,22,106 | 10,22,106 | Grain Mills, Ready-to-Eat Cereal |
| 406J | 2046 | 10,22,106 | 10,22,106 | Grain Mills, Wheat Starch and Gluten |
| 407A | 2033,<br>2037 | 10,22,106 | 10,22,106 | Canned and Preserved Fruits and Vegetables Processing, Apple Juice |
| 407B | 2033,<br>2037 | 10,22,106 | 10,22,106 | Canned and Preserved Fruits and Vegetables Processing, Apple Products |
| 407C | 2033,<br>2034,<br>2037 | 10,22,106 | 10,22,106 | Canned and Preserved Fruits and Vegetables Processing, Citrus Products |
| 407D | 2037 | 10,22,106 | 10,22,106 | Canned and Preserved Fruits and Vegetables Processing, Frozen Potato Products |
| 407E | 2034 | 10,22,106 | 10,22,106 | Canned and Preserved Fruits and Vegetables Processing, Dehydrated Potato Products |
| 407F | 2033,<br>2034,<br>2035,<br>2037 | 10,22,106 |  | Canned and Preserved Fruits and Vegetables Processing, Canned and Preserved Fruits |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 407G | 2033,<br>2034,<br>2035,<br>2037 | 10,22,106 | | Canned and Preserved Fruits and Vegetables Processing, Canned and Preserved Vegetables |
| 407H | 2032,<br>2033,<br>2035,<br>2038,<br>2099 | 10,22,90,<br>106 | | Canned and Preserved Fruits and Vegetables Processing, Canned and Miscellaneous Specialties |
| 408A | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Farm-Raised Catfish Processing |
| 408B | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Conventional Blue Crab Processing |
| 408C | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Mechanized Blue Crab Processing |
| 408D | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Non-Remote Alaskan Crab Meat Processing |
| 408E | 2091,<br>2092 | No Pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension | 22,90,106 | Canned and Preserved Seafood Processing, Remote Alaskan Crab Meat Processing |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 408F | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Non-Remote Alaskan Whole Crab and Crab Section Processing |
| 408G | 2091,<br>2092 | No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension | 22,90,106 | Canned and Preserved Seafood Processing, Remote Alaskan Whole Crab and Crab Section Processing |
| 408H | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Dungeness and Tanner Crab Processing in the Contiguous States |
| 408I | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Non-Remote Alaskan Shrimp Processing |
| 408J | 2091,<br>2092 | No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension | 22,90,106 | Canned and Preserved Seafood Processing, Remote Alaskan Shrimp Processing |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 408K | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Northern Shrimp Processing in the Contiguous States |
| 408L | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Southern Non-Breaded Shrimp Processing in the Contiguous States |
| 408M | 2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Breaded Shrimp Processing in the Contiguous States |
| 408N | 2091,<br>2092 | 10,22,90,<br>106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Tuna Processing |
| 408O | 2077 | 10,22,90,<br>106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Fish Meal Processing |
| 408P | 2091,<br>2092 | 22,90,106<br>No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension | Reserved | Canned and Preserved Seafood Processing, Alaskan Hand-Butchered Salmon Processing |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 408Q | 2091,<br>2092 | 22,90,106<br>No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension | Reserved | Canned and Preserved Seafood Processing, Alaskan Mechanized Salmon Processing |
| 408R | 2091,<br>2092 | 22,90,106 | 10,22,90, 106 | Canned and Preserved Seafood Processing, West Coast Hand-Butchered Salmon Processing |
| 408S | 2091,<br>2092 | 22,90,106 | 10,22,90, 106 | Canned and Preserved Seafood Processing, West Coast Mechanized Salmon Processing |
| 408T | 2091,<br>2092 | 22,90,106<br>No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension | Reserved | Canned and Preserved Seafood Processing, Alaskan Bottom Fish Processing |
| 408U | 2091,<br>2092 | 22,90,106 | 10,22,90, 106 | Canned and Preserved Seafood Processing, Non-Alaskan Conventional Bottom Fish Processing |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 408V | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Non-Alaskan Mechanized Bottom Fish Processing |
| 408W | 2091,<br>2092 | 22,90,106 | 22,90,106 | Canned and Preserved Seafood Processing, Hand-Shucked Clam Processing Subcategory |
| 408X | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Mechanized Clam Processing |
| 408Y | 2091,<br>2092 | 22,90,106 | 22,90,106 | Canned and Preserved Seafood Processing, Pacific Coast Hand-Shucked Oyster Processing |
| 408Z | 2091,<br>2092 | 22,90,106 | 22,90,106 | Canned and Preserved Seafood Processing, Atlantic and Gulf Coast Hand-Shucked Oyster Processing |
| 408AA | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Steamed and Canned Oyster Processing |
| 408AB | 2091 | 22,90,106 | 22,90,106 | Canned and Preserved Seafood Processing, Sardine Processing |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 408AC | 2091,<br>2092 | 22,90,106<br>No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension | Reserved | Canned and Preserved Seafood Processing, Alaskan Scallop Processing |
| 408AD | 2091,<br>2092 | 22,90,106 | 22,90,106 | Canned and Preserved Seafood Processing, Non-Alaskan Scallop Processing |
| 408AE | 2091,<br>2092 | 22,90,106<br>No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension | Reserved | Canned and Preserved Seafood Processing, Alaskan Herring Fillet Processing |
| 408AF | 2091,<br>2092 | 22,90,106 | 10,22,90,<br>106 | Canned and Preserved Seafood Processing, Non-Alaskan Herring Fillet Processing |
| 408AG | 2091,<br>2092 | 22,90,106 | 22,90,106 | Canned and Preserved Seafood Processing, Abalone Processing |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 409A | 2063 | 4,10,22,<br>106,114 | 4,10,22,<br>106,114,<br>No discharge | Sugar Processing, Beet Sugar Processing |
| 409B | 2061,<br>2062 | 10,22,106 | 10,22,106 | Sugar Processing, Crystalline Cane Sugar Refining |
| 409C | 2061,<br>2062 | 10,22,106 | 10,22,106 | Sugar Processing, Liquid Cane Sugar Refining |
| 409D | 2061 | 10,22,106 |  | Sugar Processing, Louisiana Raw Cane Sugar Processing |
| 409E | 2061 | No discharge |  | Sugar Processing, Florida and Texas Raw Cane Sugar Processing |
| 409F | 2061 | 10,22,106 |  | Sugar Processing, Hilo-Hamakua Coast of the Island of Hawaii Raw Cane Sugar Processing |
| 409G | 2061 | No discharge |  | Sugar Processing, Hawaiian Raw Cane Sugar Processing |
| 409H | 2061 | 10,22,106 |  | Sugar Processing, Puerto Rican Raw Cane Sugar Processing |
| 410A | 2299 | 10,12,22,<br>42,90,96,<br>106,111 | 4,10,12,16<br>22,42,90,96,<br>106,111 | Textile Industry, Wool Scouring |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 410B | 2231,<br>2299 | 10,12,22,<br>42,96,106,<br>111 | 4,10,12,16,<br>22,42,96,<br>106,111 | Textile Industry, Wool Finishing |
| 410C | 2211,2221,<br>2231,2281,<br>2282,2283,<br>2295,2296 | 4,10,12,<br>22,106 | 4,10,12,<br>22,106 | Textile Industry, Dry Processing |
| 410D | 2231,2261,<br>2262,2269,<br>2295,3069 | 10,12,22,<br>42,96,106,<br>111 | 4,10,12,16,<br>22,42,96,<br>106,111 | Textile Industry, Woven Fabric Finishing |
| 410E | 2251,2252,<br>2253,2254,<br>2257,2258,<br>2259,2295 | 10,12,22,<br>42,96,106,<br>111 | 4,10,12,16,<br>22,42,96,<br>106,111 | Textile Industry, Knit Fabric Finishing |
| 410F | 2271,2272,<br>2279,2282,<br>2283,2295,<br>2299,3069 | 10,12,22,<br>42,96,106,<br>111 | 4,10,12,16,<br>22,42,96,<br>106,111 | Textile Industry, Carpet Mills |
| 410G | 2231,2269 | 10,12,22,<br>42,96,<br>106,111 | 4,10,12,16,<br>22,42,96,<br>106,111 | Textile Industry, Stock and Yarn Dyeing and Finishing |
| 411A | 3241,3273 | 22,106,<br>114 | 22,106,114 | Cement Manufacturing, Nonleaching |
| 411B | 3241,3273 | 22,106,114 | 22,106,114 | Cement Manufacturing, Leaching |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 411C | 3241,3273 | 22,106 | 22,106 | Cement Manufacturing, Materials Storage Piles Runoff |
| 412A | 0211,0213, 0214,0219, 0241,0251, 0252,0253, 0259,0272, 0291 | No discharge | No discharge | Feedlots, All Subcategories Except Ducks |
| 412B | 0259 | 4,10 | No discharge | Feedlots, Ducks |
| 413A | 3471,7699 * | 17,18,20, 22,36,40, 42,46,50, 52,62,80, 86,98, 106, flow | | Electroplating, Electroplating of Common Metals |
| 413B | 3471,3914, 7699* | 17,18,22, 40,42,48, 49,64,65, 66,69,70, 74,98, 106 | | Electroplating, Electroplating of Precious Metals |
| 413C | 3471,7699* | Reserved | Reserved | Electroplating, Electroplating of Specialty Metals |

*The subparts of 40 CFR 413 may also apply to a number of other SIC code industries performing operations covered by the subparts, such as electroplating

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 413D | 3471* | 17,18,20,<br>22,36,40,<br>42,46,50,<br>62,80,87,<br>98,106,<br>flow | | Electroplating, Anodizing |
| 413E | 3479* | 17,18,20,<br>22,36,40,<br>42,46,50,<br>62,80,87,<br>98,106,<br>flow | | Electroplating, Coatings |
| 413F | 3479* | 17,18,20,<br>22,36,40,<br>42,46,50,<br>62,80,87,<br>98,106,<br>flow | | Eletroplating, Chemical Etching and Milling |
| 413G | 3471* | Reserved | Reserved | Electroplating, Electroless Plating |
| 413H | 3679* | Reserved | Reserved | Electroplating, Printed Circuit Board |
| 414A | Reserved | Reserved | Reserved | Organic Chemicals Manufacturing, Reserved |

*The subparts of 40 CFR 413 may also apply to a number of other SIC code industries performing operations covered by the subparts, such as electroplating

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 414B | 2911 | 10,22,106 | 10,12,22,<br>106 | Organic Chemicals Manufacturing, Processes With Process Water Contact Only as Steam Diluent, Quench or Vent Gas Absorbent |
| 414C | Reserved | Reserved | Reserved | Organic Chemicals Manufacturing, Reserved |
| 414D | Reserved | Reserved | Reserved | Organic Chemicals Manufacturing, Reserved |
| 415A | 2819 | No discharge | No discharge | Inorganic Chemicals Manufacturing, Aluminum Chloride Production |
| 415B | 2819 | 22,106<br>No discharge | No discharge | Inorganic Chemicals Manufacturing, Aluminum Sulfate Production |
| 415C | 2819 | No discharge | No discharge | Inorganic Chemicals Manufacturing, Calcium Carbide Production |
| 415D | 2819 | 22,106 | No discharge | Inorganic Chemicals Manufacturing, Calcium Chloride Production |
| 415E | 3274 | 22,106<br>No discharge | No discharge | Inorganic Chemicals Manufacturing, Calcium Oxide and Calcium Hydroxide Production |

(continued)

TABLE 3 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 415F | 2812 | 22,52,58, 106 | Reserved | Inorganic Chemicals Manufacturing, Chlorine and Sodium or Potassium Hydroxide Production |
| 415G | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Hydrochloric Acid Production |
| 415H | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Hydrofluoric Acid Production |
| 415I | 2819 | 18,22,91, 106 | Reserved | Inorganic Chemicals Manufacturing, Hydrogen Peroxide Production |
| 415J | 2873 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Nitric Acid Production |
| 415K | 2819 | No discharge | No discharge | Inorganic Chemicals Manufacturing, Potassium Metal Production |
| 415L | 2819 | No discharge | No discharge | Inorganic Chemicals Manufacturing, Potassium Dichromate Production |
| 415M | 2819 | 22,106<br>No discharge | No discharge | Inorganic Chemicals Manufacturing, Potassium Sulfate Production |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 415N | 2812 | No discharge | No discharge | Inorganic Chemicals Manufacturing, Sodium Bicarbonate Production |
| 415O | 2812 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sodium Carbonate Production |
| 415P | 2899 | 22,106<br>No discharge | No discharge | Inorganic Chemicals Manufacturing, Sodium Chloride Production |
| 415Q | 2819 | 22,40,42,<br>106 | Reserved | Inorganic Chemicals Manufacturing, Sodium Dichromate and Sodium Sulfate Production |
| 415R | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sodium Metal Production |
| 415S | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sodium Silicate Production |
| 415T | 2819 | 12,22,106 | No discharge | Inorganic Chemicals Manufacturing, Sodium Sulfite Production |
| 415U | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sulfuric Acid Production |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 415V | 2816 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Titanium Dioxide Production |
| 415W | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Aluminum Fluoride Production |
| 415X | 2819 | 3,22<br>No discharge |  | Inorganic Chemicals Manufacturing, Ammonium Chloride Production |
| 415Y | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Ammonium Hydroxide Production |
| 415Z | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Barium Carbonate Production |
| 415AA | 2819 | No discharge |  | Inorganic Chemicals Manufacturing, Borax Production |
| 415AB | 2819 | 22,28,106<br>No discharge |  | Inorganic Chemicals Manufacturing, Boric Acid Production |
| 415AC | 2819 | No discharge |  | Inorganic Chemicals Manufacturing, Bromine Production |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 415AD | 2819 | 22,106 | | Inorganic Chemicals Manufacturing, Calcium Carbonate Production |
| 415AE | 3274 | No discharge | | Inorganic Chemicals Manufacturing, Calcium Hydroxide Production |
| 415AF | 2813 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Carbon Dioxide Production |
| 415AG | 2813 | 12,22,106 | | Inorganic Chemicals Manufacturing, Carbon Monoxide and By-Product Hydrogen Production |
| 415AH | 2816 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Chrome Pigments Production |
| 415AI | 2819 | No discharge | | Inorganic Chemicals Manufacturing, Chromic Acid Production |
| 415AJ | 2819 | 22,46,62,<br>71,106 | | Inorganic Chemicals Manufacturing, Copper Sulfate Production |
| 415AK | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Cuprous Oxide Production |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-70)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 415AL | 2819 | No discharge | | Inorganic Chemicals Manufacturing, Ferric Chloride Production |
| 415AM | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Ferrous Sulfate Production |
| 415AN | 2819 | No discharge | | Inorganic Chemicals Manufacturing, Fluorine Production |
| 415AO | 2813 | No discharge | | Inorganic Chemicals Manufacturing, Hydrogen Production |
| 415AP | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Hydrogen Cyanide Production |
| 415AQ | 2819 | No discharge | | Inorganic Chemicals Manufacturing, Iodine Production |
| 415AR | 2816 | No discharge | | Inorganic Chemicals Manufacturing, Lead Monoxide Production |
| 415AS | 2819 | 22,106<br>No discharge | | Inorganic Chemicals Manufacturing, Lithium Carbonate Production |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 415AT | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Manganese Sulfate Production |
| 415AU | 2819 | 22,62,106, No discharge | | Inorganic Chemicals Manufacturing, Nickel Sulfate Production |
| 415AV | 2873 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Strong Nitric Acid Production |
| 415AW | 2813 | 22,90 | | Inorganic Chemicals Manufacturing, Oxygen and Nitrogen Production |
| 415AX | 1474,<br>2819 | No discharge | | Inorganic Chemicals Manufacturing, Potassium Chloride Production |
| 415AY | 2819 | 22,30,50, 106,111 | | Inorganic Chemicals Manufacturing, Potassium Iodide Production |
| 415AZ | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Potassium Permanganate Production |
| 415BA | 2819 | 22,74,106 | | Inorganic Chemicals Manufacturing, Silver Nitrate Production |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 415BB | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sodium Bisulfite Production |
| 415BC | 2819 | No discharge | | Inorganic Chemicals Manufacturing, Sodium Fluoride Production |
| 415BD | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sodium Hydrosulfide Production |
| 415BE | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sodium Hydrosulfite Production |
| 415BF | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sodium Silicofluoride Production |
| 415BG | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sodium Thiosulfate Production |
| 415BH | 2819 | No discharge | | Inorganic Chemicals Manufacturing, Stannic Oxide Production |
| 415BI | 2819 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Sulfur Dioxide Production |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 415BJ | 2816 | Reserved | Reserved | Inorganic Chemicals Manufacturing, Zinc Oxide Production |
| 415BK | 2819 | No discharge | | Inorganic Chemicals Manufacturing, Zinc Sulfate Production |
| 416A | 2821,<br>3079 | 22 | 22 | Plastics and Synthetics, Polyvinyl Chloride |
| 416B | 2821,<br>3079 | 22 | 22 | Plastics and Synthetics, Polyvinyl Acetate |
| 416C | 2821,<br>3079 | 22 | 22 | Plastics and Synthetics, Polystyrene |
| 416D | 2821,<br>3079 | 22 | 22 | Plastics and Synthetics, Polypropylene |
| 416E | 2821,<br>3079 | 22 | 22 | Plastics and Synthetics, Polyethylene |
| 416F | 3079 | 22 | 22 | Plastics and Synthetics, Cellophane |
| 416G | 2823 | 22 | 22 | Plastics and Synthetics, Rayon |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 416H | 2821, 3079 | 22 | 22 | Plastics and Synthetics, Acrylonitrile-Butadiene-Styrene (ABS) and Styrene-Acrylonitrile (SAN) Resin Copolymers |
| 416I | 2821, 2824 | 22 | 22 | Plastics and Synthetics, Polyster |
| 416J | 2821, 2824 | 22 | 22 | Plastics and Syntehtics, Nylon 66 |
| 416K | 2821, 2824 | 22 | 22 | Plastics and Synthetics, Nylon 6 |
| 416L | 2823, 3079 | 22 | 22 | Plastics and Synthetics, Cellulose Acetate |
| 416M | 2821,2824, 3079 | 22 | 22 | Plastics and Synthetics, Acrylics |
| 416N | 2821, 3079 | 22 | 22 | Plastics and Synthetics, Ethylene-Vinyl Acetate |
| 416O | 2821,2824, 3079 | 22 | 22 | Plastics and Synthetics, Polytetrafluoroethylene |
| 416P | 2824 | 22 | 22 | Plastics and Synthetics, Polypropylene Fiber |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 416Q | 2821, 3079 | 22 | 22 | Plastics and Synthetics, Alkyds and Unsaturated Polyester Resins |
| 416R | 2821 | 22 | 22 | Plastics and Synthetics, Cellulose Nitrate |
| 416S | 2821,2824, 3079 | 22 | 22 | Plastics and Synthetics, Polyamide (Nylon 6/12) |
| 416T | 2821, 3079 | 22 | 22 | Plastics and Synthetics, Polyester Resins (Thermoplastic) |
| 416U | 2821,2822, 2869,3079 | 22 | 22 | Plastics and Synthetics, Silicones |
| 417A | 2841 | 10,12,22, 90,106 | 10,12,22, 90,106 | Soap and Detergent Manufacturing, Soap Manufacturing by Batch Kettle |
| 417B | 2841,2899 | 10,12,22, 90,106 | 10,12,22, 90,106 | Soap and Detergent Manufacturing, Fatty Acid Manufacturing by Fat Splitting |
| 417C | 2841 | 10,21,22, 90,106 | 10,12,22, 90,106 | Soap and Detergent Manufacturing, Soap Manufacturing by Fatty Acid Neutralization |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 417D | 2841 | 10,12,22, 90,106 | 10,12,22, 90,106 | Soap and Detergent Manufacturing, Glycerine Concentration |
| 417E | 2841 | 10,12,22, 90,106 | 10,12,22, 90,106 | Soap and Detergent Manufacturing, Glycerine Distillation |
| 417F | 2841 | 10,12,22, 90,106 | 10,12,22, 90,106 | Soap and Detergent Manufacturing, Manufacture of Soap Flakes and Powders |
| 417G | 2841 | 10,12,22 90,106 | 10,12,22, 90,106 | Soap and Detergent Manufacturing, Manufacture of Bar Soaps |
| 417H | 2841 | 10,12,22, 90,106 | 10,12,22, 90,106 | Soap and Detergent Manufacturing, Manufacture of Liquid Soaps |
| 417I | 2843 | 10,12,22, 90,106, 113 | 10,12,22, 90,106, 113 | Soap and Detergent Manufacturing, Oleum Sulfonation and Sulfation |
| 417J | 2843 | 10,12,22, 90,106, 113 | 10,12,22, 90,106, 113 | Soap and Detergent Manufacturing, Air-$SO_3$ Sulfation and Sulfonation |
| 417K | 2843 | 10,12,22, 90,106, 113 | 10,12,22, 90,106, 113 | Soap and Detergent Manufacturing, $SO_3$ Solvent and Vacuum Sulfonation |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 417L | 2843 | 10,12,22,<br>90,106,<br>113 | 10,12,22,<br>90,106,<br>113 | Soap and Detergent Manufacturing, Sulfamic Acid Sulfation |
| 417M | 2843 | 10,12,22,<br>90,106,<br>113 | 10,12,22,<br>90,106,<br>113 | Soap and Detergent Manufacturing, Chlorosulfonic Acid Sulfation |
| 417N | 2843 | 10,12,22,<br>90,106,<br>113 | 10,12,22,<br>90,106,<br>113 | Soap and Detergent Manufacturing, Neutralization of Sulfuric Acid Esters and Sulfonic Acids |
| 417O | 2841 | 10,12,22,<br>90,106,<br>113 | 10,12,22,<br>90,106,<br>113 | Soap and Detergent Manufacturing, Manufacture of Spray Dried Detergents |
| 417P | 2841 | 10,12,22,<br>90,106,<br>113 | 10,12,22,<br>90,106,<br>113 | Soap and Detergent Manufacturing, Manufacture of Liquid Detergents |
| 417Q | 2841 | 10,12,22,<br>90,106,<br>113 | 10,12,22,<br>90,106,<br>113 | Soap and Detergent Manufacturing, Manufacture of Detergents by Dry Blending |
| 417R | 2841 | 10,12,22,<br>90,106,<br>113 | 10,12,22,<br>90,106,<br>113 | Soap and Detergent Manufacturing, Manufacture of Drum Dried Detergents |
| 417S | 2841 | 10,12,22,<br>90,106,<br>113 | 10,12,22,<br>90,106 | Soap and Detergent Manufacturing, Manufacture of Detergent Bars and Cakes |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 418A | 2874 | 20,98,106, No discharge | 20,98,106, No discharge | Fertilizer Manufacturing, Phosphate |
| 418B | 2873 | 3,22 | 3,22 | Fertilizer Manufacturing, Ammonia |
| 418C | 2873 | 3,92 | 3,92 | Fertilizer Manufacturing, Urea |
| 418D | 2873 | 3,88 | 3,88 | Fertilizer Manufacturing, Ammonium Nitrate |
| 418E | 2873 | 3,88 | 3,88 | Fertilizer Manufacturing, Nitric Acid |
| 418F | 2873 | No discharge | No discharge | Fertilizer Manufacturing, Ammonium Sulfate |
| 418G | 2873,2874, 2875 | No discharge | No discharge | Fertilizer Manufacturing, Mixed and Blend Fertilizer Production |
| 419A | 2911 | 3,10,12, 22,40,42, 90,91,96, 106,111 | 3,10,12, 22,40,42, 90,91,96, 106,111 | Petroleum Refining, Topping |
| 419B | 2911 | 3,10,12, 22,40,42, 90,91,96, 106,111 | 3,10,12, 22,40,42, 90,91,96, 106,111 | Petroleum Refining, Cracking |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 419C | 2911 | 2,10,12, 22,40,42, 90,91,96, 106,111 | 3,10,12, 22,40,42, 90,91,96, 106,111 | Petroleum Refining, Petrochemical |
| 419D | 2911 | 3,10,12, 22,40,42, 90,91,96, 106,111 | 3,10,12, 22,40,42, 90,91,96, 106,111 | Petroleum Refining, Lube |
| 419E | 2911 | 3,10,12, 22,40,42, 90,91,96, 106,111 | 3,10,12, 22,40,42, 90,91,96, 106,111 | Petroleum Refining, Integrated |
| 420A | 3312 | 3,17,22, 90,96, 106 | 3,18,22, 90,96, 106,111 | Iron and Steel Manufacturing, By-Product Coke |
| 420B | 3312 | No discharge | No discharge | Iron and Steel Manufacturing, Beehive Coke |
| 420C | 3312 | 22,90,106 | 20,22,90, 106,111 | Iron and Steel Manufacturing, Sintering |
| 420D | 3312 | 3,17,22, 96,106 | 3,18,20, 22,96, 106,111 | Iron and Steel Manufacturing, Blast Furnace (Iron) |
| 420E | 3312 | 3,17,22, 96,106 | 3,18,22, 54,96, 106,111 | Iron and Steel Manufacturing, Blast Furnace (Ferromanganese) |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 420F | 3312 | No discharge | No discharge | Iron and Steel Manufacturing, Basic Oxygen Furnace (Semi-Wet Air Pollution Control Methods) |
| 420G | 3312 | 22,106 | 20,22,106 | Iron and Steel Manufacturing, Basic Oxygen Furnace (Wet Air Pollution Control Methods) |
| 420H | 3312 | 22,106 | 20,22,86, 88,106 | Iron and Steel Manufacturing, Open Hearth Furnace |
| 420I | 3312 | No discharge | No discharge | Iron and Steel Manufacturing, Electric Arc Furnace (Semiwet Air Pollution Control Methods) |
| 420J | 3312 | 22,106 | 20,22,86, 106 | Iron and Steel Manufacturing, Electric Arc Furnace (Wet Air Pollution Control Methods) |
| 420K | 3312 | 22,106 | 22,52,56, 86,88,106 | Iron and Steel Manufacturing, Vacuum Degassing |
| 420L | 3312 | 22,90,106 | 22,90,106 | Iron and Steel Manufacturing, Continuous Casting and Pressure Slab Molding |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 420M | 3312 | 22,90,106 | | Iron and Steel Manufacturing, Hot Forming - Primary |
| 420N | 3312 | 22,90,106 | | Iron and Steel Manufacturing, Hot Forming - Section |
| 420O | 3312 | 22,90,106 | | Iron and Steel Manufacturing, Hot Forming - Flat |
| 420P | 3312, 3317 | 22,90,106 | | Iron and Steel Manufacturing, Pipe and Tube |
| 420Q | 3312,3313, 3315,3316, 3317 | 22,51,90, 106, No discharge | | Iron and Steel Manufacturing, Pickling - Sulfuric Acid - Batch and Continuous |
| 420R | 3312,3313, 3315,3316, 3317 | 22,51,90, 106 | | Iron and Steel Manufacturing, Pickling - Hydrochloric Acid - Batch and Continuous |
| 420S | 3312,3316 | 22,51,90, 106 | | Iron and Steel Manufacturing, Cold Rolling |
| 420T | 3312 | 22,40,42, 86,90, 106 | | Iron and Steel Manufacturing, Hot Coatings - Galvanizing |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 420U | 3312 | 22,52,80, 90,106 | | Iron and Steel Manufacturing, Hot Coatings - Terne |
| 420V | 3312 | No discharge | | Iron and Steel Manufacturing, Miscellaneous Runoffs - Storage Piles, Casting, and Slagging |
| 420W | 3312,3313, 3315,3316, 3317 | 20,22,43, 51,63,90, 106 | | Iron and Steel Manufacturing, Combination Acid Pickling (Batch and Continuous) |
| 420X | 3312,3313, 3315,3316, 3317 | 17,22,40, 43,51, 106 | | Iron and Steel Manufacturing, Scale Removal (Kolene and Hydride) |
| 420Y | 3312,3315 | 17,20,22, 43,47,51, 63,90, 106 | | Iron and Steel Manufacturing, Wire Pickling and Coating |
| 420Z | 3312,3313, 3315,3316, 3317 | 22,43,51, 63,106 | | Iron and Steel Manufacturing, Continuous Alkaline Cleaning |
| 421A | 2819 | No discharge | No discharge | Nonferrous Metals Manufacturing, Bauxite Refining |
| 421B | 3334 | 20,22,106 | 20,22,106 | Nonferrous Metals Manufacturing, Primary Aluminum Smelting |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 421C | 3341 | 3,12,20, 22,24,46, 106, No discharge | No discharge | Nonferrous Metals Manufacturing, Secondary Aluminum Smelting |
| 421D | 3331 | 22,28,36, 46,52,71, 86,106, No discharge | 22,28,36, 46,52,71, 86,106, No discharge | Nonferrous Metals Manufacturing, Primary Copper Smelting |
| 421E | 3331 | 22,28,46, 71,86,90, 106, No discharge | 22,28,46, 71,86,90, 106 No discharge | Nonferrous Metals Manufacturing, Primary Copper Refining |
| 421F | 3341 | 22,46,86, 90,106 No discharge | 22,46,86, 90,106 No discharge | Nonferrous Metals Manufacturing, Secondary Copper |
| 421G | 3332 | 22,36,52, 86,106 No discharge | 22,36,52, 86,106 No discharge | Nonferrous Metals Manufacturing, Primary Lead |
| 421H | 3333 | 22,28,36, 71,86, 106 | 22,28,36, 71,86, 106 | Nonferrous Metals Manufacturing, Primary Zinc |
| 422A | 2819,<br>3313 | 20,22,97, 98,106 | No discharge | Phosphate Manufacturing, Phosphorus Production |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 422B | 2819,<br>2874 | 22,28,97,98,106<br>No discharge | No discharge | Phosphate Manufacturing, Phosphorus Consuming |
| 422C | 2819,<br>2048 | 22,98,106<br>No discharge | No discharge | Phosphate Manufacturing, Phosphate |
| 422D | 2874 | 20,22,98,106<br>No discharge | 20,22,98,106<br>No discharge | Phosphate Manufacturing, Defluorinated Phosphate Rock |
| 422E | 2874 | 20,22,98,106<br>No discharge | 20,22,98,106<br>No discharge | Phosphate Manufacturing, Defluorinated Phosphoric Acid |
| 422F | 2819 | 20,22,98,106 | 20,22,98,106 | Phosphate Manufacturing, Sodium Phosphates |
| 423A | 4911,<br>4931 | 15,22,46,50,90,106<br>Polychlorinated biphenyl compounds,<br>Free available chlorine | 15,22,42,46,50,86,90,98,106,114<br>Polychlorinated biphenyl compounds,<br>Free available chlorine,<br>Heat,<br>Corrosion inhibiting materials<br>(continued) | Steam Electric Power Generating, Generating Unit |

EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 423B | 4911, 4931 | 15,22,46, 50,90, 106 Polychlorinated biphenyl compounds, Free available chlorine | 15,22,42, 46,50,86, 90,98, 106 Polychlorinated biphenyl compounds, Free available chlorine, Corrosion inhibiting materials | Steam Electric Power Generating, Small Unit |
| 423C | 4911, 4931 | 15,22,46, 50,90, 106 Polychlorinated biphenyl compounds, Free available chlorine | 15,22,42, 46,50,86, 90,98, 106 Polychlorinated biphenyl compounds, Corrosion inhibiting materials, Free available chlorine | Steam Electric Power Generating, Old Unit |
| 423D | 4911, 4931 | 22,106 | 22,106 | Steam Electric Power Generating, Area Runoff |
| 424A | 3313 | 22,40,42, 56,106 | 22,40,42, 56,106 | Ferroalloy Manufacturing, Open Electric Furnaces with Wet Air Pollution Control Devices |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 424B | 3313 | 17,22,40, 42,56,96, 106 | 17,22,40, 42,56,96, 106 | Ferroalloy Manufacturing, Covered Electric Furnaces and Other Smelting Operations with Wet Air Pollution Control Devices |
| 424C | 3313 | 22,42,56, 106 | 17,22,106 | Ferroalloy Manufacturing, Slag Processing |
| 424D | 2819 | 17,22,106 | 17,22,106 | Ferroalloy Manufacturing, Covered Calcium Carbide Furnaces with Wet Air Pollution Control Devices |
| 424E | 2819 | No discharge | No discharge | Ferroalloy Manufacturing, Other Calcium Carbide Furnaces |
| 424F | 3313 | 3,22,56, 106 | 3,22,56, 106 | Ferroalloy Manufacturing, Electrolytic Manganese Products |
| 424G | 3313 | 3,22,42, 56,106 | 3,22,42, 56,106 | Ferroalloy Manufacturing, Electrolytic Chromium |
| 425A | 3111 | 10,22,42, 90,106 | 4,10,22, 23,42,90, 106,111 | Leather Tanning and Finishing Industry, Hair Pulp Unhairing with Chrome Tanning and Finishing |
| 425B | 3111 | 10,22,42, 90,106 | 4,10,22, 23,42,90, 106,111 | Leather Tanning and Finishing Industry, Hair Save Unhairing with Chrome Tanning and Finishing |

(continued)

6-1/2"
9-1/8"
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 425C | 3111 | 10,22,42, 90,106 | 4,10,22, 23,42,106, 111 | Leather Tanning and Finishing Industry, Unhairing with Vegetable or Alum Tanning and Finishing |
| 425D | 3111 | 10,22,42, 90 | 4,10,22, 23,42,90, 106,111 | Leather Tanning and Finishing Industry, Finishing of Tanned Hides |
| 425E | 3111 | 10,22,42, 90,106 | 4,10,22, 23,42,90, 106,111 | Leather Tanning and Finishing Industry, Vegetable or Chrome Tanning of Unhaired Hides |
| 425F | 3111 | 10,22,42, 90,106 | 4,10,22, 23,42,90, 106,111 | Leather Tanning and Finishing Industry, Unhairing with Chrome Tanning and No Finishing |
| 426A | 3296 | 10,12,22, 96,106<br>No discharge | No discharge | Glass Manufacturing, Insulation Fiberglass |
| 426B | 3211 | No discharge | No discharge | Glass Manufacturing, Sheet Glass Manufacturing |
| 426C | 3211 | No discharge | No discharge | Glass Manufacturing, Rolled Glass Manufacturing |
| 426D | 3211 | 22,106 | 22,106 | Glass Manufacturing, Plate Glass Manufacturing |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 426E | 3211 | 22,98,106, Oil | 22,98,106, Oil | Glass Manufacturing, Float Glass Manufacturing |
| 425F | 3211, 3231 | 22,106, Oil | 22,106, Oil | Glass Manufacturing, Automotive Glass Tempering |
| 426G | 3211, 3231 | 22,98,106, Oil | 22,98,106, Oil | Glass Manufacturing, Automotive Glass Laminating |
| 426H | 3221 | 22,106, Oil | 22,106, Oil | Glass Manufacturing, Glass Container Manufacturing |
| 426I | 3229 | Reserved | Reserved | Glass Manufacturing, Machine Pressed and Blown Glass Manufacturing |
| 426J | 3229 | 22,106 | 22,106 | Glass Manufacturing, Glass Tubing (Danner) Manufacturing |
| 426K | 3229 | 20,22,52, 106, Oil | 20,22,52, 106,Oil | Glass Manufacturing, Television Picture Tube Envelope Manufacturing |
| 426L | 3229, 3641 | 3,20,22, 106,Oil | 3,20,22, 106,Oil | Glass Manufacturing, Incandescent Lamp Envelope Manufacturing |
| 426M | 3229 | 20,22,52, 106 | 20,22,52, 106 | Glass Manufacturing, Hand Pressed and Blown Glass Manufacturing |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 427A | 3292 | 22,106 | No discharge | Asbestos Manufacturing, Asbestos-Cement Pipe |
| 427B | 3292 | 22,106 | No discharge | Asbestos Manufacturing, Asbestos-Cement Sheet |
| 427C | 2661 | 22,106 | No discharge | Asbestos Manufacturing, Asbestos Paper (Starch Binder) |
| 427D | 2661 | 22,106 | No discharge | Asbestos Manufacturing, Asbestos Paper (Elastomeric Binder) |
| 427E | 3292 | No discharge | No discharge | Asbestos Manufacturing, Asbestos Millboard |
| 427F | 3292 | 12,22,106 | No discharge | Asbestos Manufacturing, Asbestos Roofing |
| 427G | 3292 | 12,22,106 | No discharge | Asbestos Manufacturing, Asbestos Floor Tile |
| 427H | 3292 | No discharge | No discharge | Asbestos Manufacturing, Coating or Finishing of Asbestos Textiles |
| 427I | 2661,<br>3292 | 12,22,106 | 12,22,106 | Asbestos Manufacturing, Solvent Recovery |
| 427J | 2661,<br>3292 | No discharge | No discharge | Asbestos Manufacturing, Vapor Absorption |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 427K | 2661, 3292 | 22,106 | No discharge | Asbestos Manufacturing, Wet Dust Collection |
| 428A | 3011 | 22,90,106 | 22,90,106 | Rubber Manufacturing, Tire and Inner Tube Plants |
| 428B | 2822 | 10,12,22, 90,106 | 10,12,22, 90,106 | Rubber Manufacturing, Emulsion Crumb Rubber |
| 428C | 2822 | 10,12,22, 90,106 | 10,12,22, 90,106 | Rubber Manufacturing, Solution Crumb Rubber |
| 428D | 2822 | 10,12,22, 90,106 | 10,12,22, 90,106 | Rubber Manufacturing, Latex Rubber |
| 428E | 3021,3041, 3069,3293, 7534 | 22,52,90, 106 | 22,52,90, 106 | Rubber Manufacturing, Small-Sized General Molded, Extruded, and Fabricated Rubber Plants |
| 428F | 3021,3041, 3069,3293, 7534 | 22,52,90, 106 | 22,52,90, 106 | Rubber Manufacturing, Medium-Sized General Molded, Extruded, and Fabricated Rubber Plants |
| 428G | 3021,3041, 3069,3293, 7534 | 22,52,90, 106 | 22,52,90, 106 | Rubber Manufacturing, Large Sized General Molded, Extruded, and Fabricated Rubber Plants |
| 428H | 3031 | 12,22,90, 106 | 12,22,90, 106 | Rubber Manufacturing, Wet Digestion Reclaimed Rubber |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 428I | 3031 | 12,22,90, 106 | 12,22,90, 106 | Rubber Manufacturing, Pan, Dry Digestion, and Mechanical Reclaimed Rubber |
| 428J | 3069 | 10,22,42, 90,106 | 10,22,42, 90,106 | Rubber Manufacturing, Latex-Dipped, Latex-Extruded and Latex-Molded Rubber |
| 428K | 3069 | 10,22,86, 106 | 10,22,86, 106 | Rubber Manufacturing, Latex Foam |
| 429A | 2435, 2436 | 10,22,106, No discharge | No discharge | Timber Products Processing, Barking |
| 429B | 2435, 2436 | 10,22, No discharge | No discharge | Timber Products Processing, Veneer |
| 429C | 2435, 2436 | No discharge | No discharge | Timber Products Processing, Plywood |
| 429D | 2499 | No discharge | No discharge | Timber Products Processing, Hardboard-Dry Process |
| 429E | 2499 | Revoked | Revoked | Timber Products Processing, Hardboard-Wet Process |
| 429F | 2491 | No discharge | No discharge | Timber Products Processing, Wood Preserving |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 429G | 2491 | 12,22,90, 96 | 12,22,90, 96 | Timber Products Processing, Wood Preserving-Steam |
| 429H | 2491 | No discharge | No discharge | Timber Products Processing, Wood Preserving-Boultonizing |
| 429I | 2411,2421, 2426,2429 | 22, No debris discharged | 22, No debris discharged | Timber Products Processing, Wet Storage |
| 429J | 2411,2421, 2426,2429 | 22,106 | No discharge | Timber Products Processing, Log Washing |
| 429K | 2421,2426, 2429 | No discharge | No discharge | Timber Products Processing, Sawmills and Planing Mills |
| 429L | 2421,2426, 2491,2499 | No discharge | No discharge | Timber Products Processing, Finishing |
| 429M | 2492 | No discharge | No discharge | Timber Products Processing, Particleboard Manufacturing |
| 429N | Reserved | Reserved | Reserved | Timber Products Processing, Reserved |
| 429O | Reserved | Reserved | Reserved | Timber Products Processing, Reserved |
| 429P | Reserved | Reserved | Reserved | Timber Products Processing, Reserved |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 429Q | 2434,2511, 2512,2517, 2521,2531, 2541,2591, 2599 | No discharge | No discharge | Timber Products Processing, Wood Furniture and Fixture Production without Water Wash Spray Booth(s) or Laundry Facilities |
| 429R | 2434,2511, 2512,2517, 2521,2531, 2541,2591, 2599 | 22,107 | No Discharge | Timber Products Processing, Wood Furniture and Fixture Production with Water Wash Spray Booth(s) or with Laundry Facilities |
| 430A | 2611, 2621 | 10,22,106 | 10,16,22, 106 | Pulp, Paper, and Paperboard, Unbleached Kraft |
| 430B | 2611, 2621 | 10,22,106 | 10,16,22, 106 | Pulp, Paper, and Paperboard, Sodium Based Neutral Sulfite Semi-Chemical |
| 430C | 2611, 2621 | 10,22,106 | 10,16,22, 106 | Pulp, Paper, and Paperboard, Ammonia Base Neutral Sulfite Semi-Chemical |
| 430D | 2611, 2621, | 10,22,106 | 10,16,22, 106 | Pulp, Paper, and Paperboard, Unbleached Kraft - Neutral Sulfite Semi-Chemical |
| 430E | 2631 | 10,22,106 | 10,22,106 | Pulp, Paper, and Paperboard, Paperboard from Waste Paper |
| 430F | 2611 | 10,22,106 | | Pulp, Paper, and Paperboard, Dissolving Kraft |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 430G | 2611 | 10,22,106 | | Pulp, Paper, and Paperboard, Market Bleached Kraft |
| 430H | 2621,<br>2631 | 10,22,106 | | Pulp, Paper and Paperboard, BCT Bleached Kraft |
| 430I | 2621 | 10,22,106 | | Pulp, Paper, and Paperboard, Fine Bleached Kraft |
| 430J | 2621 | 10,22,106 | | Pulp, Paper, and Paperboard, Papergrade Sulfite (Blow Pit Wash) |
| 430K | 2611 | 10,22,106 | | Pulp, Paper, and Paperboard, Dissolving Sulfite Pulp |
| 430L | 2621 | 10,22,86, 106 | | Pulp, Paper, and Paperboard, Groundwood-Chemi-Mechanical |
| 430M | 2621 | 10,22,86, 106 | | Pulp, Paper, and Paperboard, Groundwood-Thermo-Mechanical |
| 430N | 2621 | 10,22,86, 106 | | Pulp, Paper, and Paperboard, Groundwood - CMN Papers |
| 430O | 2621 | 10,22,86, 106 | | Pulp, Paper, and Paperboard, Groundwood - Fine Papers |
| 430P | 2621 | 10,22,106 | | Pulp, Paper, and Paperboard, Soda |

(continued)

6-1/2"
9-1/8"
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 430Q | 2621 | 10,22,106 | | Pulp, Paper, and Paperboard, Deink |
| 430R | 2621 | 10,22,106 | | Pulp, Paper, and Paperboard, NI Fine Papers |
| 430S | 2621 | 10,22,106 | | Pulp, Paper, and Paperboard, NI Tissue Papers |
| 430T | 2621 | 10,22,106 | | Pulp, Paper, and Paperboard, NI Tissue (FWP) |
| 430U | 2621 | 10,22,106 | | Pulp, Paper, and Paperboard, Papergrade Sulfite (Drum Wash) |
| 430V | 2611 | 10,22,106 | | Pulp, Paper, and Paperboard, Papergrade Sulfite Market Pulp |
| 431A | 2649,<br>2661 | 10,22,106<br>107 | 10,22,106<br>107 | Builders Paper and Roofing Felt Segment of the Builders Paper and Board Mills, Builders Paper and Roofing Felt |
| 432A | 2011 | 4,10,22,<br>90,106 | 3,4,10,<br>22,90,<br>106 | Meat Products, Simple Slaughterhouse |
| 432B | 2011 | 4,10,22,<br>90,106 | 3,4,10,<br>22,90,<br>106 | Meat Products, Complex Slaughterhouse |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 432C | 2011 | 4,10,22,<br>90,106 | 3,4,10,<br>22,90,<br>106 | Meat Products, Low-Processing Packinghouse |
| 432D | 2011 | 4,10,22,<br>90,106 | 3,4,10,<br>22,90,<br>106 | Meat Products, High-Processing Packinghouse |
| 432E | 2011,2013,<br>5422,5423 | 4,10,22,<br>90,106 | 4,10,22,<br>90,106 | Meat Products, Small Processor |
| 432F | 2011,5422,<br>5423 | 4,10,22,<br>90,106 | 3,4,10,22,<br>90,106 | Meat Products, Meat Cutter |
| 432G | 2011,2013 | 4,10,22,<br>90,106 | 3,4,10,22,<br>90,106 | Meat Products, Sausage and Luncheon Meats Processor |
| 432H | 2011,<br>2013 | 4,10,22,<br>90,106 | 3,4,10,<br>22,90,<br>106 | Meat Products, Ham Processor |
| 432I | 2011,<br>2013 | 4,10,22,<br>90,106 | 3,4,10,22,<br>90,106 | Meat Products, Canned Meats Processor |
| 432J | 2077 | 4,10,22,<br>90,106 | 3,4,10,22,<br>90,106 | Meat Products, Renderer |
| 434A | | | | Coal Mining, General Definitions |
| 434B | 1111,1112,<br>1211,1213 | 22,50,56,<br>106 | | Coal Mining, Coal Preparation Plants and Associated Areas |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 434C | 1111,1112,<br>1211,1213 | 22,50,56,<br>106 | | Coal Mining, Acid or Ferruginous Mine Drainage |
| 434D | 1111,1112,<br>1211,1213 | 22,50,106 | | Coal Mining, Alkaline Mine Drainage |
| 434E | 1111,1112,<br>1211,1213 | | | Coal Mining, Areas Under Reclamation |
| 434F | 1211,1213 | | | Coal Mining, Western Coal Mines |
| 435A | 1311,1381,<br>1382 | 15,90,<br>No discharge of free oil, No floating solids | | Oil and Gas Extraction, Offshore |
| 435B | Reserved | | | Oil and Gas Extraction, Reserved |
| 435C | 1311,1381,<br>1382 | No discharge | | Oil and Gas Extraction, Onshore |
| 435D | 1311,1381,<br>1382 | 15,90,<br>No discharge of free oil, No floating solids | | Oil and Gas Extraction, Coastal |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 435E | 1311,<br>1381 | 90,<br>No discharge | | Oil and Gas Extraction, Agricultural and Wildlife Water Use |
| 435F | 1311,<br>1381 | Reserved | | Oil and Gas Extraction, Stripper |
| 436A | 1411 | Reserved | Reserved | Mineral Mining and Processing, Dimension Stone |
| 436B | 1422,1423,<br>1429 | 22,106<br>No discharge | | Mineral Mining and Processing, Crushed Stone |
| 436C | 1442 | 22,106<br>No discharge | | Mineral Mining and Processing, Construction Sand and Gravel |
| 436D | 1446 | 20,22,106,<br>No discharge | | Mineral Mining and Processing, Industrial Sand |
| 436E | 1492,<br>3295 | No discharge | | Mineral Mining and Processing, Gypsum |
| 436F | 1499,<br>3295 | No discharge | | Mineral Mining and Processing, Asphaltic Mineral |
| 436G | 1499,<br>3295 | No discharge | | Mineral Mining and Processing, Asbestos and Wollastonite |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 436H | 1499 | Reserved | Reserved | Mineral Mining and Processing, Lightweight Aggregates |
| 436I | 1499,<br>3295 | Reserved | Reserved | Mineral Mining and Processing, Mica and Sericite |
| 436J | 1472,<br>3295 | No discharge | | Mineral Mining and Processing, Barite |
| 436K | 1473 | No discharge | | Mineral Mining and Processing, Fluorspar |
| 436L | 1474 | No discharge | | Mineral Mining and Processing, Salines from Brine Lakes |
| 436M | 1474 | No discharge | | Mineral Mining and Processing, Borax |
| 436N | 1474 | No discharge | | Mineral Mining and Processing, Potash |
| 436O | 1474 | No discharge | | Mineral Mining and Processing, Sodium Sulfate |
| 436P | 1474 | Reserved | Reserved | Mineral Mining and Processing, Trona |
| 436Q | 1476 | Reserved | Reserved | Mineral Mining and Processing, Rock Salt |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 436R | 1475 | 22,106,No discharge | | Mineral Mining and Processing, Phosphate Rock |
| 436S | 1477 | No discharge | | Mineral Mining and Processing, Frasch Sulfur |
| 436T | 1479 | Reserved | Reserved | Mineral Mining and Processing, Mineral Pigments |
| 436U | 1479 | Reserved | Reserved | Mineral Mining and Processing, Lithium |
| 436V | 1452, 3295 | No discharge | | Mineral Mining and Processing, Bentonite |
| 436W | 1459, 3295 | No discharge | | Mineral Mining and Processing, Magnesite |
| 436X | 1499, 3295 | No discharge | | Mineral Mining and Processing, Diatomite |
| 436Y | 1499 | No discharge | | Mineral Mining and Processing, Jade |
| 436Z | 1499, 3295 | No discharge | | Mineral Mining and Processing, Novaculite |
| 436AA | 1453, 3295 | Reserved | Reserved | Mineral Mining and Processing, Fire Clay |
| 436AB | 1452, 1454, 3295 | Reserved | Reserved | Mineral Mining and Processing, Attapulgite and Montmorillonite |

(continued)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 436AC | 1459,<br>3295 | Reserved | Reserved | Mineral Mining and Processing, Kyanite |
| 436AD | 1459,<br>3295 | Reserved | Reserved | Mineral Mining and Processing, Shale and Common Clay |
| 436AE | 1459,<br>3295 | Reserved | Reserved | Mineral Mining and Processing, Aplite |
| 436AF | 1499,<br>3295 | No discharge | | Mineral Mining and Processing, Tripoli |
| 436AG | 1455,<br>3295 | Reserved | Reserved | Mineral Mining and Processing, Kaolin |
| 436AH | 1455,<br>3295 | Reserved | Reserved | Mineral Mining and Processing, Ball Clay |
| 436AI | 1459,<br>3295 | Reserved | Reserved | Mineral Mining and Processing, Feldspar |
| 436AJ | 1496,<br>3295 | Reserved | Reserved | Mineral Mining and Processing, Talc, Steatite, Soapstone and Pyrophyllite |
| 436AK | 1499,<br>3295 | Reserved | Reserved | Mineral Mining and Processing, Garnet |
| 436AL | 1499,<br>3295 | 22,50,106 | | Mineral Mining and Processing, Graphite |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 439A | 2833,<br>2834 | 10,12,22 | | Pharmaceutical Manufacturing, Fermentation Products |
| 439B | 2831,<br>2833,<br>2834 | 10,12,22,<br>106 | | Pharmaceutical Manufacturing, Extraction Products |
| 439C | 2833,<br>2834 | 10,12,22 | | Pharmaceutical Manufacturing, Chemical Synthesis Products |
| 439D | 2834 | 10,12,22,<br>106 | | Pharmaceutical Manufacturing, Mixing/ Compounding and Formulation |
| 439E | 2831,2833,<br>2834,7391,<br>8922 | 10,12,22,<br>106 | | Pharmaceutical Manufacturing, Research |
| 440A | 1011,<br>1081 | 22,51,106,<br>No discharge | | Ore Mining and Dressing, Iron Ore |
| 440B | 1021,1031,<br>1041,1044,<br>1081,1099 | 22,36,46,52,<br>58,86,106,<br>No discharge | | Ore Mining and Dressing, Base and Precious Metals |
| 440C | 1051,1081 | 22,24,50,<br>106 | | Ore Mining and Dressing, Aluminum Ore |
| 440D | 1061,1081,<br>1094 | 17,22,28,<br>36,46,52,<br>86,106 | | Ore Mining and Dressing, Ferroalloy Ores |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 440E | 1081,<br>1094 | 3,12,22,28,<br>86,103b,106<br>Uranium,<br>Radium-226<br>(dissolved) | | Ore Mining and Dressing, Uranium, Radium and Vanadium Ores |
| 440F | 1081,<br>1092 | 22,58,62,<br>106,<br>No discharge | | Ore Mining and Dressing, Mercury Ore |
| 440G | 1081,<br>1099 | 22,50,62,<br>86,106 | | Ore Mining and Dressing, Titanium Ore |
| 443A | 2911,<br>2951 | 22,90 | 22,90,106 | Paving and Roofing Materials (Tars and Asphalt), Asphalt Emulsion |
| 443B | 2911,<br>2951 | No discharge | No discharge | Paving and Roofing Materials (Tars and Asphalt), Asphalt Concrete |
| 443C | 2952 | 22,106 | 22,106 | Paving and Roofing Materials (Tar and Asphalt), Asphalt Roofing |
| 443D | 3996 | 22,106 | 22,106 | Paving and Roofing Materials (Tars and Asphalt), Linoleum and Printed Asphalt Felt |
| 446A | 2851 | No discharge | No discharge | Paint Formulating, Oil-Base Solvent Wash Paint |

(continued)

EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 447A | 2893 | No discharge | No discharge | Ink Formulating, Oil Base Solvent Wash Ink |
| 454A | 2861 | No discharge | | Gum and Wood Chemicals Manufacturing, Char and Charcoal Briquets |
| 454B | 2861 | 10,22,106 | | Gum and Wood Chemicals Manufacturing, Gum Rosin and Turpentine |
| 454C | 2861 | 10,22,106 | | Gum and Wood Chemicals Manufacturing, Wood Rosin, Turpentine and Pine Oil |
| 454D | 2861,<br>2899 | 10,22,106 | | Gum and Wood Chemicals Manufacturing, Tall Oil Rosin, Pitch and Fatty Acids |
| 454E | 2899 | 10,22,106 | | Gum and Wood Chemicals Manufacturing, Essential Oils |
| 454F | 2861,<br>2899 | 10,22,106 | | Gum and Wood Chemicals Manufacturing, Rosin-Based Derivatives |
| 455A | 2869 | 10,12,22, 106, Organic Pesticide Chemicals | | Pesticide Chemicals Manufacturing, Organic Pesticide Chemicals Manufacturing |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE
6-1/2"
9-1/8"
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 455B | 2869 | No discharge | | Pesticide Chemicals Manufacturing, Metallo-Organic Pesticide Chemicals Manufacturing |
| 455C | 2879 | No discharge | | Pesticide Chemicals Manufacturing, Pesticide Chemicals Formulating and Packaging |
| 457A | 2892 | 10,12,22, 106 | | Explosives Manufacturing, Manufacture of Explosives |
| 457B | Reserved | Reserved | Reserved | Explosives Manufacturing, Reserved |
| 457C | 2892,<br>3482,<br>3483 | 22,90,106 | | Explosives Manufacturing, Explosives Load, Assemble, and Pack Plants |
| 458A | 2895 | Reserved | No discharge | Carbon Black Manufacturing, Carbon Black Furnace Process |
| 458B | 2895 | No discharge | No discharge | Carbon Black Manufacturing, Carbon Black Thermal Process |
| 458C | 2895 | No discharge | No discharge | Carbon Black Manufacturing, Carbon Black Channel Process |
| 458D | 2895 | No discharge | No discharge | Carbon Black Manufacturing, Carbon Black Lamp Process |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

TABLE 2 (continued)

| SUBPART NO. | SIC CODE | BPT | BAT | SUBPART DESCRIPTION |
|---|---|---|---|---|
| 459A | 7395,<br>7819,<br>9711 | 17,22,74 | | Photographic, Photographic Processing |
| 460A | 8062,<br>8063,<br>8069 | 10,22,106 | | Hospital, Hospital |

6-1/2"
9-1/8"
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA: OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

### TABLE 3. NPDES PERMIT ANALYTICAL TEST PARAMETERS

| Priority | Test Parameter No. | Test Parameter Description | Total Dischargers |
|---|---|---|---|
| 1 | 22 | PH | 1020 |
| 2 |  | FLOW | 1008 |
| 3 | 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | 937 |
| 4 | 10 | BOD5 | 609 |
| 5 | 114 | TEMPERATURE | 554 |
| 6 | 90 | OIL AND GREASE | 474 |
| 7 | 4 | COLIFORM, FECAL | 324 |
| 8 | 42 | CHROMIUM, TOTAL | 309 |
| 9 | 86 | ZINC, TOTAL | 272 |
| 10 | 46 | COPPER, TOTAL | 238 |
| 11 | 15 | CHLORINE, TOTAL RESIDUAL | 192 |
| 12 | 50 | IRON, TOTAL | 176 |
| 13 | 3 | AMMONIA AS N | 167 |
| 14 | 12 | COD | 156 |
| 15 | 96 | PHENOLS | 150 |
| 16 | 62 | NICKEL, TOTAL | 140 |
| 17 | 40 | CHROMIUM VI | 138 |
| 18 | 107 | SETTLEABLE RESIDUE | 134 |
| 19 | 17 | CYANIDE, TOTAL | 124 |
| 20 | 52 | LEAD, TOTAL | 120 |
| 21 | 19 | DISSOLVED OXYGEN | 112 |
| 22 | 36 | CADMIUM, TOTAL | 107 |
| 23 | 98 | PHOSPHORUS, TOTAL | 99 |
| 24 | 24 | ALUMINUM, TOTAL | 66 |
| 25 | 58 | MERCURY, TOTAL | 64 |
| 26 | 20 | FLUORIDE | 63 |
| 27 | 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | 61 |
| 28 | 115 | TURBIDITY | 56 |
| 29 | 111 | SULFIDE | 53 |
| 30 | 91 | ORGANIC CARBON, TOTAL | 48 |
| 31 | 23 | KJELDAHL NITROGEN | 46 |
| 32 | 28 | ARSENIC, TOTAL | 42 |
| 33 | 74 | SILVER, TOTAL | 38 |
| 34 |  | CHLORINE, FREE AVAILABLE | 35 |
| 35 | 51 | IRON, DISSOLVED | 33 |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

TABLE 3. (continued)

| Priority | Test Parameter No. | Test Parameter Description | Total Dischargers |
|---|---|---|---|
| | 88 | NITRATE AS N | 33 |
| 36 | 13 | CHLORIDE | 30 |
| 37 | 16 | COLOR | 28 |
| | 80 | TIN, TOTAL | 28 |
| | 110 | SULFATE | 28 |
| 38 | 6 | COLIFORM, TOTAL | 27 |
| 39 | 56 | MANGANESE, TOTAL | 26 |
| 40 | 18 | CYANIDE AMENDABLE TO CHLORINATION | 24 |
| | 113 | SURFACTANTS | 24 |
| 41 | | NO DISCHARGE | 19 |
| 42 | 71 | SELENIUM, TOTAL | 18 |
| | | 96 HOUR BIOASSAY | 18 |
| 43 | | NITROGEN, TOTAL | 16 |
| | | PHOSPHATE, TOTAL AS P | 16 |
| 44 | 30 | BARIUM, TOTAL | 15 |
| 45 | 47 | COPPER, DISSOLVED | 14 |
| | | POLYCHLORINATED BIPHENYLS | 14 |
| | 87 | ZINC, DISSOLVED | 14 |
| 46 | | CYANIDE, FREE | 13 |
| 47 | 25 | ALUMINUM, DISSOLVED | 12 |
| | 109 | SPECIFIC CONDUCTANCE | 12 |
| 48 | 2 | ALKALINITY AS CACO3 | 11 |
| 49 | 53 | LEAD, DISSOLVED | 10 |
| 50 | 92 | ORGANIC NITROGEN AS N | 9 |
| | 104 | TOTAL RESIDUE | 9 |
| 51 | | HEAT | 8 |
| | | NO MONITORING | 8 |
| | | PETROLEUM HYDROCARBONS | 8 |
| | 84 | VANADIUM, TOTAL | 8 |
| 52 | 37 | CADMIUM, DISSOLVED | 7 |
| | 60 | MOLYBDENUM, TOTAL | 7 |
| | 63 | NICKEL, DISSOLVED | 7 |
| | 76 | SODIUM, TOTAL | 7 |
| | 108 | TOTAL VOLATILE | 7 |
| 53 | 26 | ANTIMONY, TOTAL | 6 |
| | | CHROMIUM, TRIVALENT | 6 |
| | 93 | ORTHOPHOSPHATE | 6 |
| | | PHOSPHATE, TOTAL AS PO4 | 6 |
| | 75 | SILVER, DISSOLVED | 6 |
| | 82 | TITANIUM, TOTAL | 6 |
| 54 | | BIOASSAY | 5 |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA. OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

TABLE 3. (continued)

| Priority | Test Parameter No. | Test Parameter Description | Total Dischargers |
|---|---|---|---|
| | | CHLORINATED HYDROCARBONS | 5 |
| | 103B | RA-226 | 5 |
| 55 | 1 | ACIDITY AS CACO3 | 4 |
| | 43 | CHROMIUM, DISSOLVED | 4 |
| | | COPPER, SOLUBLE | 4 |
| | | CYANIDE, OXIDIZABLE | 4 |
| | 48 | GOLD, TOTAL | 4 |
| | 89 | NITRITE AS N | 4 |
| | | PRECIPITATION | 4 |
| | | RAINFALL | 4 |
| | | URANIUM, TOTAL | 4 |
| 56 | 32 | BERYLLIUM, TOTAL | 3 |
| | | BOD ULTIMATE | 3 |
| | | BOD 20 | 3 |
| | 34 | BORON, TOTAL | 3 |
| | | CARBON TETRACHLORIDE | 3 |
| | | CHLORINATED HYDROCARBONS TOTAL IDENTIFIABLE | 3 |
| | | NICKEL, SOLUBLE | 3 |
| | | ODOR | 3 |
| | 95 | PESTICIDES | 3 |
| | | STANDARD MINERALS | 3 |
| | 112 | SULFITE | 3 |
| | | TNT AND NITROBODIES | 3 |
| | | TOLUENE | 3 |
| | | TRICHLORETHANE | 3 |
| 57 | 99 | ALPHA, TOTAL | 2 |
| | | AMMONIUM HYDROXIDE, UNIONIZED | 2 |
| | | BENZENE | 2 |
| | 14 | CHLORINATED ORGANIC COMPOUNDS EXCEPT PESTICIDES | 2 |
| | | CHLORINE, TOTAL AVAILABLE | 2 |
| | | CHLOROFORM | 2 |
| | | FLOATING SOLIDS | 2 |
| | | FORMALDEHYDE | 2 |
| | 21 | HARDNESS | 2 |
| | | LIGHT TRANSMITTANCE | 2 |
| | | LITHIUM, TOTAL | 2 |
| | 54 | MAGNESIUM, TOTAL | 2 |
| | 57 | MANGANESE, DISSOLVED | 2 |
| | 59 | MERCURY, DISSOLVED | 2 |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

TABLE 3. (continued)

| Priority | Test Parameter No. | Test Parameter Description | Total Dischargers |
|---|---|---|---|
| | | METHYLENE CHLORIDE | 2 |
| | | NITRATE-NITRITE NITROGEN | 2 |
| | 65 | PALLADIUM, TOTAL | 2 |
| | | PERCHLORETHYLENE | 2 |
| | | SLUDGE SETTLEABILITY | 2 |
| | | SLUDGE VOLUME INDEX | 2 |
| | | STYRENE | 2 |
| | | SUCROSE | 2 |
| | | THIOCYANATES | 2 |
| | 81 | TIN, DISSOLVED | 2 |
| | | TOXAPHENE | 2 |
| | | TOXICITY CONCENTRATION | 2 |
| | | TRICHLORETHYLENE | 2 |
| | | VELOCITY | 2 |
| | | ZIRCONIUM | 2 |
| 58 | | ABATE | 1 |
| | | ALGICIDES | 1 |
| | 100 | ALPHA, COUNTING ERROR | 1 |
| | | ALPHA EMITTING RADIUM ISOTOPES, DISSOLVED | 1 |
| | | AMMONIA, FREE | 1 |
| | | AMMONIA, UNIONIZED | 1 |
| | | ASBESTOS | 1 |
| | | ASBESTOS-LIKE FIBERS | 1 |
| | | ATRIZINE | 1 |
| | 31 | BARIUM, DISSOLVED | 1 |
| | | BARIUM, SOLUBLE | 1 |
| | | BENTHIC FAUNA | 1 |
| | 102 | BETA, COUNTING ERROR | 1 |
| | | BOD, TOTAL | 1 |
| | | BOTTOM SEDIMENT ANALYSIS | 1 |
| | 11 | BROMIDE | 1 |
| | | BROMINE | 1 |
| | | BROMINE AND IODINE | 1 |
| | | CADMIUM, SOLUBLE | 1 |
| | | CARB OXYGEN DEMAND | 1 |
| | | CARBOFURAN | 1 |
| | | CHLORAL | 1 |
| | | CHLORDANE | 1 |
| | | CHLORODIMEFORM | 1 |
| | | CHLOROPHYLL A | 1 |
| | | CHROMIUM, SOLUBLE | 1 |
| | 41 | CHROMIUM VI, DISSOLVED | 1 |

(continued)

BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
BEGIN LAST LINE OF TEXT
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 3. (continued)

| Priority | Test Parameter No. | Test Parameter Description | Total Dischargers |
|---|---|---|---|
| | | CLARIFYING AGENTS | 1 |
| | | COUNTER | 1 |
| | | CYANATE | 1 |
| | | CYANIDE, DISSOLVED | 1 |
| | | CYGON | 1 |
| | | CYTROLANE | 1 |
| | | DETERGENT | 1 |
| | | DIETHYLHEXYL PHTHALATE | 1 |
| | | DIFOLATAN | 1 |
| | | DISCHARGE PLUME | 1 |
| | | DITHIOCARBAMATES, TOTAL | 1 |
| | | ETHYL BENZENE | 1 |
| | 8 | FECAL STREPTOCOCCI | 1 |
| | | FERRO CYANIDE | 1 |
| | | FINFISH | 1 |
| | | FISH IMPINGEMENT | 1 |
| | | FLOATABLE SOLIDS | 1 |
| | | FLUORIDES, FREE OXIDIZABLE | 1 |
| | | FOAM | 1 |
| | | FSOD | 1 |
| | | GAMMA, COUNTING | 1 |
| | | GAS ANALYSIS | 1 |
| | | GOLD, DISSOLVED | 1 |
| | | HYDROGEN SULFIDE | 1 |
| | | ICHTHYOPLANKTON | 1 |
| | | IRON, FERROUS | 1 |
| | | LEAD, SOLUBLE | 1 |
| | | MALATHION | 1 |
| | | METHYL CHLOROFORM | 1 |
| | | MONOCHLOROBENZENE | 1 |
| | | NITROGLYCERIN AND ETHYLENE GLYCOL DINITRATE | 1 |
| | | NUTRIENTS ADDED | 1 |
| | | OIL | 1 |
| | | OILS, SOLUBLE | 1 |
| | | ORGANIC COMPOUNDS | 1 |
| | | PALLADIUM, DISSOLVED | 1 |
| | 94 | PENTACHLOROPHENOL | 1 |
| | | PHOSPHATE, TOTAL SOLUBLE | 1 |
| | 97 | PHOSPHORUS, ELEMENTAL | 1 |
| | | PHYTOPLANKTON | 1 |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 3. (continued)

| Priority | Test Parameter No. | Test Parameter Description | Total Dischargers |
|---|---|---|---|
| | 66 | PLATINUM, TOTAL | 1 |
| | | POLYETHYLBENZENE | 1 |
| | | RADIONUCLIDES | 1 |
| | | RADIUM-226, DISSOLVED | 1 |
| | | RDX | 1 |
| | | SALINITY | 1 |
| | | SALMON EGG EXPOSURE | 1 |
| | | SODIUM CHLORATE | 1 |
| | | SODIUM CHLORIDE | 1 |
| | | SODIUM DICHROMATE | 1 |
| | | SODIUM SULFATE | 1 |
| | | THRESHOLD ODOR NUMBER | 1 |
| | | TNT | 1 |
| | | TOTAL OXYGEN DEMAND | 1 |
| | | TOTAL RADIOEFFLUENTS | 1 |
| | | TOXICITY | 1 |
| | | TRICHLOROBENZENE | 1 |
| | | TRIETHANOL AMINE | 1 |
| | | TRIMET | 1 |
| | | TRITIUM | 1 |
| | | TUNGSTEN, TOTAL | 1 |
| | | ULTIMATE OXYGEN DEMAND | 1 |
| | | URANIUM-235, TOTAL | 1 |
| | | VINYL ACETATE | 1 |
| | | VINYL CHLORIDE | 1 |
| | | VOLATILE ACIDS | 1 |
| | | WARBEX | 1 |
| | | ZINC, SOLUBLE | 1 |
| | | ZOOPLANKTON | 1 |
| | | 1,2-DICHLOROETHANE | 1 |
| | | 24 HOUR BIOASSAY | 1 |
| | | 96 HOUR LC50 | 1 |
| | | 96 HOUR TL50 | 1 |

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

## TABLE 4. ANALYTICAL TEST PARAMETERS BY NUMBER OF DISCHARGERS AND SIC CODES (NATIONWIDE)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 22 | PH | TOTAL | 1020 |
| | | 4952 ( 47) | |
| | | 4911 ( 44) | |
| | | 2911 ( 18) | |
| | | 2621 ( 18) | |
| | | 3312 ( 16) | |
| | | 2869 ( 15) | |
| | | 3471 ( 13) | |
| | | 2819 ( 13) | |
| | | 2631 ( 12) | |
| | | 2821 ( 11) | |
| | | 2011 ( 10) | |
| | | 2611 ( 9) | |
| | | 1211 ( 9) | |
| | | 4941 ( 8) | |
| | | 9711 ( 7) | |
| | | 4931 ( 7) | |
| | | 3479 ( 7) | |
| | | 3339 ( 7) | |
| | | 2873 ( 7) | |
| | | 2812 ( 7) | |
| | | 2033 ( 7) | |
| | | 4953 ( 6) | |
| | | 4011 ( 6) | |
| | | 3334 ( 6) | |
| | | 2841 ( 6) | |
| | | 2834 ( 6) | |
| | | 2833 ( 6) | |
| | | 2816 ( 6) | |
| | | 2091 ( 6) | |
| | | 1031 ( 6) | |
| | | 7391 ( 5) | |
| | | 3714 ( 5) | |
| | | 3351 ( 5) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
GROUPED HEAD. BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3341 ( 5) | |
| | | 3331 ( 5) | |
| | | 3295 ( 5) | |
| | | 3229 ( 5) | |
| | | 3221 ( 5) | |
| | | 2874 ( 5) | |
| | | 2661 ( 5) | |
| | | 2499 ( 5) | |
| | | 2211 ( 5) | |
| | | 2082 ( 5) | |
| | | 2077 ( 5) | |
| | | 2062 ( 5) | |
| | | 2037 ( 5) | |
| | | 2016 ( 5) | |
| | | 1422 ( 5) | |
| | | 8221 ( 4) | |
| | | 5171 ( 4) | |
| | | 3751 ( 4) | |
| | | 3721 ( 4) | |
| | | 3694 ( 4) | |
| | | 3691 ( 4) | |
| | | 3679 ( 4) | |
| | | 3661 ( 4) | |
| | | 3643 ( 4) | |
| | | 3631 ( 4) | |
| | | 3483 ( 4) | |
| | | 3361 ( 4) | |
| | | 3321 ( 4) | |
| | | 3316 ( 4) | |
| | | 3313 ( 4) | |
| | | 3241 ( 4) | |
| | | 3111 ( 4) | |
| | | 3069 ( 4) | |
| | | 2899 ( 4) | |
| | | 2892 ( 4) | |
| | | 2879 ( 4) | |
| | | 2865 ( 4) | |
| | | 2861 ( 4) | |
| | | 2813 ( 4) | |
| | | 2647 ( 4) | |
| | | 2646 ( 4) | |
| | | 2261 ( 4) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/4"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2231 ( 4) | |
| | | 2099 ( 4) | |
| | | 2085 ( 4) | |
| | | 2063 ( 4) | |
| | | 2046 ( 4) | |
| | | 2026 ( 4) | |
| | | 2013 ( 4) | |
| | | 1475 ( 4) | |
| | | 1442 ( 4) | |
| | | 1094 ( 4) | |
| | | 0259 ( 4) | |
| | | 6513 ( 3) | |
| | | 4961 ( 3) | |
| | | 4939 ( 3) | |
| | | 3731 ( 3) | |
| | | 3728 ( 3) | |
| | | 3711 ( 3) | |
| | | 3692 ( 3) | |
| | | 3674 ( 3) | |
| | | 3672 ( 3) | |
| | | 3612 ( 3) | |
| | | 3585 ( 3) | |
| | | 3562 ( 3) | |
| | | 3511 ( 3) | |
| | | 3499 ( 3) | |
| | | 3469 ( 3) | |
| | | 3462 ( 3) | |
| | | 3452 ( 3) | |
| | | 3429 ( 3) | |
| | | 3353 ( 3) | |
| | | 3333 ( 3) | |
| | | 3325 ( 3) | |
| | | 3315 ( 3) | |
| | | 3292 ( 3) | |
| | | 3291 ( 3) | |
| | | 3274 ( 3) | |
| | | 3264 ( 3) | |
| | | 3211 ( 3) | |
| | | 3079 ( 3) | |
| | | 3011 ( 3) | |
| | | 2951 ( 3) | |
| | | 2891 ( 3) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2843 ( 3) | |
| | | 2824 ( 3) | |
| | | 2823 ( 3) | |
| | | 2822 ( 3) | |
| | | 2649 ( 3) | |
| | | 2272 ( 3) | |
| | | 2269 ( 3) | |
| | | 2262 ( 3) | |
| | | 2258 ( 3) | |
| | | 2221 ( 3) | |
| | | 2092 ( 3) | |
| | | 2079 ( 3) | |
| | | 2075 ( 3) | |
| | | 2048 ( 3) | |
| | | 2035 ( 3) | |
| | | 2022 ( 3) | |
| | | 2017 ( 3) | |
| | | 1311 ( 3) | |
| | | 1061 ( 3) | |
| | | 1011 ( 3) | |
| | | 9223 ( 2) | |
| | | 7999 ( 2) | |
| | | 7011 ( 2) | |
| | | 6515 ( 2) | |
| | | 5161 ( 2) | |
| | | 4925 ( 2) | |
| | | 4582 ( 2) | |
| | | 4463 ( 2) | |
| | | 4213 ( 2) | |
| | | 4013 ( 2) | |
| | | 3964 ( 2) | |
| | | 3914 ( 2) | |
| | | 3851 ( 2) | |
| | | 3842 ( 2) | |
| | | 3841 ( 2) | |
| | | 3743 ( 2) | |
| | | 3724 ( 2) | |
| | | 3662 ( 2) | |
| | | 3651 ( 2) | |
| | | 3648 ( 2) | |
| | | 3634 ( 2) | |
| | | 3613 ( 2) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3574 ( 2) | |
| | | 3559 ( 2) | |
| | | 3552 ( 2) | |
| | | 3531 ( 2) | |
| | | 3496 ( 2) | |
| | | 3484 ( 2) | |
| | | 3465 ( 2) | |
| | | 3463 ( 2) | |
| | | 3443 ( 2) | |
| | | 3432 ( 2) | |
| | | 3431 ( 2) | |
| | | 3412 ( 2) | |
| | | 3369 ( 2) | |
| | | 3362 ( 2) | |
| | | 3357 ( 2) | |
| | | 3355 ( 2) | |
| | | 3317 ( 2) | |
| | | 3296 ( 2) | |
| | | 2952 ( 2) | |
| | | 2851 ( 2) | |
| | | 2844 ( 2) | |
| | | 2795 ( 2) | |
| | | 2653 ( 2) | |
| | | 2643 ( 2) | |
| | | 2641 ( 2) | |
| | | 2491 ( 2) | |
| | | 2436 ( 2) | |
| | | 2421 ( 2) | |
| | | 2297 ( 2) | |
| | | 2295 ( 2) | |
| | | 2282 ( 2) | |
| | | 2281 ( 2) | |
| | | 2257 ( 2) | |
| | | 2253 ( 2) | |
| | | 2095 ( 2) | |
| | | 2086 ( 2) | |
| | | 2065 ( 2) | |
| | | 2061 ( 2) | |
| | | 2047 ( 2) | |
| | | 2041 ( 2) | |
| | | 2038 ( 2) | |
| | | 2023 ( 2) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 1446 ( 2) | |
| | | 1429 ( 2) | |
| | | 1021 ( 2) | |
| | | 9661 ( 1) | |
| | | 9621 ( 1) | |
| | | 9611 ( 1) | |
| | | 9224 ( 1) | |
| | | 9199 ( 1) | |
| | | 8911 ( 1) | |
| | | 8361 ( 1) | |
| | | 8249 ( 1) | |
| | | 8211 ( 1) | |
| | | 8063 ( 1) | |
| | | 8062 ( 1) | |
| | | 7996 ( 1) | |
| | | 7629 ( 1) | |
| | | 7395 ( 1) | |
| | | 7215 ( 1) | |
| | | 7032 ( 1) | |
| | | 6552 ( 1) | |
| | | 6514 ( 1) | |
| | | 6512 ( 1) | |
| | | 5941 ( 1) | |
| | | 5311 ( 1) | |
| | | 5191 ( 1) | |
| | | 5153 ( 1) | |
| | | 5149 ( 1) | |
| | | 5148 ( 1) | |
| | | 5147 ( 1) | |
| | | 5134 ( 1) | |
| | | 5093 ( 1) | |
| | | 5085 ( 1) | |
| | | 5065 ( 1) | |
| | | 4971 ( 1) | |
| | | 4922 ( 1) | |
| | | 4612 ( 1) | |
| | | 4583 ( 1) | |
| | | 3999 ( 1) | |
| | | 3996 ( 1) | |
| | | 3963 ( 1) | |
| | | 3961 ( 1) | |
| | | 3949 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.) (4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3861 ( 1) | |
| | | 3843 ( 1) | |
| | | 3832 ( 1) | |
| | | 3825 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3769 ( 1) | |
| | | 3699 ( 1) | |
| | | 3678 ( 1) | |
| | | 3675 ( 1) | |
| | | 3671 ( 1) | |
| | | 3652 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |
| | | 3639 ( 1) | |
| | | 3633 ( 1) | |
| | | 3629 ( 1) | |
| | | 3624 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3621 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3573 ( 1) | |
| | | 3569 ( 1) | |
| | | 3567 ( 1) | |
| | | 3564 ( 1) | |
| | | 3554 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3544 ( 1) | |
| | | 3523 ( 1) | |
| | | 3519 ( 1) | |
| | | 3494 ( 1) | |
| | | 3489 ( 1) | |
| | | 3442 ( 1) | |
| | | 3441 ( 1) | |
| | | 3433 ( 1) | |
| | | 3423 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3411 ( 1) | |
| | | 3399 ( 1) | |
| | | 3356 ( 1) | |
| | | 3332 ( 1) | |
| | | 3322 ( 1) | |
| | | 3299 ( 1) | |
| | | 3297 ( 1) | |
| | | 3281 ( 1) | |
| | | 3262 ( 1) | |
| | | 3255 ( 1) | |
| | | 3231 ( 1) | |
| | | 3131 ( 1) | |
| | | 3041 ( 1) | |
| | | 3021 ( 1) | |
| | | 2999 ( 1) | |
| | | 2992 ( 1) | |
| | | 2895 ( 1) | |
| | | 2875 ( 1) | |
| | | 2789 ( 1) | |
| | | 2782 ( 1) | |
| | | 2754 ( 1) | |
| | | 2752 ( 1) | |
| | | 2731 ( 1) | |
| | | 2645 ( 1) | |
| | | 2531 ( 1) | |
| | | 2522 ( 1) | |
| | | 2514 ( 1) | |
| | | 2511 ( 1) | |
| | | 2431 ( 1) | |
| | | 2396 ( 1) | |
| | | 2392 ( 1) | |
| | | 2299 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2254 ( 1) | |
| | | 2252 ( 1) | |
| | | 2241 ( 1) | |
| | | 2131 ( 1) | |
| | | 2111 ( 1) | |
| | | 2087 ( 1) | |
| | | 2084 ( 1) | |
| | | 2083 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS

PAGE NUMBER
EPA-287 (Cin.)
(6-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2052 ( 1) | |
| | | 2051 ( 1) | |
| | | 2032 ( 1) | |
| | | 2024 ( 1) | |
| | | 2021 ( 1) | |
| | | 1629 ( 1) | |
| | | 1521 ( 1) | |
| | | 1499 ( 1) | |
| | | 1481 ( 1) | |
| | | 1479 ( 1) | |
| | | 1476 ( 1) | |
| | | 1473 ( 1) | |
| | | 1472 ( 1) | |
| | | 1459 ( 1) | |
| | | 1455 ( 1) | |
| | | 1423 ( 1) | |
| | | 1321 ( 1) | |
| | | 1099 ( 1) | |
| | | 1044 ( 1) | |
| | | 1041 ( 1) | |
| | | 0921 ( 1) | |
| | | 0751 ( 1) | |
| | FLOW | TOTAL | 1008 |
| | | 4911 ( 45) | |
| | | 4952 ( 43) | |
| | | 2621 ( 18) | |
| | | 2911 ( 17) | |
| | | 3312 ( 16) | |
| | | 2869 ( 15) | |
| | | 3471 ( 13) | |
| | | 2819 ( 13) | |
| | | 2821 ( 12) | |
| | | 2631 ( 12) | |
| | | 2611 ( 9) | |
| | | 2033 ( 8) | |
| | | 2011 ( 8) | |
| | | 4941 ( 7) | |
| | | 4931 ( 7) | |
| | | 3339 ( 7) | |
| | | 2812 ( 7) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4011 ( 6) | |
| | | 3479 ( 6) | |
| | | 3341 ( 6) | |
| | | 3334 ( 6) | |
| | | 2873 ( 6) | |
| | | 2841 ( 6) | |
| | | 2834 ( 6) | |
| | | 2833 ( 6) | |
| | | 2816 ( 6) | |
| | | 2661 ( 6) | |
| | | 2091 ( 6) | |
| | | 1211 ( 6) | |
| | | 1031 ( 6) | |
| | | 9711 ( 5) | |
| | | 7391 ( 5) | |
| | | 4953 ( 5) | |
| | | 3351 ( 5) | |
| | | 3331 ( 5) | |
| | | 3295 ( 5) | |
| | | 3229 ( 5) | |
| | | 3221 ( 5) | |
| | | 2874 ( 5) | |
| | | 2647 ( 5) | |
| | | 2499 ( 5) | |
| | | 2211 ( 5) | |
| | | 2082 ( 5) | |
| | | 2077 ( 5) | |
| | | 2062 ( 5) | |
| | | 2037 ( 5) | |
| | | 2016 ( 5) | |
| | | 1422 ( 5) | |
| | | 5171 ( 4) | |
| | | 3751 ( 4) | |
| | | 3721 ( 4) | |
| | | 3714 ( 4) | |
| | | 3694 ( 4) | |
| | | 3691 ( 4) | |
| | | 3679 ( 4) | |
| | | 3661 ( 4) | |
| | | 3643 ( 4) | |
| | | 3631 ( 4) | |
| | | 3499 ( 4) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-70)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3483 ( 4) | |
| | | 3361 ( 4) | |
| | | 3321 ( 4) | |
| | | 3316 ( 4) | |
| | | 3313 ( 4) | |
| | | 3274 ( 4) | |
| | | 3241 ( 4) | |
| | | 3211 ( 4) | |
| | | 3111 ( 4) | |
| | | 3069 ( 4) | |
| | | 2899 ( 4) | |
| | | 2892 ( 4) | |
| | | 2879 ( 4) | |
| | | 2865 ( 4) | |
| | | 2861 ( 4) | |
| | | 2813 ( 4) | |
| | | 2646 ( 4) | |
| | | 2262 ( 4) | |
| | | 2261 ( 4) | |
| | | 2231 ( 4) | |
| | | 2099 ( 4) | |
| | | 2085 ( 4) | |
| | | 2063 ( 4) | |
| | | 2046 ( 4) | |
| | | 2026 ( 4) | |
| | | 2013 ( 4) | |
| | | 1475 ( 4) | |
| | | 1442 ( 4) | |
| | | 1094 ( 4) | |
| | | 8221 ( 3) | |
| | | 6513 ( 3) | |
| | | 4961 ( 3) | |
| | | 3731 ( 3) | |
| | | 3728 ( 3) | |
| | | 3711 ( 3) | |
| | | 3692 ( 3) | |
| | | 3674 ( 3) | |
| | | 3672 ( 3) | |
| | | 3612 ( 3) | |
| | | 3585 ( 3) | |
| | | 3562 ( 3) | |
| | | 3511 ( 3) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD. BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3469 ( 3) | |
| | | 3462 ( 3) | |
| | | 3452 ( 3) | |
| | | 3429 ( 3) | |
| | | 3353 ( 3) | |
| | | 3333 ( 3) | |
| | | 3325 ( 3) | |
| | | 3315 ( 3) | |
| | | 3291 ( 3) | |
| | | 3264 ( 3) | |
| | | 3079 ( 3) | |
| | | 3011 ( 3) | |
| | | 2951 ( 3) | |
| | | 2891 ( 3) | |
| | | 2843 ( 3) | |
| | | 2824 ( 3) | |
| | | 2823 ( 3) | |
| | | 2822 ( 3) | |
| | | 2653 ( 3) | |
| | | 2649 ( 3) | |
| | | 2272 ( 3) | |
| | | 2269 ( 3) | |
| | | 2258 ( 3) | |
| | | 2221 ( 3) | |
| | | 2092 ( 3) | |
| | | 2079 ( 3) | |
| | | 2075 ( 3) | |
| | | 2048 ( 3) | |
| | | 2035 ( 3) | |
| | | 2023 ( 3) | |
| | | 2022 ( 3) | |
| | | 2017 ( 3) | |
| | | 1311 ( 3) | |
| | | 1061 ( 3) | |
| | | 1011 ( 3) | |
| | | 0259 ( 3) | |
| | | 9223 ( 2) | |
| | | 8211 ( 2) | |
| | | 7999 ( 2) | |
| | | 7011 ( 2) | |
| | | 6515 ( 2) | |
| | | 5161 ( 2) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4939 ( 2) | |
| | | 4925 ( 2) | |
| | | 4463 ( 2) | |
| | | 4213 ( 2) | |
| | | 4013 ( 2) | |
| | | 3964 ( 2) | |
| | | 3914 ( 2) | |
| | | 3861 ( 2) | |
| | | 3851 ( 2) | |
| | | 3842 ( 2) | |
| | | 3841 ( 2) | |
| | | 3743 ( 2) | |
| | | 3724 ( 2) | |
| | | 3675 ( 2) | |
| | | 3662 ( 2) | |
| | | 3651 ( 2) | |
| | | 3648 ( 2) | |
| | | 3634 ( 2) | |
| | | 3613 ( 2) | |
| | | 3574 ( 2) | |
| | | 3559 ( 2) | |
| | | 3552 ( 2) | |
| | | 3496 ( 2) | |
| | | 3465 ( 2) | |
| | | 3463 ( 2) | |
| | | 3443 ( 2) | |
| | | 3432 ( 2) | |
| | | 3431 ( 2) | |
| | | 3412 ( 2) | |
| | | 3369 ( 2) | |
| | | 3362 ( 2) | |
| | | 3357 ( 2) | |
| | | 3355 ( 2) | |
| | | 3317 ( 2) | |
| | | 3296 ( 2) | |
| | | 3292 ( 2) | |
| | | 2952 ( 2) | |
| | | 2851 ( 2) | |
| | | 2844 ( 2) | |
| | | 2795 ( 2) | |
| | | 2643 ( 2) | |
| | | 2641 ( 2) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2491 ( 2) | |
| | | 2436 ( 2) | |
| | | 2297 ( 2) | |
| | | 2295 ( 2) | |
| | | 2282 ( 2) | |
| | | 2281 ( 2) | |
| | | 2257 ( 2) | |
| | | 2253 ( 2) | |
| | | 2095 ( 2) | |
| | | 2086 ( 2) | |
| | | 2065 ( 2) | |
| | | 2061 ( 2) | |
| | | 2047 ( 2) | |
| | | 2041 ( 2) | |
| | | 2038 ( 2) | |
| | | 1446 ( 2) | |
| | | 1429 ( 2) | |
| | | 1021 ( 2) | |
| | | 0921 ( 2) | |
| | | 9661 ( 1) | |
| | | 9621 ( 1) | |
| | | 9611 ( 1) | |
| | | 9224 ( 1) | |
| | | 8911 ( 1) | |
| | | 8361 ( 1) | |
| | | 8063 ( 1) | |
| | | 8062 ( 1) | |
| | | 7996 ( 1) | |
| | | 7629 ( 1) | |
| | | 7395 ( 1) | |
| | | 7215 ( 1) | |
| | | 7032 ( 1) | |
| | | 6552 ( 1) | |
| | | 6514 ( 1) | |
| | | 6512 ( 1) | |
| | | 5941 ( 1) | |
| | | 5311 ( 1) | |
| | | 5191 ( 1) | |
| | | 5153 ( 1) | |
| | | 5149 ( 1) | |
| | | 5148 ( 1) | |
| | | 5147 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 5134 ( 1) | |
| | | 5093 ( 1) | |
| | | 5085 ( 1) | |
| | | 5065 ( 1) | |
| | | 4971 ( 1) | |
| | | 4922 ( 1) | |
| | | 4789 ( 1) | |
| | | 4612 ( 1) | |
| | | 4583 ( 1) | |
| | | 4582 ( 1) | |
| | | 3999 ( 1) | |
| | | 3996 ( 1) | |
| | | 3963 ( 1) | |
| | | 3961 ( 1) | |
| | | 3949 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3843 ( 1) | |
| | | 3832 ( 1) | |
| | | 3825 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3769 ( 1) | |
| | | 3699 ( 1) | |
| | | 3678 ( 1) | |
| | | 3671 ( 1) | |
| | | 3652 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |
| | | 3639 ( 1) | |
| | | 3633 ( 1) | |
| | | 3629 ( 1) | |
| | | 3624 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3621 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3569 ( 1) | |
| | | 3567 ( 1) | |
| | | 3564 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3554 ( 1) | |
| | | 3551 ( 1) | |
| | | 3544 ( 1) | |
| | | 3531 ( 1) | |
| | | 3523 ( 1) | |
| | | 3519 ( 1) | |
| | | 3494 ( 1) | |
| | | 3489 ( 1) | |
| | | 3484 ( 1) | |
| | | 3442 ( 1) | |
| | | 3441 ( 1) | |
| | | 3433 ( 1) | |
| | | 3423 ( 1) | |
| | | 3411 ( 1) | |
| | | 3399 ( 1) | |
| | | 3356 ( 1) | |
| | | 3332 ( 1) | |
| | | 3322 ( 1) | |
| | | 3299 ( 1) | |
| | | 3297 ( 1) | |
| | | 3281 ( 1) | |
| | | 3262 ( 1) | |
| | | 3255 ( 1) | |
| | | 3231 ( 1) | |
| | | 3131 ( 1) | |
| | | 3041 ( 1) | |
| | | 3021 ( 1) | |
| | | 2999 ( 1) | |
| | | 2992 ( 1) | |
| | | 2895 ( 1) | |
| | | 2875 ( 1) | |
| | | 2789 ( 1) | |
| | | 2782 ( 1) | |
| | | 2754 ( 1) | |
| | | 2752 ( 1) | |
| | | 2731 ( 1) | |
| | | 2645 ( 1) | |
| | | 2531 ( 1) | |
| | | 2522 ( 1) | |
| | | 2514 ( 1) | |
| | | 2511 ( 1) | |
| | | 2431 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2421 ( 1) | |
| | | 2396 ( 1) | |
| | | 2392 ( 1) | |
| | | 2299 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2254 ( 1) | |
| | | 2252 ( 1) | |
| | | 2241 ( 1) | |
| | | 2131 ( 1) | |
| | | 2111 ( 1) | |
| | | 2087 ( 1) | |
| | | 2084 ( 1) | |
| | | 2083 ( 1) | |
| | | 2052 ( 1) | |
| | | 2051 ( 1) | |
| | | 2024 ( 1) | |
| | | 2021 ( 1) | |
| | | 1629 ( 1) | |
| | | 1521 ( 1) | |
| | | 1499 ( 1) | |
| | | 1481 ( 1) | |
| | | 1479 ( 1) | |
| | | 1476 ( 1) | |
| | | 1473 ( 1) | |
| | | 1472 ( 1) | |
| | | 1459 ( 1) | |
| | | 1455 ( 1) | |
| | | 1423 ( 1) | |
| | | 1321 ( 1) | |
| | | 1099 ( 1) | |
| | | 1044 ( 1) | |
| | | 1041 ( 1) | |
| | | 0751 ( 1) | |
| | | 0133 ( 1) | |
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 937 |
| | | 4952 ( 47) | |
| | | 4911 ( 41) | |
| | | 2621 ( 18) | |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2911 ( 17) | |
| | | 3312 ( 15) | |
| | | 2819 ( 13) | |
| | | 2869 ( 12) | |
| | | 2631 ( 12) | |
| | | 3471 ( 11) | |
| | | 2611 ( 9) | |
| | | 1211 ( 9) | |
| | | 4931 ( 8) | |
| | | 2821 ( 8) | |
| | | 2011 ( 8) | |
| | | 2873 ( 7) | |
| | | 2812 ( 7) | |
| | | 2033 ( 7) | |
| | | 9711 ( 6) | |
| | | 4941 ( 6) | |
| | | 4011 ( 6) | |
| | | 3341 ( 6) | |
| | | 3339 ( 6) | |
| | | 3334 ( 6) | |
| | | 2841 ( 6) | |
| | | 2816 ( 6) | |
| | | 7391 ( 5) | |
| | | 3499 ( 5) | |
| | | 3483 ( 5) | |
| | | 3479 ( 5) | |
| | | 3351 ( 5) | |
| | | 3295 ( 5) | |
| | | 3221 ( 5) | |
| | | 2874 ( 5) | |
| | | 2834 ( 5) | |
| | | 2833 ( 5) | |
| | | 2499 ( 5) | |
| | | 2211 ( 5) | |
| | | 2091 ( 5) | |
| | | 2077 ( 5) | |
| | | 2037 ( 5) | |
| | | 1422 ( 5) | |
| | | 1031 ( 5) | |
| | | 4953 ( 4) | |
| | | 3721 ( 4) | |
| | | 3691 ( 4) | |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.) (4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3679 ( 4) | |
| | | 3643 ( 4) | |
| | | 3631 ( 4) | |
| | | 3361 ( 4) | |
| | | 3331 ( 4) | |
| | | 3321 ( 4) | |
| | | 3313 ( 4) | |
| | | 3274 ( 4) | |
| | | 3241 ( 4) | |
| | | 3229 ( 4) | |
| | | 3211 ( 4) | |
| | | 3111 ( 4) | |
| | | 3069 ( 4) | |
| | | 2899 ( 4) | |
| | | 2892 ( 4) | |
| | | 2865 ( 4) | |
| | | 2861 ( 4) | |
| | | 2661 ( 4) | |
| | | 2647 ( 4) | |
| | | 2646 ( 4) | |
| | | 2262 ( 4) | |
| | | 2261 ( 4) | |
| | | 2231 ( 4) | |
| | | 2099 ( 4) | |
| | | 2085 ( 4) | |
| | | 2082 ( 4) | |
| | | 2063 ( 4) | |
| | | 2046 ( 4) | |
| | | 2016 ( 4) | |
| | | 2013 ( 4) | |
| | | 1475 ( 4) | |
| | | 1442 ( 4) | |
| | | 1094 ( 4) | |
| | | 8221 ( 3) | |
| | | 6513 ( 3) | |
| | | 4961 ( 3) | |
| | | 4939 ( 3) | |
| | | 3751 ( 3) | |
| | | 3728 ( 3) | |
| | | 3714 ( 3) | |
| | | 3694 ( 3) | |
| | | 3674 ( 3) | |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
CHAPTER HEAD, BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3672 ( 3) | |
| | | 3661 ( 3) | |
| | | 3612 ( 3) | |
| | | 3585 ( 3) | |
| | | 3562 ( 3) | |
| | | 3462 ( 3) | |
| | | 3452 ( 3) | |
| | | 3429 ( 3) | |
| | | 3353 ( 3) | |
| | | 3333 ( 3) | |
| | | 3325 ( 3) | |
| | | 3316 ( 3) | |
| | | 3315 ( 3) | |
| | | 3292 ( 3) | |
| | | 3011 ( 3) | |
| | | 2951 ( 3) | |
| | | 2891 ( 3) | |
| | | 2879 ( 3) | |
| | | 2843 ( 3) | |
| | | 2824 ( 3) | |
| | | 2823 ( 3) | |
| | | 2822 ( 3) | |
| | | 2813 ( 3) | |
| | | 2653 ( 3) | |
| | | 2649 ( 3) | |
| | | 2272 ( 3) | |
| | | 2269 ( 3) | |
| | | 2258 ( 3) | |
| | | 2221 ( 3) | |
| | | 2092 ( 3) | |
| | | 2075 ( 3) | |
| | | 2062 ( 3) | |
| | | 2022 ( 3) | |
| | | 2017 ( 3) | |
| | | 1061 ( 3) | |
| | | 0259 ( 3) | |
| | | 9223 ( 2) | |
| | | 8211 ( 2) | |
| | | 7999 ( 2) | |
| | | 7011 ( 2) | |
| | | 6515 ( 2) | |
| | | 4582 ( 2) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DRAWING HEAD / BEGIN SECTION HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4213 ( 2) | |
| | | 4013 ( 2) | |
| | | 3964 ( 2) | |
| | | 3914 ( 2) | |
| | | 3842 ( 2) | |
| | | 3841 ( 2) | |
| | | 3743 ( 2) | |
| | | 3731 ( 2) | |
| | | 3711 ( 2) | |
| | | 3692 ( 2) | |
| | | 3662 ( 2) | |
| | | 3651 ( 2) | |
| | | 3648 ( 2) | |
| | | 3634 ( 2) | |
| | | 3613 ( 2) | |
| | | 3559 ( 2) | |
| | | 3531 ( 2) | |
| | | 3496 ( 2) | |
| | | 3469 ( 2) | |
| | | 3465 ( 2) | |
| | | 3463 ( 2) | |
| | | 3443 ( 2) | |
| | | 3432 ( 2) | |
| | | 3412 ( 2) | |
| | | 3369 ( 2) | |
| | | 3362 ( 2) | |
| | | 3355 ( 2) | |
| | | 3317 ( 2) | |
| | | 3296 ( 2) | |
| | | 3291 ( 2) | |
| | | 3079 ( 2) | |
| | | 2952 ( 2) | |
| | | 2643 ( 2) | |
| | | 2641 ( 2) | |
| | | 2421 ( 2) | |
| | | 2297 ( 2) | |
| | | 2295 ( 2) | |
| | | 2282 ( 2) | |
| | | 2281 ( 2) | |
| | | 2257 ( 2) | |
| | | 2253 ( 2) | |
| | | 2095 ( 2) | |

(continued)

BEGIN LAST LINE OF TEXT HERE
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2079 ( 2) | |
| | | 2065 ( 2) | |
| | | 2061 ( 2) | |
| | | 2048 ( 2) | |
| | | 2047 ( 2) | |
| | | 2038 ( 2) | |
| | | 2035 ( 2) | |
| | | 2026 ( 2) | |
| | | 2023 ( 2) | |
| | | 1446 ( 2) | |
| | | 1429 ( 2) | |
| | | 1021 ( 2) | |
| | | 1011 ( 2) | |
| | | 0921 ( 2) | |
| | | 9661 ( 1) | |
| | | 9611 ( 1) | |
| | | 9224 ( 1) | |
| | | 9199 ( 1) | |
| | | 8911 ( 1) | |
| | | 8361 ( 1) | |
| | | 8249 ( 1) | |
| | | 8063 ( 1) | |
| | | 8062 ( 1) | |
| | | 7395 ( 1) | |
| | | 7215 ( 1) | |
| | | 7032 ( 1) | |
| | | 6552 ( 1) | |
| | | 6514 ( 1) | |
| | | 6512 ( 1) | |
| | | 5941 ( 1) | |
| | | 5311 ( 1) | |
| | | 5191 ( 1) | |
| | | 5161 ( 1) | |
| | | 5153 ( 1) | |
| | | 5149 ( 1) | |
| | | 5148 ( 1) | |
| | | 5147 ( 1) | |
| | | 5134 ( 1) | |
| | | 5093 ( 1) | |
| | | 5085 ( 1) | |
| | | 4971 ( 1) | |
| | | 4925 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4789 ( 1) | |
| | | 4612 ( 1) | |
| | | 4463 ( 1) | |
| | | 3999 ( 1) | |
| | | 3996 ( 1) | |
| | | 3963 ( 1) | |
| | | 3961 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3861 ( 1) | |
| | | 3851 ( 1) | |
| | | 3843 ( 1) | |
| | | 3832 ( 1) | |
| | | 3825 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3769 ( 1) | |
| | | 3724 ( 1) | |
| | | 3699 ( 1) | |
| | | 3678 ( 1) | |
| | | 3675 ( 1) | |
| | | 3671 ( 1) | |
| | | 3652 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |
| | | 3639 ( 1) | |
| | | 3633 ( 1) | |
| | | 3629 ( 1) | |
| | | 3624 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3621 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3574 ( 1) | |
| | | 3573 ( 1) | |
| | | 3567 ( 1) | |
| | | 3564 ( 1) | |
| | | 3554 ( 1) | |
| | | 3552 ( 1) | |
| | | 3551 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3545 ( 1) | |
| | | 3544 ( 1) | |
| | | 3523 ( 1) | |
| | | 3519 ( 1) | |
| | | 3511 ( 1) | |
| | | 3494 ( 1) | |
| | | 3489 ( 1) | |
| | | 3484 ( 1) | |
| | | 3441 ( 1) | |
| | | 3433 ( 1) | |
| | | 3431 ( 1) | |
| | | 3423 ( 1) | |
| | | 3411 ( 1) | |
| | | 3399 ( 1) | |
| | | 3357 ( 1) | |
| | | 3356 ( 1) | |
| | | 3332 ( 1) | |
| | | 3322 ( 1) | |
| | | 3299 ( 1) | |
| | | 3297 ( 1) | |
| | | 3281 ( 1) | |
| | | 3264 ( 1) | |
| | | 3262 ( 1) | |
| | | 3255 ( 1) | |
| | | 3231 ( 1) | |
| | | 3131 ( 1) | |
| | | 3041 ( 1) | |
| | | 3021 ( 1) | |
| | | 2999 ( 1) | |
| | | 2992 ( 1) | |
| | | 2895 ( 1) | |
| | | 2875 ( 1) | |
| | | 2851 ( 1) | |
| | | 2844 ( 1) | |
| | | 2795 ( 1) | |
| | | 2789 ( 1) | |
| | | 2782 ( 1) | |
| | | 2754 ( 1) | |
| | | 2752 ( 1) | |
| | | 2731 ( 1) | |
| | | 2645 ( 1) | |
| | | 2531 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2522 ( 1) | |
| | | 2514 ( 1) | |
| | | 2511 ( 1) | |
| | | 2436 ( 1) | |
| | | 2431 ( 1) | |
| | | 2396 ( 1) | |
| | | 2392 ( 1) | |
| | | 2299 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2254 ( 1) | |
| | | 2252 ( 1) | |
| | | 2241 ( 1) | |
| | | 2131 ( 1) | |
| | | 2111 ( 1) | |
| | | 2087 ( 1) | |
| | | 2086 ( 1) | |
| | | 2084 ( 1) | |
| | | 2083 ( 1) | |
| | | 2052 ( 1) | |
| | | 2051 ( 1) | |
| | | 2041 ( 1) | |
| | | 2024 ( 1) | |
| | | 2021 ( 1) | |
| | | 1629 ( 1) | |
| | | 1521 ( 1) | |
| | | 1499 ( 1) | |
| | | 1481 ( 1) | |
| | | 1479 ( 1) | |
| | | 1473 ( 1) | |
| | | 1472 ( 1) | |
| | | 1459 ( 1) | |
| | | 1423 ( 1) | |
| | | 1321 ( 1) | |
| | | 1311 ( 1) | |
| | | 1099 ( 1) | |
| | | 1044 ( 1) | |
| | | 1041 ( 1) | |
| | | 0751 ( 1) | |
| | | 0133 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-78)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 10 | BOD5 | TOTAL | 609 |
| | | 4952 ( 47) | |
| | | 4911 ( 18) | |
| | | 2911 ( 16) | |
| | | 2621 ( 16) | |
| | | 2869 ( 14) | |
| | | 2631 ( 11) | |
| | | 2011 ( 9) | |
| | | 2611 ( 8) | |
| | | 2821 ( 7) | |
| | | 2033 ( 7) | |
| | | 9711 ( 6) | |
| | | 3312 ( 6) | |
| | | 2873 ( 6) | |
| | | 2841 ( 6) | |
| | | 3334 ( 5) | |
| | | 2834 ( 5) | |
| | | 2819 ( 5) | |
| | | 2211 ( 5) | |
| | | 2077 ( 5) | |
| | | 2062 ( 5) | |
| | | 2037 ( 5) | |
| | | 3111 ( 4) | |
| | | 2892 ( 4) | |
| | | 2865 ( 4) | |
| | | 2833 ( 4) | |
| | | 2661 ( 4) | |
| | | 2647 ( 4) | |
| | | 2646 ( 4) | |
| | | 2499 ( 4) | |
| | | 2262 ( 4) | |
| | | 2261 ( 4) | |
| | | 2231 ( 4) | |
| | | 2099 ( 4) | |
| | | 2091 ( 4) | |
| | | 2085 ( 4) | |
| | | 2082 ( 4) | |
| | | 2063 ( 4) | |
| | | 2046 ( 4) | |
| | | 2016 ( 4) | |
| | | 2013 ( 4) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 1211 ( 4) | |
| | | 8221 ( 3) | |
| | | 7391 ( 3) | |
| | | 6513 ( 3) | |
| | | 4939 ( 3) | |
| | | 4931 ( 3) | |
| | | 4011 ( 3) | |
| | | 3721 ( 3) | |
| | | 3711 ( 3) | |
| | | 3674 ( 3) | |
| | | 3353 ( 3) | |
| | | 3339 ( 3) | |
| | | 3313 ( 3) | |
| | | 3221 ( 3) | |
| | | 3211 ( 3) | |
| | | 2891 ( 3) | |
| | | 2879 ( 3) | |
| | | 2843 ( 3) | |
| | | 2824 ( 3) | |
| | | 2649 ( 3) | |
| | | 2272 ( 3) | |
| | | 2269 ( 3) | |
| | | 2258 ( 3) | |
| | | 2221 ( 3) | |
| | | 2079 ( 3) | |
| | | 2075 ( 3) | |
| | | 2022 ( 3) | |
| | | 2017 ( 3) | |
| | | 0259 ( 3) | |
| | | 9223 ( 2) | |
| | | 8211 ( 2) | |
| | | 7999 ( 2) | |
| | | 7011 ( 2) | |
| | | 6515 ( 2) | |
| | | 4953 ( 2) | |
| | | 4941 ( 2) | |
| | | 4925 ( 2) | |
| | | 4213 ( 2) | |
| | | 3861 ( 2) | |
| | | 3842 ( 2) | |
| | | 3841 ( 2) | |
| | | 3731 ( 2) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3728 ( 2) | |
| | | 3643 ( 2) | |
| | | 3612 ( 2) | |
| | | 3499 ( 2) | |
| | | 3483 ( 2) | |
| | | 3465 ( 2) | |
| | | 3443 ( 2) | |
| | | 3361 ( 2) | |
| | | 3325 ( 2) | |
| | | 3321 ( 2) | |
| | | 3315 ( 2) | |
| | | 3296 ( 2) | |
| | | 3292 ( 2) | |
| | | 3241 ( 2) | |
| | | 3079 ( 2) | |
| | | 3069 ( 2) | |
| | | 2951 ( 2) | |
| | | 2861 ( 2) | |
| | | 2823 ( 2) | |
| | | 2822 ( 2) | |
| | | 2813 ( 2) | |
| | | 2653 ( 2) | |
| | | 2643 ( 2) | |
| | | 2641 ( 2) | |
| | | 2436 ( 2) | |
| | | 2421 ( 2) | |
| | | 2297 ( 2) | |
| | | 2295 ( 2) | |
| | | 2282 ( 2) | |
| | | 2281 ( 2) | |
| | | 2257 ( 2) | |
| | | 2253 ( 2) | |
| | | 2095 ( 2) | |
| | | 2061 ( 2) | |
| | | 2048 ( 2) | |
| | | 2047 ( 2) | |
| | | 2038 ( 2) | |
| | | 2035 ( 2) | |
| | | 2026 ( 2) | |
| | | 2023 ( 2) | |
| | | 9661 ( 1) | |
| | | 9224 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 9199 ( 1) | |
| | | 8911 ( 1) | |
| | | 8361 ( 1) | |
| | | 8249 ( 1) | |
| | | 8063 ( 1) | |
| | | 8062 ( 1) | |
| | | 7395 ( 1) | |
| | | 7215 ( 1) | |
| | | 7032 ( 1) | |
| | | 6552 ( 1) | |
| | | 6514 ( 1) | |
| | | 6512 ( 1) | |
| | | 5311 ( 1) | |
| | | 5191 ( 1) | |
| | | 5161 ( 1) | |
| | | 5153 ( 1) | |
| | | 5149 ( 1) | |
| | | 5148 ( 1) | |
| | | 5147 ( 1) | |
| | | 5093 ( 1) | |
| | | 5085 ( 1) | |
| | | 4971 ( 1) | |
| | | 4789 ( 1) | |
| | | 4583 ( 1) | |
| | | 4582 ( 1) | |
| | | 4013 ( 1) | |
| | | 3963 ( 1) | |
| | | 3914 ( 1) | |
| | | 3843 ( 1) | |
| | | 3832 ( 1) | |
| | | 3825 ( 1) | |
| | | 3769 ( 1) | |
| | | 3751 ( 1) | |
| | | 3714 ( 1) | |
| | | 3699 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3691 ( 1) | |
| | | 3679 ( 1) | |
| | | 3675 ( 1) | |
| | | 3672 ( 1) | |
| | | 3662 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3661 ( 1) | |
| | | 3651 ( 1) | |
| | | 3646 ( 1) | |
| | | 3639 ( 1) | |
| | | 3633 ( 1) | |
| | | 3631 ( 1) | |
| | | 3629 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3585 ( 1) | |
| | | 3573 ( 1) | |
| | | 3569 ( 1) | |
| | | 3567 ( 1) | |
| | | 3562 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3544 ( 1) | |
| | | 3531 ( 1) | |
| | | 3523 ( 1) | |
| | | 3511 ( 1) | |
| | | 3496 ( 1) | |
| | | 3489 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3469 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3431 ( 1) | |
| | | 3412 ( 1) | |
| | | 3399 ( 1) | |
| | | 3355 ( 1) | |
| | | 3331 ( 1) | |
| | | 3317 ( 1) | |
| | | 3316 ( 1) | |
| | | 3297 ( 1) | |
| | | 3295 ( 1) | |
| | | 3264 ( 1) | |
| | | 3255 ( 1) | |
| | | 3231 ( 1) | |
| | | 3131 ( 1) | |
| | | 3041 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3011 ( 1) | |
| | | 2999 ( 1) | |
| | | 2952 ( 1) | |
| | | 2899 ( 1) | |
| | | 2895 ( 1) | |
| | | 2851 ( 1) | |
| | | 2816 ( 1) | |
| | | 2812 ( 1) | |
| | | 2789 ( 1) | |
| | | 2752 ( 1) | |
| | | 2645 ( 1) | |
| | | 2511 ( 1) | |
| | | 2396 ( 1) | |
| | | 2392 ( 1) | |
| | | 2299 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2254 ( 1) | |
| | | 2252 ( 1) | |
| | | 2241 ( 1) | |
| | | 2131 ( 1) | |
| | | 2111 ( 1) | |
| | | 2092 ( 1) | |
| | | 2087 ( 1) | |
| | | 2086 ( 1) | |
| | | 2084 ( 1) | |
| | | 2083 ( 1) | |
| | | 2065 ( 1) | |
| | | 2052 ( 1) | |
| | | 2051 ( 1) | |
| | | 2041 ( 1) | |
| | | 2024 ( 1) | |
| | | 2021 ( 1) | |
| | | 1629 ( 1) | |
| | | 1521 ( 1) | |
| | | 1321 ( 1) | |
| | | 1094 ( 1) | |
| | | 1031 ( 1) | |
| | | 0921 ( 1) | |
| | | 0751 ( 1) | |
| | | 0133 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 114 | TEMPERATURE | TOTAL | 554 |
| | | 4911 ( 43) | |
| | | 2621 ( 15) | |
| | | 3312 ( 14) | |
| | | 2869 ( 12) | |
| | | 2911 ( 11) | |
| | | 4952 ( 10) | |
| | | 2821 ( 8) | |
| | | 2819 ( 8) | |
| | | 4931 ( 7) | |
| | | 2631 ( 7) | |
| | | 3339 ( 5) | |
| | | 2834 ( 5) | |
| | | 2833 ( 5) | |
| | | 2812 ( 5) | |
| | | 2611 ( 5) | |
| | | 2091 ( 5) | |
| | | 3643 ( 4) | |
| | | 3351 ( 4) | |
| | | 3334 ( 4) | |
| | | 3313 ( 4) | |
| | | 3241 ( 4) | |
| | | 2841 ( 4) | |
| | | 2813 ( 4) | |
| | | 2062 ( 4) | |
| | | 2046 ( 4) | |
| | | 2033 ( 4) | |
| | | 2026 ( 4) | |
| | | 4961 ( 3) | |
| | | 3751 ( 3) | |
| | | 3731 ( 3) | |
| | | 3721 ( 3) | |
| | | 3714 ( 3) | |
| | | 3694 ( 3) | |
| | | 3674 ( 3) | |
| | | 3661 ( 3) | |
| | | 3511 ( 3) | |
| | | 3361 ( 3) | |
| | | 3353 ( 3) | |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3321 ( 3) | |
| | | 3316 ( 3) | |
| | | 3292 ( 3) | |
| | | 3291 ( 3) | |
| | | 3229 ( 3) | |
| | | 3221 ( 3) | |
| | | 3211 ( 3) | |
| | | 3069 ( 3) | |
| | | 2892 ( 3) | |
| | | 2874 ( 3) | |
| | | 2873 ( 3) | |
| | | 2865 ( 3) | |
| | | 2824 ( 3) | |
| | | 2823 ( 3) | |
| | | 2816 ( 3) | |
| | | 2661 ( 3) | |
| | | 2647 ( 3) | |
| | | 2646 ( 3) | |
| | | 2099 ( 3) | |
| | | 2085 ( 3) | |
| | | 2063 ( 3) | |
| | | 2022 ( 3) | |
| | | 9711 ( 2) | |
| | | 8221 ( 2) | |
| | | 7391 ( 2) | |
| | | 4953 ( 2) | |
| | | 4941 ( 2) | |
| | | 4463 ( 2) | |
| | | 3743 ( 2) | |
| | | 3724 ( 2) | |
| | | 3711 ( 2) | |
| | | 3691 ( 2) | |
| | | 3679 ( 2) | |
| | | 3672 ( 2) | |
| | | 3662 ( 2) | |
| | | 3631 ( 2) | |
| | | 3612 ( 2) | |
| | | 3499 ( 2) | |
| | | 3479 ( 2) | |
| | | 3469 ( 2) | |
| | | 3463 ( 2) | |
| | | 3432 ( 2) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3431 ( 2) | |
| | | 3369 ( 2) | |
| | | 3362 ( 2) | |
| | | 3341 ( 2) | |
| | | 3331 ( 2) | |
| | | 3325 ( 2) | |
| | | 3315 ( 2) | |
| | | 3296 ( 2) | |
| | | 3295 ( 2) | |
| | | 3264 ( 2) | |
| | | 3079 ( 2) | |
| | | 3011 ( 2) | |
| | | 2952 ( 2) | |
| | | 2951 ( 2) | |
| | | 2879 ( 2) | |
| | | 2851 ( 2) | |
| | | 2822 ( 2) | |
| | | 2795 ( 2) | |
| | | 2649 ( 2) | |
| | | 2499 ( 2) | |
| | | 2491 ( 2) | |
| | | 2421 ( 2) | |
| | | 2262 ( 2) | |
| | | 2253 ( 2) | |
| | | 2231 ( 2) | |
| | | 2221 ( 2) | |
| | | 2095 ( 2) | |
| | | 2086 ( 2) | |
| | | 2077 ( 2) | |
| | | 2075 ( 2) | |
| | | 2065 ( 2) | |
| | | 2061 ( 2) | |
| | | 2041 ( 2) | |
| | | 2037 ( 2) | |
| | | 2035 ( 2) | |
| | | 2023 ( 2) | |
| | | 2011 ( 2) | |
| | | 1311 ( 2) | |
| | | 9611 ( 1) | |
| | | 9223 ( 1) | |
| | | 8911 ( 1) | |
| | | 8249 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 7395 ( 1) | |
| | | 7215 ( 1) | |
| | | 7011 ( 1) | |
| | | 6512 ( 1) | |
| | | 5134 ( 1) | |
| | | 5085 ( 1) | |
| | | 5065 ( 1) | |
| | | 4922 ( 1) | |
| | | 4582 ( 1) | |
| | | 4213 ( 1) | |
| | | 3999 ( 1) | |
| | | 3996 ( 1) | |
| | | 3964 ( 1) | |
| | | 3949 ( 1) | |
| | | 3914 ( 1) | |
| | | 3861 ( 1) | |
| | | 3851 ( 1) | |
| | | 3843 ( 1) | |
| | | 3832 ( 1) | |
| | | 3822 ( 1) | |
| | | 3769 ( 1) | |
| | | 3728 ( 1) | |
| | | 3699 ( 1) | |
| | | 3692 ( 1) | |
| | | 3675 ( 1) | |
| | | 3652 ( 1) | |
| | | 3651 ( 1) | |
| | | 3648 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |
| | | 3634 ( 1) | |
| | | 3629 ( 1) | |
| | | 3624 ( 1) | |
| | | 3623 ( 1) | |
| | | 3621 ( 1) | |
| | | 3613 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3585 ( 1) | |
| | | 3574 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3573 ( 1) | |
| | | 3564 ( 1) | |
| | | 3562 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3531 ( 1) | |
| | | 3523 ( 1) | |
| | | 3519 ( 1) | |
| | | 3496 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 3465 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3442 ( 1) | |
| | | 3433 ( 1) | |
| | | 3429 ( 1) | |
| | | 3423 ( 1) | |
| | | 3412 ( 1) | |
| | | 3411 ( 1) | |
| | | 3399 ( 1) | |
| | | 3357 ( 1) | |
| | | 3356 ( 1) | |
| | | 3333 ( 1) | |
| | | 3332 ( 1) | |
| | | 3322 ( 1) | |
| | | 3297 ( 1) | |
| | | 3274 ( 1) | |
| | | 3262 ( 1) | |
| | | 3231 ( 1) | |
| | | 3021 ( 1) | |
| | | 2999 ( 1) | |
| | | 2992 ( 1) | |
| | | 2899 ( 1) | |
| | | 2895 ( 1) | |
| | | 2891 ( 1) | |
| | | 2861 ( 1) | |
| | | 2844 ( 1) | |
| | | 2843 ( 1) | |
| | | 2789 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2782 ( 1) | |
| | | 2754 ( 1) | |
| | | 2731 ( 1) | |
| | | 2653 ( 1) | |
| | | 2645 ( 1) | |
| | | 2643 ( 1) | |
| | | 2641 ( 1) | |
| | | 2522 ( 1) | |
| | | 2514 ( 1) | |
| | | 2436 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2211 ( 1) | |
| | | 2111 ( 1) | |
| | | 2092 ( 1) | |
| | | 2087 ( 1) | |
| | | 2084 ( 1) | |
| | | 2083 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2051 ( 1) | |
| | | 2048 ( 1) | |
| | | 2038 ( 1) | |
| | | 2032 ( 1) | |
| | | 2024 ( 1) | |
| | | 2021 ( 1) | |
| | | 2017 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| | | 1499 ( 1) | |
| | | 1442 ( 1) | |
| | | 1429 ( 1) | |
| | | 1422 ( 1) | |
| | | 1321 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| | | 0921 ( 1) | |
| | | 0133 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 90 | OIL AND GREASE | TOTAL | 474 |
| | | 4911 ( 38) | |
| | | 2911 ( 17) | |
| | | 3312 ( 15) | |
| | | 2011 ( 9) | |
| | | 2869 ( 7) | |
| | | 2819 ( 7) | |
| | | 4011 ( 6) | |
| | | 2841 ( 6) | |
| | | 5171 ( 5) | |
| | | 4952 ( 5) | |
| | | 3479 ( 5) | |
| | | 3221 ( 5) | |
| | | 2077 ( 5) | |
| | | 4953 ( 4) | |
| | | 4931 ( 4) | |
| | | 3471 ( 4) | |
| | | 3341 ( 4) | |
| | | 3325 ( 4) | |
| | | 3321 ( 4) | |
| | | 3069 ( 4) | |
| | | 2621 ( 4) | |
| | | 2091 ( 4) | |
| | | 2016 ( 4) | |
| | | 2013 ( 4) | |
| | | 9711 ( 3) | |
| | | 4961 ( 3) | |
| | | 3751 ( 3) | |
| | | 3728 ( 3) | |
| | | 3714 ( 3) | |
| | | 3694 ( 3) | |
| | | 3612 ( 3) | |
| | | 3351 ( 3) | |
| | | 3339 ( 3) | |
| | | 3331 ( 3) | |
| | | 3316 ( 3) | |
| | | 3295 ( 3) | |
| | | 3241 ( 3) | |
| | | 3229 ( 3) | |
| | | 3211 ( 3) | |
| | | 3111 ( 3) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD. BEGIN SECTIONS HERE

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3011 ( 3) | |
| | | 2951 ( 3) | |
| | | 2892 ( 3) | |
| | | 2873 ( 3) | |
| | | 2833 ( 3) | |
| | | 2821 ( 3) | |
| | | 2499 ( 3) | |
| | | 2099 ( 3) | |
| | | 2092 ( 3) | |
| | | 2079 ( 3) | |
| | | 2033 ( 3) | |
| | | 5161 ( 2) | |
| | | 4941 ( 2) | |
| | | 4463 ( 2) | |
| | | 4013 ( 2) | |
| | | 3743 ( 2) | |
| | | 3731 ( 2) | |
| | | 3721 ( 2) | |
| | | 3711 ( 2) | |
| | | 3692 ( 2) | |
| | | 3679 ( 2) | |
| | | 3651 ( 2) | |
| | | 3631 ( 2) | |
| | | 3613 ( 2) | |
| | | 3585 ( 2) | |
| | | 3562 ( 2) | |
| | | 3511 ( 2) | |
| | | 3499 ( 2) | |
| | | 3483 ( 2) | |
| | | 3463 ( 2) | |
| | | 3462 ( 2) | |
| | | 3452 ( 2) | |
| | | 3443 ( 2) | |
| | | 3362 ( 2) | |
| | | 3361 ( 2) | |
| | | 3357 ( 2) | |
| | | 3353 ( 2) | |
| | | 3334 ( 2) | |
| | | 3296 ( 2) | |
| | | 3291 ( 2) | |
| | | 3264 ( 2) | |
| | | 2891 ( 2) | |

(continued)

BEGIN LAST LI OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2843 ( 2) | |
| | | 2822 ( 2) | |
| | | 2813 ( 2) | |
| | | 2611 ( 2) | |
| | | 2491 ( 2) | |
| | | 2436 ( 2) | |
| | | 2082 ( 2) | |
| | | 2047 ( 2) | |
| | | 2046 ( 2) | |
| | | 2017 ( 2) | |
| | | 1311 ( 2) | |
| | | 1094 ( 2) | |
| | | 1031 ( 2) | |
| | | 1011 ( 2) | |
| | | 9621 ( 1) | |
| | | 9611 ( 1) | |
| | | 8911 ( 1) | |
| | | 7629 ( 1) | |
| | | 7391 ( 1) | |
| | | 5941 ( 1) | |
| | | 5191 ( 1) | |
| | | 5153 ( 1) | |
| | | 5149 ( 1) | |
| | | 5148 ( 1) | |
| | | 5093 ( 1) | |
| | | 5085 ( 1) | |
| | | 4939 ( 1) | |
| | | 4925 ( 1) | |
| | | 4789 ( 1) | |
| | | 4612 ( 1) | |
| | | 4583 ( 1) | |
| | | 4582 ( 1) | |
| | | 3996 ( 1) | |
| | | 3964 ( 1) | |
| | | 3963 ( 1) | |
| | | 3914 ( 1) | |
| | | 3851 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3832 ( 1) | |
| | | 3823 ( 1) | |
| | | 3769 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3724 ( 1) | |
| | | 3675 ( 1) | |
| | | 3672 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3652 ( 1) | |
| | | 3646 ( 1) | |
| | | 3643 ( 1) | |
| | | 3634 ( 1) | |
| | | 3633 ( 1) | |
| | | 3629 ( 1) | |
| | | 3623 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3574 ( 1) | |
| | | 3573 ( 1) | |
| | | 3559 ( 1) | |
| | | 3554 ( 1) | |
| | | 3552 ( 1) | |
| | | 3544 ( 1) | |
| | | 3531 ( 1) | |
| | | 3523 ( 1) | |
| | | 3519 ( 1) | |
| | | 3494 ( 1) | |
| | | 3484 ( 1) | |
| | | 3469 ( 1) | |
| | | 3465 ( 1) | |
| | | 3432 ( 1) | |
| | | 3431 ( 1) | |
| | | 3411 ( 1) | |
| | | 3399 ( 1) | |
| | | 3369 ( 1) | |
| | | 3356 ( 1) | |
| | | 3355 ( 1) | |
| | | 3333 ( 1) | |
| | | 3322 ( 1) | |
| | | 3317 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3281 ( 1) | |
| | | 3274 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3262 ( 1) | |
| | | 3255 ( 1) | |
| | | 3231 ( 1) | |
| | | 3131 ( 1) | |
| | | 3079 ( 1) | |
| | | 3021 ( 1) | |
| | | 2999 ( 1) | |
| | | 2992 ( 1) | |
| | | 2952 ( 1) | |
| | | 2899 ( 1) | |
| | | 2895 ( 1) | |
| | | 2879 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2824 ( 1) | |
| | | 2816 ( 1) | |
| | | 2812 ( 1) | |
| | | 2795 ( 1) | |
| | | 2752 ( 1) | |
| | | 2731 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2645 ( 1) | |
| | | 2643 ( 1) | |
| | | 2631 ( 1) | |
| | | 2514 ( 1) | |
| | | 2511 ( 1) | |
| | | 2421 ( 1) | |
| | | 2396 ( 1) | |
| | | 2299 ( 1) | |
| | | 2297 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2241 ( 1) | |
| | | 2221 ( 1) | |
| | | 2111 ( 1) | |
| | | 2095 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2085 ( 1) | |
| | | 2075 ( 1) | |
| | | 2065 ( 1) | |
| | | 2062 ( 1) | |
| | | 2052 ( 1) | |
| | | 2051 ( 1) | |
| | | 2048 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 1499 ( 1) | |
| | | 1473 ( 1) | |
| | | 1442 ( 1) | |
| | | 1429 ( 1) | |
| | | 1422 ( 1) | |
| | | 1061 ( 1) | |
| | | 0921 ( 1) | |
| | | 0751 ( 1) | |
| | | 0259 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 324 |
| | | 4952 ( 41) | |
| | | 4911 ( 15) | |
| | | 2011 ( 7) | |
| | | 3334 ( 6) | |
| | | 9711 ( 5) | |
| | | 3312 ( 5) | |
| | | 2834 ( 4) | |
| | | 2033 ( 4) | |
| | | 2016 ( 4) | |
| | | 2013 ( 4) | |
| | | 1211 ( 4) | |
| | | 8221 ( 3) | |
| | | 6513 ( 3) | |
| | | 4939 ( 3) | |
| | | 4931 ( 3) | |
| | | 3313 ( 3) | |
| | | 3111 ( 3) | |
| | | 2911 ( 3) | |
| | | 2869 ( 3) | |
| | | 2833 ( 3) | |
| | | 2819 ( 3) | |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2647 ( 3) | |
| | | 2621 ( 3) | |
| | | 2611 ( 3) | |
| | | 2211 ( 3) | |
| | | 2085 ( 3) | |
| | | 2063 ( 3) | |
| | | 2017 ( 3) | |
| | | 0259 ( 3) | |
| | | 9223 ( 2) | |
| | | 7999 ( 2) | |
| | | 7011 ( 2) | |
| | | 6515 ( 2) | |
| | | 4941 ( 2) | |
| | | 3721 ( 2) | |
| | | 3694 ( 2) | |
| | | 3674 ( 2) | |
| | | 3443 ( 2) | |
| | | 3353 ( 2) | |
| | | 3339 ( 2) | |
| | | 3241 ( 2) | |
| | | 3069 ( 2) | |
| | | 2892 ( 2) | |
| | | 2823 ( 2) | |
| | | 2821 ( 2) | |
| | | 2812 ( 2) | |
| | | 2653 ( 2) | |
| | | 2281 ( 2) | |
| | | 2261 ( 2) | |
| | | 2099 ( 2) | |
| | | 2092 ( 2) | |
| | | 2077 ( 2) | |
| | | 2061 ( 2) | |
| | | 2047 ( 2) | |
| | | 2037 ( 2) | |
| | | 9661 ( 1) | |
| | | 9199 ( 1) | |
| | | 8361 ( 1) | |
| | | 8211 ( 1) | |
| | | 8063 ( 1) | |
| | | 8062 ( 1) | |
| | | 7996 ( 1) | |
| | | 7395 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA: OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 7391 ( 1) | |
| | | 7032 ( 1) | |
| | | 6552 ( 1) | |
| | | 6514 ( 1) | |
| | | 5311 ( 1) | |
| | | 5191 ( 1) | |
| | | 5161 ( 1) | |
| | | 5148 ( 1) | |
| | | 5147 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4925 ( 1) | |
| | | 4789 ( 1) | |
| | | 4582 ( 1) | |
| | | 4013 ( 1) | |
| | | 4011 ( 1) | |
| | | 3843 ( 1) | |
| | | 3842 ( 1) | |
| | | 3841 ( 1) | |
| | | 3769 ( 1) | |
| | | 3751 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3699 ( 1) | |
| | | 3692 ( 1) | |
| | | 3691 ( 1) | |
| | | 3679 ( 1) | |
| | | 3675 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3646 ( 1) | |
| | | 3643 ( 1) | |
| | | 3631 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3612 ( 1) | |
| | | 3567 ( 1) | |
| | | 3562 ( 1) | |
| | | 3559 ( 1) | |
| | | 3544 ( 1) | |
| | | 3523 ( 1) | |
| | | 3496 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3489 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3469 ( 1) | |
| | | 3465 ( 1) | |
| | | 3452 ( 1) | |
| | | 3431 ( 1) | |
| | | 3412 ( 1) | |
| | | 3399 ( 1) | |
| | | 3356 ( 1) | |
| | | 3355 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3297 ( 1) | |
| | | 3295 ( 1) | |
| | | 3211 ( 1) | |
| | | 3131 ( 1) | |
| | | 2999 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2851 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2824 ( 1) | |
| | | 2789 ( 1) | |
| | | 2661 ( 1) | |
| | | 2649 ( 1) | |
| | | 2631 ( 1) | |
| | | 2511 ( 1) | |
| | | 2499 ( 1) | |
| | | 2436 ( 1) | |
| | | 2396 ( 1) | |
| | | 2392 ( 1) | |
| | | 2297 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2241 ( 1) | |
| | | 2221 ( 1) | |
| | | 2095 ( 1) | |
| | | 2091 ( 1) | |
| | | 2084 ( 1) | |
| | | 2083 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2075 ( 1) | |
| | | 2065 ( 1) | |
| | | 2062 ( 1) | |
| | | 2051 ( 1) | |
| | | 2048 ( 1) | |
| | | 2046 ( 1) | |
| | | 2038 ( 1) | |
| | | 2035 ( 1) | |
| | | 2024 ( 1) | |
| | | 2023 ( 1) | |
| | | 2022 ( 1) | |
| | | 1629 ( 1) | |
| | | 1521 ( 1) | |
| | | 1311 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| | | 1031 ( 1) | |
| | | 0751 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 309 |
| | | 4911 ( 11) | |
| | | 3471 ( 11) | |
| | | 2911 ( 11) | |
| | | 2869 ( 7) | |
| | | 2819 ( 7) | |
| | | 3479 ( 6) | |
| | | 3312 ( 5) | |
| | | 3661 ( 4) | |
| | | 3631 ( 4) | |
| | | 3351 ( 4) | |
| | | 3341 ( 4) | |

(continued)

EPA-287 (Cin.) (4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3339 ( 4) | |
| | | 2621 ( 4) | |
| | | 2211 ( 4) | |
| | | 7391 ( 3) | |
| | | 3751 ( 3) | |
| | | 3721 ( 3) | |
| | | 3612 ( 3) | |
| | | 3585 ( 3) | |
| | | 3499 ( 3) | |
| | | 3483 ( 3) | |
| | | 3361 ( 3) | |
| | | 3313 ( 3) | |
| | | 3111 ( 3) | |
| | | 2865 ( 3) | |
| | | 2269 ( 3) | |
| | | 2261 ( 3) | |
| | | 2231 ( 3) | |
| | | 9611 ( 2) | |
| | | 5161 ( 2) | |
| | | 4952 ( 2) | |
| | | 3841 ( 2) | |
| | | 3731 ( 2) | |
| | | 3711 ( 2) | |
| | | 3694 ( 2) | |
| | | 3679 ( 2) | |
| | | 3672 ( 2) | |
| | | 3643 ( 2) | |
| | | 3634 ( 2) | |
| | | 3613 ( 2) | |
| | | 3574 ( 2) | |
| | | 3552 ( 2) | |
| | | 3511 ( 2) | |
| | | 3484 ( 2) | |
| | | 3469 ( 2) | |
| | | 3462 ( 2) | |
| | | 3429 ( 2) | |
| | | 3369 ( 2) | |
| | | 3362 ( 2) | |
| | | 3353 ( 2) | |
| | | 3331 ( 2) | |
| | | 3316 ( 2) | |
| | | 3315 ( 2) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3211 ( 2) | |
| | | 2873 ( 2) | |
| | | 2844 ( 2) | |
| | | 2822 ( 2) | |
| | | 2816 ( 2) | |
| | | 2813 ( 2) | |
| | | 2295 ( 2) | |
| | | 2272 ( 2) | |
| | | 2262 ( 2) | |
| | | 2253 ( 2) | |
| | | 2221 ( 2) | |
| | | 2033 ( 2) | |
| | | 2026 ( 2) | |
| | | 9711 ( 1) | |
| | | 8221 ( 1) | |
| | | 7395 ( 1) | |
| | | 5093 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4922 ( 1) | |
| | | 4213 ( 1) | |
| | | 4013 ( 1) | |
| | | 4011 ( 1) | |
| | | 3963 ( 1) | |
| | | 3914 ( 1) | |
| | | 3873 ( 1) | |
| | | 3842 ( 1) | |
| | | 3825 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3811 ( 1) | |
| | | 3743 ( 1) | |
| | | 3724 ( 1) | |
| | | 3714 ( 1) | |
| | | 3691 ( 1) | |
| | | 3678 ( 1) | |
| | | 3675 ( 1) | |
| | | 3674 ( 1) | |
| | | 3662 ( 1) | |
| | | 3651 ( 1) | |
| | | 3648 ( 1) | |
| | | 3646 ( 1) | |
| | | 3629 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3621 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3573 ( 1) | |
| | | 3569 ( 1) | |
| | | 3564 ( 1) | |
| | | 3545 ( 1) | |
| | | 3544 ( 1) | |
| | | 3523 ( 1) | |
| | | 3465 ( 1) | |
| | | 3452 ( 1) | |
| | | 3443 ( 1) | |
| | | 3442 ( 1) | |
| | | 3433 ( 1) | |
| | | 3432 ( 1) | |
| | | 3431 ( 1) | |
| | | 3411 ( 1) | |
| | | 3357 ( 1) | |
| | | 3356 ( 1) | |
| | | 3355 ( 1) | |
| | | 3334 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3292 ( 1) | |
| | | 3291 ( 1) | |
| | | 3274 ( 1) | |
| | | 3264 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3131 ( 1) | |
| | | 3069 ( 1) | |
| | | 3011 ( 1) | |
| | | 2999 ( 1) | |
| | | 2992 ( 1) | |
| | | 2899 ( 1) | |
| | | 2874 ( 1) | |
| | | 2861 ( 1) | |
| | | 2843 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2812 ( 1) | |
| | | 2795 ( 1) | |
| | | 2754 ( 1) | |
| | | 2731 ( 1) | |
| | | 2653 ( 1) | |
| | | 2611 ( 1) | |
| | | 2531 ( 1) | |
| | | 2522 ( 1) | |
| | | 2514 ( 1) | |
| | | 2499 ( 1) | |
| | | 2436 ( 1) | |
| | | 2297 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2252 ( 1) | |
| | | 2241 ( 1) | |
| | | 2111 ( 1) | |
| | | 2077 ( 1) | |
| | | 2062 ( 1) | |
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2041 ( 1) | |
| | | 2024 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2016 ( 1) | |
| | | 1031 ( 1) | |
| | | 1021 ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | 272 |
| | | 4911 ( 13) | |
| | | 3471 ( 8) | |
| | | 2621 ( 6) | |
| | | 3351 ( 5) | |
| | | 3341 ( 5) | |
| | | 3331 ( 5) | |
| | | 3312 ( 5) | |
| | | 2819 ( 5) | |
| | | 1031 ( 5) | |
| | | 4953 ( 4) | |
| | | 4952 ( 4) | |
| | | 3479 ( 4) | |
| | | 2869 ( 4) | |
| | | 7391 ( 3) | |
| | | 3751 ( 3) | |
| | | 3691 ( 3) | |
| | | 3674 ( 3) | |
| | | 3672 ( 3) | |
| | | 3661 ( 3) | |
| | | 3631 ( 3) | |
| | | 3483 ( 3) | |
| | | 3333 ( 3) | |
| | | 2873 ( 3) | |
| | | 1094 ( 3) | |
| | | 1061 ( 3) | |
| | | 9611 ( 2) | |
| | | 3964 ( 2) | |
| | | 3914 ( 2) | |
| | | 3731 ( 2) | |
| | | 3721 ( 2) | |
| | | 3711 ( 2) | |
| | | 3694 ( 2) | |
| | | 3651 ( 2) | |
| | | 3643 ( 2) | |
| | | 3613 ( 2) | |
| | | 3574 ( 2) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3552 ( 2) | |
| | | 3432 ( 2) | |
| | | 3369 ( 2) | |
| | | 3361 ( 2) | |
| | | 3339 ( 2) | |
| | | 3334 ( 2) | |
| | | 3321 ( 2) | |
| | | 3315 ( 2) | |
| | | 3313 ( 2) | |
| | | 3069 ( 2) | |
| | | 2865 ( 2) | |
| | | 2843 ( 2) | |
| | | 2834 ( 2) | |
| | | 2816 ( 2) | |
| | | 2631 ( 2) | |
| | | 2221 ( 2) | |
| | | 2033 ( 2) | |
| | | 2026 ( 2) | |
| | | 1021 ( 2) | |
| | | 8911 ( 1) | |
| | | 8221 ( 1) | |
| | | 7395 ( 1) | |
| | | 5161 ( 1) | |
| | | 5134 ( 1) | |
| | | 5093 ( 1) | |
| | | 4961 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4931 ( 1) | |
| | | 4922 ( 1) | |
| | | 3963 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3832 ( 1) | |
| | | 3825 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3728 ( 1) | |
| | | 3724 ( 1) | |
| | | 3714 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD. BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3692 ( 1) | |
| | | 3678 ( 1) | |
| | | 3675 ( 1) | |
| | | 3671 ( 1) | |
| | | 3648 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |
| | | 3633 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3621 ( 1) | |
| | | 3612 ( 1) | |
| | | 3592 ( 1) | |
| | | 3585 ( 1) | |
| | | 3567 ( 1) | |
| | | 3564 ( 1) | |
| | | 3559 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3544 ( 1) | |
| | | 3523 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3494 ( 1) | |
| | | 3484 ( 1) | |
| | | 3463 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3442 ( 1) | |
| | | 3441 ( 1) | |
| | | 3431 ( 1) | |
| | | 3429 ( 1) | |
| | | 3412 ( 1) | |
| | | 3411 ( 1) | |
| | | 3362 ( 1) | |
| | | 3356 ( 1) | |
| | | 3332 ( 1) | |
| | | 3274 ( 1) | |
| | | 3264 ( 1) | |
| | | 3231 ( 1) | |
| | | 3221 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3041 ( 1) | |
| | | 2999 ( 1) | |
| | | 2992 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2844 ( 1) | |
| | | 2841 ( 1) | |
| | | 2833 ( 1) | |
| | | 2824 ( 1) | |
| | | 2823 ( 1) | |
| | | 2821 ( 1) | |
| | | 2813 ( 1) | |
| | | 2752 ( 1) | |
| | | 2731 ( 1) | |
| | | 2661 ( 1) | |
| | | 2611 ( 1) | |
| | | 2531 ( 1) | |
| | | 2522 ( 1) | |
| | | 2436 ( 1) | |
| | | 2295 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2231 ( 1) | |
| | | 2111 ( 1) | |
| | | 2077 ( 1) | |
| | | 2075 ( 1) | |
| | | 2062 ( 1) | |
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2041 ( 1) | |
| | | 2024 ( 1) | |
| | | 2016 ( 1) | |
| | | 1455 ( 1) | |
| | | 1044 ( 1) | |
| | | 1041 ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | 238 |
| | | 4911 ( 32) | |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3471 ( 11) | |
| | | 2869 ( 6) | |
| | | 3341 ( 5) | |
| | | 3331 ( 5) | |
| | | 4952 ( 4) | |
| | | 4931 ( 4) | |
| | | 3661 ( 4) | |
| | | 3479 ( 4) | |
| | | 3351 ( 4) | |
| | | 1031 ( 4) | |
| | | 7391 ( 3) | |
| | | 3674 ( 3) | |
| | | 3429 ( 3) | |
| | | 3361 ( 3) | |
| | | 2865 ( 3) | |
| | | 9611 ( 2) | |
| | | 4961 ( 2) | |
| | | 4953 ( 2) | |
| | | 4941 ( 2) | |
| | | 3914 ( 2) | |
| | | 3841 ( 2) | |
| | | 3751 ( 2) | |
| | | 3731 ( 2) | |
| | | 3721 ( 2) | |
| | | 3714 ( 2) | |
| | | 3679 ( 2) | |
| | | 3672 ( 2) | |
| | | 3651 ( 2) | |
| | | 3648 ( 2) | |
| | | 3643 ( 2) | |
| | | 3631 ( 2) | |
| | | 3613 ( 2) | |
| | | 3612 ( 2) | |
| | | 3574 ( 2) | |
| | | 3552 ( 2) | |
| | | 3496 ( 2) | |
| | | 3483 ( 2) | |
| | | 3432 ( 2) | |
| | | 3369 ( 2) | |
| | | 3362 ( 2) | |
| | | 3357 ( 2) | |
| | | 3321 ( 2) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3312 ( 2) | |
| | | 2873 ( 2) | |
| | | 1061 ( 2) | |
| | | 1021 ( 2) | |
| | | 9711 ( 1) | |
| | | 5134 ( 1) | |
| | | 5093 ( 1) | |
| | | 4939 ( 1) | |
| | | 4013 ( 1) | |
| | | 3999 ( 1) | |
| | | 3964 ( 1) | |
| | | 3963 ( 1) | |
| | | 3961 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3843 ( 1) | |
| | | 3832 ( 1) | |
| | | 3825 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3743 ( 1) | |
| | | 3728 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3691 ( 1) | |
| | | 3678 ( 1) | |
| | | 3675 ( 1) | |
| | | 3671 ( 1) | |
| | | 3662 ( 1) | |
| | | 3644 ( 1) | |
| | | 3634 ( 1) | |
| | | 3629 ( 1) | |
| | | 3623 ( 1) | |
| | | 3592 ( 1) | |
| | | 3573 ( 1) | |
| | | 3569 ( 1) | |
| | | 3562 ( 1) | |
| | | 3559 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3523 ( 1) | |
| | | 3499 ( 1) | |
| | | 3494 ( 1) | |
| | | 3484 ( 1) | |
| | | 3469 ( 1) | |
| | | 3463 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3443 ( 1) | |
| | | 3442 ( 1) | |
| | | 3423 ( 1) | |
| | | 3411 ( 1) | |
| | | 3339 ( 1) | |
| | | 3315 ( 1) | |
| | | 3292 ( 1) | |
| | | 3264 ( 1) | |
| | | 3231 ( 1) | |
| | | 3211 ( 1) | |
| | | 2899 ( 1) | |
| | | 2843 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2816 ( 1) | |
| | | 2754 ( 1) | |
| | | 2731 ( 1) | |
| | | 2661 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2522 ( 1) | |
| | | 2499 ( 1) | |
| | | 2283 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2221 ( 1) | |
| | | 2062 ( 1) | |
| | | 1044 ( 1) | |
| | | 1041 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 192 |
| | | 4952 ( 31) | |
| | | 4911 ( 23) | |
| | | 9711 ( 5) | |
| | | 4931 ( 4) | |
| | | 8221 ( 3) | |
| | | 2621 ( 3) | |
| | | 2016 ( 3) | |
| | | 8211 ( 2) | |
| | | 7999 ( 2) | |
| | | 7011 ( 2) | |
| | | 6515 ( 2) | |
| | | 6513 ( 2) | |
| | | 3465 ( 2) | |
| | | 3339 ( 2) | |
| | | 3334 ( 2) | |
| | | 3313 ( 2) | |
| | | 3211 ( 2) | |
| | | 2841 ( 2) | |
| | | 2834 ( 2) | |
| | | 2091 ( 2) | |
| | | 2035 ( 2) | |
| | | 2033 ( 2) | |
| | | 2013 ( 2) | |
| | | 2011 ( 2) | |
| | | 0259 ( 2) | |
| | | 9661 ( 1) | |
| | | 9611 ( 1) | |
| | | 9224 ( 1) | |
| | | 9223 ( 1) | |
| | | 8249 ( 1) | |
| | | 8063 ( 1) | |
| | | 7996 ( 1) | |
| | | 7395 ( 1) | |
| | | 7391 ( 1) | |
| | | 7032 ( 1) | |
| | | 6512 ( 1) | |
| | | 5311 ( 1) | |
| | | 5161 ( 1) | |
| | | 4971 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4961 ( 1) | |
| | | 4941 ( 1) | |
| | | 4789 ( 1) | |
| | | 4582 ( 1) | |
| | | 4011 ( 1) | |
| | | 3843 ( 1) | |
| | | 3825 ( 1) | |
| | | 3769 ( 1) | |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3699 ( 1) | |
| | | 3691 ( 1) | |
| | | 3675 ( 1) | |
| | | 3674 ( 1) | |
| | | 3661 ( 1) | |
| | | 3646 ( 1) | |
| | | 3631 ( 1) | |
| | | 3592 ( 1) | |
| | | 3523 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3471 ( 1) | |
| | | 3469 ( 1) | |
| | | 3452 ( 1) | |
| | | 3443 ( 1) | |
| | | 3442 ( 1) | |
| | | 3431 ( 1) | |
| | | 3361 ( 1) | |
| | | 3355 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3315 ( 1) | |
| | | 3297 ( 1) | |
| | | 3241 ( 1) | |
| | | 3069 ( 1) | |
| | | 3011 ( 1) | |
| | | 2999 ( 1) | |
| | | 2869 ( 1) | |
| | | 2822 ( 1) | |
| | | 2819 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2436 ( 1) | |
| | | 2396 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2131 ( 1) | |
| | | 2111 ( 1) | |
| | | 2099 ( 1) | |
| | | 2082 ( 1) | |
| | | 2077 ( 1) | |
| | | 2075 ( 1) | |
| | | 2062 ( 1) | |
| | | 2046 ( 1) | |
| | | 2041 ( 1) | |
| | | 2038 ( 1) | |
| | | 2026 ( 1) | |
| | | 2022 ( 1) | |
| | | 2017 ( 1) | |
| | | 1629 ( 1) | |
| | | 1311 ( 1) | |
| | | 1061 ( 1) | |
| 50 | IRON, TOTAL | TOTAL | 176 |
| | | 4911 ( 33) | |
| | | 1211 ( 8) | |
| | | 3471 ( 5) | |
| | | 3312 ( 5) | |
| | | 3479 ( 4) | |
| | | 7391 ( 3) | |
| | | 4931 ( 3) | |
| | | 3643 ( 3) | |
| | | 3316 ( 3) | |
| | | 2816 ( 3) | |
| | | 1031 ( 3) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4961 ( 2) | |
| | | 3751 ( 2) | |
| | | 3661 ( 2) | |
| | | 3484 ( 2) | |
| | | 3462 ( 2) | |
| | | 3452 ( 2) | |
| | | 3432 ( 2) | |
| | | 3341 ( 2) | |
| | | 3292 ( 2) | |
| | | 2819 ( 2) | |
| | | 1094 ( 2) | |
| | | 1061 ( 2) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 8911 ( 1) | |
| | | 7395 ( 1) | |
| | | 5941 ( 1) | |
| | | 5134 ( 1) | |
| | | 5093 ( 1) | |
| | | 4952 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4463 ( 1) | |
| | | 3963 ( 1) | |
| | | 3914 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3851 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3832 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3743 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3699 ( 1) | |
| | | 3679 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3662 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3651 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |
| | | 3639 ( 1) | |
| | | 3634 ( 1) | |
| | | 3633 ( 1) | |
| | | 3631 ( 1) | |
| | | 3621 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3574 ( 1) | |
| | | 3573 ( 1) | |
| | | 3564 ( 1) | |
| | | 3562 ( 1) | |
| | | 3554 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3531 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3483 ( 1) | |
| | | 3469 ( 1) | |
| | | 3441 ( 1) | |
| | | 3429 ( 1) | |
| | | 3353 ( 1) | |
| | | 3339 ( 1) | |
| | | 3333 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3322 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3313 ( 1) | |
| | | 3291 ( 1) | |
| | | 3229 ( 1) | |
| | | 3069 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2844 ( 1) | |
| | | 2833 ( 1) | |
| | | 2782 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2754 ( 1) | |
| | | 2661 ( 1) | |
| | | 2522 ( 1) | |
| | | 2499 ( 1) | |
| | | 2258 ( 1) | |
| | | 1021 ( 1) | |
| | | 1011 ( 1) | |
| 3 | AMMONIA AS N | TOTAL | 167 |
| | | 2911 ( 16) | |
| | | 4952 ( 9) | |
| | | 3312 ( 8) | |
| | | 2819 ( 7) | |
| | | 2869 ( 5) | |
| | | 2873 ( 4) | |
| | | 4911 ( 3) | |
| | | 3674 ( 3) | |
| | | 3339 ( 3) | |
| | | 2834 ( 3) | |
| | | 2833 ( 3) | |
| | | 2082 ( 3) | |
| | | 2063 ( 3) | |
| | | 2011 ( 3) | |
| | | 9711 ( 2) | |
| | | 4953 ( 2) | |
| | | 3229 ( 2) | |
| | | 2892 ( 2) | |
| | | 2879 ( 2) | |
| | | 2821 ( 2) | |
| | | 2631 ( 2) | |
| | | 2621 ( 2) | |
| | | 2221 ( 2) | |
| | | 2033 ( 2) | |
| | | 8361 ( 1) | |
| | | 8221 ( 1) | |
| | | 7996 ( 1) | |
| | | 7395 ( 1) | |
| | | 7391 ( 1) | |
| | | 7032 ( 1) | |
| | | 7011 ( 1) | |
| | | 6514 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
CHAPTER HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 5191 ( 1) | |
| | | 5161 ( 1) | |
| | | 5153 ( 1) | |
| | | 5147 ( 1) | |
| | | 5093 ( 1) | |
| | | 4789 ( 1) | |
| | | 4463 ( 1) | |
| | | 4011 ( 1) | |
| | | 3963 ( 1) | |
| | | 3914 ( 1) | |
| | | 3825 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3644 ( 1) | |
| | | 3643 ( 1) | |
| | | 3612 ( 1) | |
| | | 3573 ( 1) | |
| | | 3559 ( 1) | |
| | | 3469 ( 1) | |
| | | 3412 ( 1) | |
| | | 3361 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3322 ( 1) | |
| | | 3316 ( 1) | |
| | | 3296 ( 1) | |
| | | 3264 ( 1) | |
| | | 3231 ( 1) | |
| | | 3131 ( 1) | |
| | | 3111 ( 1) | |
| | | 2992 ( 1) | |
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |
| | | 2875 ( 1) | |
| | | 2874 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2823 ( 1) | |
| | | 2822 ( 1) | |
| | | 2789 ( 1) | |
| | | 2647 ( 1) | |
| | | 2396 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS

PAGE NUMBER
EPA-287 (Cin)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2295 ( 1) | |
| | | 2283 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2084 ( 1) | |
| | | 2077 ( 1) | |
| | | 2075 ( 1) | |
| | | 2065 ( 1) | |
| | | 2052 ( 1) | |
| | | 2047 ( 1) | |
| | | 2046 ( 1) | |
| | | 2035 ( 1) | |
| | | 2022 ( 1) | |
| | | 2021 ( 1) | |
| | | 2017 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| | | 1521 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| | | 1031 ( 1) | |
| | | 0133 ( 1) | |
| 12 | COD | TOTAL | 156 |
| | | 2911 ( 12) | |
| | | 2821 ( 6) | |
| | | 2869 ( 5) | |
| | | 2819 ( 5) | |
| | | 2873 ( 4) | |
| | | 2865 ( 4) | |
| | | 2833 ( 4) | |
| | | 2211 ( 4) | |
| | | 4952 ( 3) | |
| | | 2822 ( 3) | |
| | | 2816 ( 3) | |
| | | 2272 ( 3) | |
| | | 2261 ( 3) | |
| | | 2231 ( 3) | |
| | | 4213 ( 2) | |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3842 ( 2) | |
| | | 3357 ( 2) | |
| | | 3312 ( 2) | |
| | | 3291 ( 2) | |
| | | 2892 ( 2) | |
| | | 2879 ( 2) | |
| | | 2861 ( 2) | |
| | | 2841 ( 2) | |
| | | 2824 ( 2) | |
| | | 2823 ( 2) | |
| | | 2282 ( 2) | |
| | | 2258 ( 2) | |
| | | 2221 ( 2) | |
| | | 2082 ( 2) | |
| | | 1094 ( 2) | |
| | | 9711 ( 1) | |
| | | 8221 ( 1) | |
| | | 7395 ( 1) | |
| | | 7391 ( 1) | |
| | | 5153 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4789 ( 1) | |
| | | 4011 ( 1) | |
| | | 3996 ( 1) | |
| | | 3861 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3674 ( 1) | |
| | | 3652 ( 1) | |
| | | 3648 ( 1) | |
| | | 3631 ( 1) | |
| | | 3612 ( 1) | |
| | | 3483 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |

(continued)

BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
BEGIN LAST LINE OF TEXT
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3296 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 2952 ( 1) | |
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |
| | | 2843 ( 1) | |
| | | 2834 ( 1) | |
| | | 2813 ( 1) | |
| | | 2731 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2611 ( 1) | |
| | | 2514 ( 1) | |
| | | 2491 ( 1) | |
| | | 2431 ( 1) | |
| | | 2297 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2253 ( 1) | |
| | | 2252 ( 1) | |
| | | 2241 ( 1) | |
| | | 2092 ( 1) | |
| | | 2086 ( 1) | |
| | | 2085 ( 1) | |
| | | 2079 ( 1) | |
| | | 2075 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |
| | | 2024 ( 1) | |
| 96 | PHENOLS | TOTAL | 150 |
| | | 2911 ( 16) | |
| | | 3312 ( 9) | |
| | | 2869 ( 6) | |
| | | 2211 ( 4) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2879 ( 3) | |
| | | 2873 ( 3) | |
| | | 2833 ( 3) | |
| | | 2272 ( 3) | |
| | | 2269 ( 3) | |
| | | 2231 ( 3) | |
| | | 9711 ( 2) | |
| | | 4911 ( 2) | |
| | | 4011 ( 2) | |
| | | 3511 ( 2) | |
| | | 3325 ( 2) | |
| | | 3291 ( 2) | |
| | | 3079 ( 2) | |
| | | 2865 ( 2) | |
| | | 2824 ( 2) | |
| | | 2491 ( 2) | |
| | | 2283 ( 2) | |
| | | 2282 ( 2) | |
| | | 2281 ( 2) | |
| | | 2262 ( 2) | |
| | | 2253 ( 2) | |
| | | 2221 ( 2) | |
| | | 5161 ( 1) | |
| | | 5093 ( 1) | |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4213 ( 1) | |
| | | 4013 ( 1) | |
| | | 3996 ( 1) | |
| | | 3842 ( 1) | |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3674 ( 1) | |
| | | 3612 ( 1) | |
| | | 3574 ( 1) | |
| | | 3573 ( 1) | |
| | | 3554 ( 1) | |
| | | 3552 ( 1) | |
| | | 3523 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA 287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3519 ( 1) | |
| | | 3471 ( 1) | |
| | | 3443 ( 1) | |
| | | 3361 ( 1) | |
| | | 3355 ( 1) | |
| | | 3334 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3296 ( 1) | |
| | | 3281 ( 1) | |
| | | 3264 ( 1) | |
| | | 3231 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 2999 ( 1) | |
| | | 2952 ( 1) | |
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |
| | | 2843 ( 1) | |
| | | 2834 ( 1) | |
| | | 2823 ( 1) | |
| | | 2819 ( 1) | |
| | | 2731 ( 1) | |
| | | 2661 ( 1) | |
| | | 2653 ( 1) | |
| | | 2646 ( 1) | |
| | | 2645 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2431 ( 1) | |
| | | 2421 ( 1) | |
| | | 2297 ( 1) | |
| | | 2295 ( 1) | |
| | | 2284 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2252 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-75)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2241 ( 1) | |
| | | 2079 ( 1) | |
| | | 2062 ( 1) | |
| 62 | NICKEL, TOTAL | TOTAL | 140 |
| | | 4911 ( 11) | |
| | | 3471 ( 9) | |
| | | 3661 ( 4) | |
| | | 3341 ( 4) | |
| | | 2869 ( 4) | |
| | | 4952 ( 3) | |
| | | 3751 ( 3) | |
| | | 3631 ( 3) | |
| | | 3429 ( 3) | |
| | | 3351 ( 3) | |
| | | 3914 ( 2) | |
| | | 3841 ( 2) | |
| | | 3694 ( 2) | |
| | | 3691 ( 2) | |
| | | 3643 ( 2) | |
| | | 3634 ( 2) | |
| | | 3613 ( 2) | |
| | | 3574 ( 2) | |
| | | 3559 ( 2) | |
| | | 3484 ( 2) | |
| | | 3483 ( 2) | |
| | | 3479 ( 2) | |
| | | 3462 ( 2) | |
| | | 2621 ( 2) | |
| | | 9611 ( 1) | |
| | | 5134 ( 1) | |
| | | 5093 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4931 ( 1) | |
| | | 3999 ( 1) | |
| | | 3964 ( 1) | |
| | | 3963 ( 1) | |
| | | 3961 ( 1) | |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3832 ( 1) | |
| | | 3825 ( 1) | |
| | | 3822 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3692 ( 1) | |
| | | 3679 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3671 ( 1) | |
| | | 3652 ( 1) | |
| | | 3651 ( 1) | |
| | | 3648 ( 1) | |
| | | 3646 ( 1) | |
| | | 3633 ( 1) | |
| | | 3623 ( 1) | |
| | | 3552 ( 1) | |
| | | 3545 ( 1) | |
| | | 3499 ( 1) | |
| | | 3469 ( 1) | |
| | | 3463 ( 1) | |
| | | 3432 ( 1) | |
| | | 3423 ( 1) | |
| | | 3369 ( 1) | |
| | | 3362 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3356 ( 1) | |
| | | 3317 ( 1) | |
| | | 3316 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3264 ( 1) | |
| | | 3069 ( 1) | |
| | | 2899 ( 1) | |
| | | 2844 ( 1) | |
| | | 2816 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2782 ( 1) | |
| | | 2661 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2531 ( 1) | |
| | | 2522 ( 1) | |
| | | 2258 ( 1) | |
| | | 2079 ( 1) | |
| | | 2062 ( 1) | |
| | | 1094 ( 1) | |
| | | 1031 ( 1) | |
| 40 | CHROMIUM VI | TOTAL | 138 |
| | | 2911 ( 11) | |
| | | 3471 ( 6) | |
| | | 3751 ( 4) | |
| | | 3479 ( 4) | |
| | | 3672 ( 3) | |
| | | 3661 ( 3) | |
| | | 3631 ( 3) | |
| | | 3585 ( 3) | |
| | | 3499 ( 3) | |
| | | 3351 ( 3) | |
| | | 7391 ( 2) | |
| | | 4952 ( 2) | |
| | | 3841 ( 2) | |
| | | 3728 ( 2) | |
| | | 3721 ( 2) | |
| | | 3679 ( 2) | |
| | | 3643 ( 2) | |
| | | 3634 ( 2) | |
| | | 3484 ( 2) | |
| | | 3483 ( 2) | |
| | | 3369 ( 2) | |
| | | 3362 ( 2) | |
| | | 3361 ( 2) | |
| | | 3341 ( 2) | |
| | | 3313 ( 2) | |
| | | 3312 ( 2) | |
| | | 5161 ( 1) | |
| | | 4953 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4931 ( 1) | |
| | | 4922 ( 1) | |
| | | 3996 ( 1) | |
| | | 3914 ( 1) | |
| | | 3873 ( 1) | |
| | | 3825 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3769 ( 1) | |
| | | 3743 ( 1) | |
| | | 3731 ( 1) | |
| | | 3714 ( 1) | |
| | | 3694 ( 1) | |
| | | 3691 ( 1) | |
| | | 3678 ( 1) | |
| | | 3674 ( 1) | |
| | | 3662 ( 1) | |
| | | 3648 ( 1) | |
| | | 3646 ( 1) | |
| | | 3629 ( 1) | |
| | | 3621 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3574 ( 1) | |
| | | 3573 ( 1) | |
| | | 3564 ( 1) | |
| | | 3552 ( 1) | |
| | | 3545 ( 1) | |
| | | 3544 ( 1) | |
| | | 3531 ( 1) | |
| | | 3511 ( 1) | |
| | | 3469 ( 1) | |
| | | 3465 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3433 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3353 ( 1) | |
| | | 3339 ( 1) | |
| | | 3331 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS

EPA-287 (Cin.)
(4-78)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3292 ( 1) | |
| | | 3262 ( 1) | |
| | | 3131 ( 1) | |
| | | 3111 ( 1) | |
| | | 2869 ( 1) | |
| | | 2861 ( 1) | |
| | | 2795 ( 1) | |
| | | 2754 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2522 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| | | 2033 ( 1) | |
| | | 2024 ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | 134 |
| | | 4952 ( 21) | |
| | | 2621 ( 6) | |
| | | 4911 ( 3) | |
| | | 2646 ( 3) | |
| | | 2033 ( 3) | |
| | | 9711 ( 2) | |
| | | 8221 ( 2) | |
| | | 6513 ( 2) | |
| | | 3674 ( 2) | |
| | | 2611 ( 2) | |
| | | 2421 ( 2) | |
| | | 2261 ( 2) | |
| | | 2061 ( 2) | |
| | | 2037 ( 2) | |
| | | 2016 ( 2) | |
| | | 0921 ( 2) | |
| | | 0259 ( 2) | |
| | | 9224 ( 1) | |
| | | 9223 ( 1) | |
| | | 8249 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 8211 ( 1) | |
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 6515 ( 1) | |
| | | 6512 ( 1) | |
| | | 5148 ( 1) | |
| | | 5085 ( 1) | |
| | | 4971 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4582 ( 1) | |
| | | 4011 ( 1) | |
| | | 3914 ( 1) | |
| | | 3832 ( 1) | |
| | | 3769 ( 1) | |
| | | 3731 ( 1) | |
| | | 3699 ( 1) | |
| | | 3691 ( 1) | |
| | | 3672 ( 1) | |
| | | 3612 ( 1) | |
| | | 3496 ( 1) | |
| | | 3469 ( 1) | |
| | | 3429 ( 1) | |
| | | 3355 ( 1) | |
| | | 3353 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 3281 ( 1) | |
| | | 3274 ( 1) | |
| | | 3264 ( 1) | |
| | | 3241 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 2999 ( 1) | |
| | | 2911 ( 1) | |
| | | 2875 ( 1) | |
| | | 2873 ( 1) | |
| | | 2861 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2841 ( 1) | |
| | | 2833 ( 1) | |
| | | 2789 ( 1) | |
| | | 2661 ( 1) | |
| | | 2645 ( 1) | |
| | | 2631 ( 1) | |
| | | 2499 ( 1) | |
| | | 2436 ( 1) | |
| | | 2431 ( 1) | |
| | | 2269 ( 1) | |
| | | 2211 ( 1) | |
| | | 2111 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2062 ( 1) | |
| | | 2052 ( 1) | |
| | | 2048 ( 1) | |
| | | 2046 ( 1) | |
| | | 1459 ( 1) | |
| | | 1429 ( 1) | |
| | | 1311 ( 1) | |
| | | 1211 ( 1) | |
| | | 1061 ( 1) | |
| | | 1031 ( 1) | |
| | | 1021 ( 1) | |
| | | 1011 ( 1) | |
| | | 0133 ( 1) | |
| 17 | CYANIDE, TOTAL | TOTAL | 124 |
| | | 3312 ( 9) | |
| | | 3471 ( 8) | |
| | | 3479 ( 4) | |
| | | 4952 ( 3) | |
| | | 3694 ( 3) | |
| | | 2869 ( 3) | |
| | | 4953 ( 2) | |
| | | 4911 ( 2) | |
| | | 3914 ( 2) | |
| | | 3751 ( 2) | |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3721 ( 2) | |
| | | 3692 ( 2) | |
| | | 3672 ( 2) | |
| | | 3661 ( 2) | |
| | | 3648 ( 2) | |
| | | 3613 ( 2) | |
| | | 3574 ( 2) | |
| | | 3499 ( 2) | |
| | | 3429 ( 2) | |
| | | 3369 ( 2) | |
| | | 2833 ( 2) | |
| | | 1031 ( 2) | |
| | | 7395 ( 1) | |
| | | 7391 ( 1) | |
| | | 5161 ( 1) | |
| | | 5134 ( 1) | |
| | | 5093 ( 1) | |
| | | 4939 ( 1) | |
| | | 4213 ( 1) | |
| | | 4011 ( 1) | |
| | | 3999 ( 1) | |
| | | 3964 ( 1) | |
| | | 3963 ( 1) | |
| | | 3961 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3832 ( 1) | |
| | | 3825 ( 1) | |
| | | 3743 ( 1) | |
| | | 3728 ( 1) | |
| | | 3714 ( 1) | |
| | | 3679 ( 1) | |
| | | 3678 ( 1) | |
| | | 3651 ( 1) | |
| | | 3643 ( 1) | |
| | | 3631 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3612 ( 1) | |
| | | 3585 ( 1) | |
| | | 3573 ( 1) | |
| | | 3569 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3562 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3519 ( 1) | |
| | | 3511 ( 1) | |
| | | 3494 ( 1) | |
| | | 3484 ( 1) | |
| | | 3469 ( 1) | |
| | | 3462 ( 1) | |
| | | 3423 ( 1) | |
| | | 3362 ( 1) | |
| | | 3361 ( 1) | |
| | | 3356 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |
| | | 3333 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3264 ( 1) | |
| | | 2865 ( 1) | |
| | | 2834 ( 1) | |
| | | 2824 ( 1) | |
| | | 2754 ( 1) | |
| | | 2661 ( 1) | |
| | | 2522 ( 1) | |
| | | 2062 ( 1) | |
| | | 1061 ( 1) | |
| 52 | LEAD, TOTAL | TOTAL | 120 |
| | | 4911 ( 12) | |
| | | 1031 ( 5) | |
| | | 4952 ( 4) | |
| | | 3331 ( 4) | |
| | | 3351 ( 3) | |
| | | 3341 ( 3) | |
| | | 3312 ( 3) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2621 ( 3) | |
| | | 4953 ( 2) | |
| | | 3731 ( 2) | |
| | | 3714 ( 2) | |
| | | 3691 ( 2) | |
| | | 3674 ( 2) | |
| | | 3672 ( 2) | |
| | | 3661 ( 2) | |
| | | 3651 ( 2) | |
| | | 3321 ( 2) | |
| | | 3229 ( 2) | |
| | | 2819 ( 2) | |
| | | 2647 ( 2) | |
| | | 2631 ( 2) | |
| | | 1021 ( 2) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 7391 ( 1) | |
| | | 5093 ( 1) | |
| | | 4941 ( 1) | |
| | | 4931 ( 1) | |
| | | 3996 ( 1) | |
| | | 3911 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3721 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3679 ( 1) | |
| | | 3671 ( 1) | |
| | | 3648 ( 1) | |
| | | 3644 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3523 ( 1) | |
| | | 3499 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3432 ( 1) | |
| | | 3357 ( 1) | |
| | | 3333 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3332 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3292 ( 1) | |
| | | 3264 ( 1) | |
| | | 3262 ( 1) | |
| | | 3231 ( 1) | |
| | | 3221 ( 1) | |
| | | 3069 ( 1) | |
| | | 3041 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2821 ( 1) | |
| | | 2816 ( 1) | |
| | | 2812 ( 1) | |
| | | 2752 ( 1) | |
| | | 2661 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2062 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| | | 1044 ( 1) | |
| | | 1041 ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | 112 |
| | | 4952 ( 9) | |
| | | 4911 ( 7) | |
| | | 2631 ( 4) | |
| | | 2033 ( 4) | |
| | | 3631 ( 3) | |
| | | 3312 ( 3) | |
| | | 2873 ( 3) | |
| | | 9711 ( 2) | |
| | | 3674 ( 2) | |
| | | 2621 ( 2) | |
| | | 2091 ( 2) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2063 ( 2) | |
| | | 2011 ( 2) | |
| | | 0259 ( 2) | |
| | | 9223 ( 1) | |
| | | 9199 ( 1) | |
| | | 8361 ( 1) | |
| | | 8249 ( 1) | |
| | | 8221 ( 1) | |
| | | 7996 ( 1) | |
| | | 6552 ( 1) | |
| | | 6515 ( 1) | |
| | | 6514 ( 1) | |
| | | 6512 ( 1) | |
| | | 5311 ( 1) | |
| | | 4971 ( 1) | |
| | | 4941 ( 1) | |
| | | 3721 ( 1) | |
| | | 3648 ( 1) | |
| | | 3646 ( 1) | |
| | | 3633 ( 1) | |
| | | 3623 ( 1) | |
| | | 3552 ( 1) | |
| | | 3523 ( 1) | |
| | | 3494 ( 1) | |
| | | 3469 ( 1) | |
| | | 3339 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3229 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2891 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2789 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2611 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2511 ( 1) | |
| | | 2421 ( 1) | |
| | | 2297 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2281 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2086 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2065 ( 1) | |
| | | 2062 ( 1) | |
| | | 2052 ( 1) | |
| | | 2048 ( 1) | |
| | | 2047 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2022 ( 1) | |
| | | 2021 ( 1) | |
| | | 2017 ( 1) | |
| | | 2013 ( 1) | |
| | | 1521 ( 1) | |
| | | 1061 ( 1) | |
| | | 0921 ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | 107 |
| | | 4911 ( 10) | |
| | | 4952 ( 5) | |
| | | 3479 ( 4) | |
| | | 3471 ( 4) | |
| | | 3331 ( 4) | |
| | | 1031 ( 4) | |
| | | 3694 ( 3) | |
| | | 1094 ( 3) | |
| | | 4953 ( 2) | |
| | | 3751 ( 2) | |
| | | 3731 ( 2) | |
| | | 3651 ( 2) | |
| | | 3613 ( 2) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3552 ( 2) | |
| | | 3333 ( 2) | |
| | | 3321 ( 2) | |
| | | 3315 ( 2) | |
| | | 1061 ( 2) | |
| | | 1021 ( 2) | |
| | | 9611 ( 1) | |
| | | 7391 ( 1) | |
| | | 5093 ( 1) | |
| | | 4941 ( 1) | |
| | | 4463 ( 1) | |
| | | 3996 ( 1) | |
| | | 3873 ( 1) | |
| | | 3841 ( 1) | |
| | | 3825 ( 1) | |
| | | 3769 ( 1) | |
| | | 3743 ( 1) | |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3711 ( 1) | |
| | | 3691 ( 1) | |
| | | 3672 ( 1) | |
| | | 3671 ( 1) | |
| | | 3648 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3569 ( 1) | |
| | | 3559 ( 1) | |
| | | 3499 ( 1) | |
| | | 3494 ( 1) | |
| | | 3484 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3443 ( 1) | |
| | | 3441 ( 1) | |
| | | 3369 ( 1) | |
| | | 3362 ( 1) | |
| | | 3356 ( 1) | |
| | | 3351 ( 1) | |
| | | 3332 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3292 ( 1) | |
| | | 3264 ( 1) | |
| | | 3262 ( 1) | |
| | | 2899 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2816 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2522 ( 1) | |
| | | 2062 ( 1) | |
| | | 1044 ( 1) | |
| 98 | PHOSPHORUS, TOTAL | TOTAL | 99 |
| | | 4952 ( 5) | |
| | | 4911 ( 5) | |
| | | 1475 ( 4) | |
| | | 3312 ( 3) | |
| | | 3211 ( 3) | |
| | | 2874 ( 3) | |
| | | 2869 ( 3) | |
| | | 9711 ( 2) | |
| | | 7391 ( 2) | |
| | | 4961 ( 2) | |
| | | 4953 ( 2) | |
| | | 3694 ( 2) | |
| | | 3585 ( 2) | |
| | | 3483 ( 2) | |
| | | 3471 ( 2) | |
| | | 2834 ( 2) | |
| | | 2833 ( 2) | |
| | | 2046 ( 2) | |
| | | 2035 ( 2) | |
| | | 2016 ( 2) | |
| | | 9199 ( 1) | |
| | | 8361 ( 1) | |
| | | 7215 ( 1) | |
| | | 5161 ( 1) | |
| | | 5093 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4463 ( 1) | |
| | | 4011 ( 1) | |
| | | 3751 ( 1) | |
| | | 3714 ( 1) | |
| | | 3646 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3592 ( 1) | |
| | | 3479 ( 1) | |
| | | 3412 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3339 ( 1) | |
| | | 3331 ( 1) | |
| | | 3317 ( 1) | |
| | | 3231 ( 1) | |
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |
| | | 2841 ( 1) | |
| | | 2823 ( 1) | |
| | | 2822 ( 1) | |
| | | 2819 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2499 ( 1) | |
| | | 2396 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2075 ( 1) | |
| | | 2065 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2033 ( 1) | |
| | | 1044 ( 1) | |
| | | 0133 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 24 | ALUMINUM, TOTAL | TOTAL | 66 |
| | | 4953 ( 2) | |
| | | 3751 ( 2) | |
| | | 3728 ( 2) | |
| | | 3721 ( 2) | |
| | | 3613 ( 2) | |
| | | 3612 ( 2) | |
| | | 3483 ( 2) | |
| | | 3479 ( 2) | |
| | | 3471 ( 2) | |
| | | 3463 ( 2) | |
| | | 3361 ( 2) | |
| | | 2819 ( 2) | |
| | | 7395 ( 1) | |
| | | 5941 ( 1) | |
| | | 5134 ( 1) | |
| | | 5085 ( 1) | |
| | | 4941 ( 1) | |
| | | 4931 ( 1) | |
| | | 3961 ( 1) | |
| | | 3911 ( 1) | |
| | | 3832 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3714 ( 1) | |
| | | 3694 ( 1) | |
| | | 3679 ( 1) | |
| | | 3675 ( 1) | |
| | | 3661 ( 1) | |
| | | 3651 ( 1) | |
| | | 3646 ( 1) | |
| | | 3643 ( 1) | |
| | | 3631 ( 1) | |
| | | 3629 ( 1) | |
| | | 3499 ( 1) | |
| | | 3442 ( 1) | |
| | | 3433 ( 1) | |
| | | 3411 ( 1) | |
| | | 3356 ( 1) | |
| | | 3355 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(3-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3333 ( 1) | |
| | | 3313 ( 1) | |
| | | 3079 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2752 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2231 ( 1) | |
| | | 1061 ( 1) | |
| 58 | MERCURY, TOTAL | TOTAL | 64 |
| | | 4911 ( 12) | |
| | | 4952 ( 4) | |
| | | 2812 ( 4) | |
| | | 4953 ( 3) | |
| | | 3312 ( 3) | |
| | | 2869 ( 3) | |
| | | 1031 ( 3) | |
| | | 3471 ( 2) | |
| | | 3331 ( 2) | |
| | | 3321 ( 2) | |
| | | 2821 ( 2) | |
| | | 1021 ( 2) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 7391 ( 1) | |
| | | 3996 ( 1) | |
| | | 3731 ( 1) | |
| | | 3721 ( 1) | |
| | | 3494 ( 1) | |
| | | 3351 ( 1) | |
| | | 3333 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3262 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2861 ( 1) | |
| | | 2834 ( 1) | |
| | | 2813 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2621 ( 1) | |
| | | 2062 ( 1) | |
| | | 1044 ( 1) | |
| | | 1041 ( 1) | |
| 20 | FLUORIDE | TOTAL | 63 |
| | | 3334 ( 6) | |
| | | 3339 ( 4) | |
| | | 1475 ( 4) | |
| | | 7391 ( 3) | |
| | | 3229 ( 3) | |
| | | 4911 ( 2) | |
| | | 3674 ( 2) | |
| | | 3672 ( 2) | |
| | | 3661 ( 2) | |
| | | 3321 ( 2) | |
| | | 2874 ( 2) | |
| | | 1061 ( 2) | |
| | | 4463 ( 1) | |
| | | 3841 ( 1) | |
| | | 3825 ( 1) | |
| | | 3751 ( 1) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3679 ( 1) | |
| | | 3671 ( 1) | |
| | | 3631 ( 1) | |
| | | 3613 ( 1) | |
| | | 3559 ( 1) | |
| | | 3544 ( 1) | |
| | | 3484 ( 1) | |
| | | 3469 ( 1) | |
| | | 3443 ( 1) | |
| | | 3355 ( 1) | |
| | | 3353 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3317 ( 1) | |
| | | 3316 ( 1) | |
| | | 3312 ( 1) | |
| | | 3295 ( 1) | |
| | | 3264 ( 1) | |
| | | 2822 ( 1) | |
| | | 2819 ( 1) | |
| | | 2752 ( 1) | |
| | | 2661 ( 1) | |
| | | 1479 ( 1) | |
| | | 1473 ( 1) | |
| | | 1459 ( 1) | |
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | 61 |
| | | 4953 ( 3) | |
| | | 4952 ( 3) | |
| | | 4911 ( 3) | |
| | | 3691 ( 2) | |
| | | 3339 ( 2) | |
| | | 3211 ( 2) | |
| | | 9711 ( 1) | |
| | | 7395 ( 1) | |
| | | 7391 ( 1) | |
| | | 6515 ( 1) | |
| | | 5093 ( 1) | |
| | | 4931 ( 1) | |
| | | 4582 ( 1) | |
| | | 4463 ( 1) | |
| | | 3769 ( 1) | |
| | | 3731 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3652 ( 1) | |
| | | 3631 ( 1) | |
| | | 3479 ( 1) | |
| | | 3462 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3361 ( 1) | |
| | | 3331 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2833 ( 1) | |
| | | 2816 ( 1) | |
| | | 2754 ( 1) | |
| | | 2647 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2522 ( 1) | |
| | | 2431 ( 1) | |
| | | 2258 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2048 ( 1) | |
| | | 1476 ( 1) | |
| | | 1422 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| | | 0921 ( 1) | |
| 115 | TURBIDITY | TOTAL | 56 |
| | | 4911 ( 7) | |
| | | 4952 ( 2) | |
| | | 3312 ( 2) | |
| | | 3295 ( 2) | |
| | | 3274 ( 2) | |
| | | 2869 ( 2) | |
| | | 2646 ( 2) | |
| | | 2061 ( 2) | |
| | | 9711 ( 1) | |
| | | 8249 ( 1) | |
| | | 7996 ( 1) | |
| | | 7215 ( 1) | |
| | | 4941 ( 1) | |
| | | 3832 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3724 ( 1) | |
| | | 3631 ( 1) | |
| | | 3612 ( 1) | |
| | | 3496 ( 1) | |
| | | 3361 ( 1) | |
| | | 3331 ( 1) | |
| | | 3313 ( 1) | |
| | | 3281 ( 1) | |
| | | 3264 ( 1) | |
| | | 3231 ( 1) | |
| | | 2873 ( 1) | |
| | | 2841 ( 1) | |
| | | 2833 ( 1) | |
| | | 2647 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2258 ( 1) | |
| | | 2077 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| | | 2017 ( 1) | |
| | | 1472 ( 1) | |
| | | 1459 ( 1) | |
| | | 1455 ( 1) | |
| | | 1211 ( 1) | |
| | | 1061 ( 1) | |
| | | 1031 ( 1) | |
| 111 | SULFIDE | TOTAL | 53 |
| | | 2911 ( 15) | |
| | | 3312 ( 3) | |
| | | 3111 ( 2) | |
| | | 2819 ( 2) | |
| | | 2281 ( 2) | |
| | | 2272 ( 2) | |
| | | 2269 ( 2) | |
| | | 2262 ( 2) | |
| | | 2253 ( 2) | |
| | | 2231 ( 2) | |
| | | 2221 ( 2) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2211 ( 2) | |
| | | 3964 ( 1) | |
| | | 3842 ( 1) | |
| | | 3672 ( 1) | |
| | | 2873 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2812 ( 1) | |
| | | 2297 ( 1) | |
| | | 2295 ( 1) | |
| | | 2284 ( 1) | |
| | | 2282 ( 1) | |
| | | 2261 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2252 ( 1) | |
| 91 | ORGANIC CARBON, TOTAL | TOTAL | 48 |
| | | 2869 ( 9) | |
| | | 2911 ( 6) | |
| | | 2873 ( 3) | |
| | | 4952 ( 2) | |
| | | 2879 ( 2) | |
| | | 2865 ( 2) | |
| | | 2861 ( 2) | |
| | | 2819 ( 2) | |
| | | 5161 ( 1) | |
| | | 3731 ( 1) | |
| | | 3511 ( 1) | |
| | | 3483 ( 1) | |
| | | 3111 ( 1) | |
| | | 3079 ( 1) | |
| | | 2992 ( 1) | |
| | | 2951 ( 1) | |
| | | 2892 ( 1) | |
| | | 2851 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2821 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2262 ( 1) | |
| | | 2221 ( 1) | |
| | | 2082 ( 1) | |
| | | 2065 ( 1) | |
| 23 | KJELDAHL NITROGEN | TOTAL | 46 |
| | | 4952 ( 2) | |
| | | 2873 ( 2) | |
| | | 2869 ( 2) | |
| | | 2834 ( 2) | |
| | | 0259 ( 2) | |
| | | 9223 ( 1) | |
| | | 7999 ( 1) | |
| | | 6513 ( 1) | |
| | | 5161 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4213 ( 1) | |
| | | 3674 ( 1) | |
| | | 3629 ( 1) | |
| | | 3612 ( 1) | |
| | | 3544 ( 1) | |
| | | 3465 ( 1) | |
| | | 3339 ( 1) | |
| | | 3111 ( 1) | |
| | | 2899 ( 1) | |
| | | 2833 ( 1) | |
| | | 2823 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2295 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2099 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2046 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2017 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 42 |
| | | 4911 ( 13) | |
| | | 3331 ( 4) | |
| | | 4953 ( 2) | |
| | | 4952 ( 2) | |
| | | 1094 ( 2) | |
| | | 1021 ( 2) | |
| | | 9611 ( 1) | |
| | | 3731 ( 1) | |
| | | 3691 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3262 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2062 ( 1) | |
| | | 1061 ( 1) | |
| | | 1031 ( 1) | |
| 74 | SILVER, TOTAL | TOTAL | 38 |
| | | 4911 ( 2) | |
| | | 3861 ( 2) | |
| | | 7395 ( 1) | |
| | | 7391 ( 1) | |
| | | 5161 ( 1) | |
| | | 4952 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3999 ( 1) | |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3751 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3672 ( 1) | |
| | | 3652 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3574 ( 1) | |
| | | 3559 ( 1) | |
| | | 3484 ( 1) | |
| | | 3471 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3264 ( 1) | |
| | | 3262 ( 1) | |
| | | 3229 ( 1) | |
| | | 2869 ( 1) | |
| | | 2731 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2062 ( 1) | |
| | | 1041 ( 1) | |
| | | 1031 ( 1) | |
| | CHLORINE, FREE AVAILABLE | TOTAL | 35 |
| | | 4911 ( 26) | |
| | | 4931 ( 2) | |
| | | 4961 ( 1) | |
| | | 4952 ( 1) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3674 ( 1) | |
| | | 3643 ( 1) | |
| | | 2812 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 51 | IRON, DISSOLVED | TOTAL | 33 |
| | | 3312 ( 6) | |
| | | 3331 ( 2) | |
| | | 1011 ( 2) | |
| | | 5191 ( 1) | |
| | | 4941 ( 1) | |
| | | 4931 ( 1) | |
| | | 4911 ( 1) | |
| | | 3692 ( 1) | |
| | | 3661 ( 1) | |
| | | 3643 ( 1) | |
| | | 3621 ( 1) | |
| | | 3613 ( 1) | |
| | | 3494 ( 1) | |
| | | 3484 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3452 ( 1) | |
| | | 3411 ( 1) | |
| | | 3356 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3321 ( 1) | |
| | | 3315 ( 1) | |
| | | 2661 ( 1) | |
| | | 1211 ( 1) | |
| | | 1021 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 33 |
| | | 2873 ( 3) | |
| | | 2819 ( 3) | |
| | | 9711 ( 2) | |
| | | 4952 ( 2) | |
| | | 3339 ( 2) | |
| | | 2892 ( 2) | |
| | | 7996 ( 1) | |
| | | 7395 ( 1) | |
| | | 7215 ( 1) | |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3699 ( 1) | |
| | | 3674 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3312 ( 1) | |
| | | 2874 ( 1) | |
| | | 2869 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2038 ( 1) | |
| | | 1061 ( 1) | |
| | | 0921 ( 1) | |
| | | 0133 ( 1) | |
| 13 | CHLORIDE | TOTAL | 30 |
| | | 2869 ( 3) | |
| | | 3316 ( 2) | |
| | | 3315 ( 2) | |
| | | 3312 ( 2) | |
| | | 2899 ( 2) | |
| | | 2819 ( 2) | |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4911 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3325 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2823 ( 1) | |
| | | 2822 ( 1) | |
| | | 2631 ( 1) | |
| | | 1476 ( 1) | |
| | | 1311 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 16 | COLOR | TOTAL | 28 |
| | | 2869 ( 3) | |
| | | 3479 ( 2) | |
| | | 2631 ( 2) | |
| | | 4952 ( 1) | |
| | | 4911 ( 1) | |
| | | 3731 ( 1) | |
| | | 3341 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2843 ( 1) | |
| | | 2819 ( 1) | |
| | | 2812 ( 1) | |
| | | 2611 ( 1) | |
| | | 2431 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2131 ( 1) | |
| | | 2095 ( 1) | |
| | | 2061 ( 1) | |
| 80 | TIN, TOTAL | TOTAL | 28 |
| | | 3312 ( 3) | |
| | | 3731 ( 2) | |
| | | 3613 ( 2) | |
| | | 3471 ( 2) | |
| | | 5134 ( 1) | |
| | | 3911 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3751 ( 1) | |
| | | 3694 ( 1) | |
| | | 3679 ( 1) | |
| | | 3678 ( 1) | |
| | | 3672 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3661 ( 1) | |
| | | 3612 ( 1) | |
| | | 3559 ( 1) | |
| | | 3551 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3469 ( 1) | |
| | | 3463 ( 1) | |
| | | 3462 ( 1) | |
| | | 1031 ( 1) | |
| 110 | SULFATE | TOTAL | 28 |
| | | 3339 ( 2) | |
| | | 3315 ( 2) | |
| | | 3312 ( 2) | |
| | | 1094 ( 2) | |
| | | 9711 ( 1) | |
| | | 4911 ( 1) | |
| | | 3699 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3331 ( 1) | |
| | | 3317 ( 1) | |
| | | 3316 ( 1) | |
| | | 3079 ( 1) | |
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |
| | | 2869 ( 1) | |
| | | 2834 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 1311 ( 1) | |
| | | 1211 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| 6 | COLIFORM, TOTAL | TOTAL | 27 |
| | | 4952 ( 3) | |
| | | 8211 ( 2) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2611 ( 2) | |
| | | 9711 ( 1) | |
| | | 9224 ( 1) | |
| | | 8249 ( 1) | |
| | | 7996 ( 1) | |
| | | 4971 ( 1) | |
| | | 4911 ( 1) | |
| | | 3211 ( 1) | |
| | | 2869 ( 1) | |
| | | 2834 ( 1) | |
| | | 2819 ( 1) | |
| | | 2661 ( 1) | |
| | | 2499 ( 1) | |
| | | 2258 ( 1) | |
| | | 2091 ( 1) | |
| | | 2075 ( 1) | |
| | | 2062 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2016 ( 1) | |
| 56 | MANGANESE, TOTAL | TOTAL | 26 |
| | | 3312 ( 2) | |
| | | 1094 ( 2) | |
| | | 1061 ( 2) | |
| | | 1031 ( 2) | |
| | | 9711 ( 1) | |
| | | 4911 ( 1) | |
| | | 3694 ( 1) | |
| | | 3643 ( 1) | |
| | | 3612 ( 1) | |
| | | 3573 ( 1) | |
| | | 3484 ( 1) | |
| | | 3339 ( 1) | |
| | | 3333 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3264 ( 1) | |
| | | 2869 ( 1) | |
| | | 2661 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2499 ( 1) | |
| | | 1211 ( 1) | |
| | | 1011 ( 1) | |
| 18 | CYANIDE AMENDABLE TO CHLORINATION | TOTAL | 24 |
| | | 3471 ( 3) | |
| | | 3661 ( 2) | |
| | | 3499 ( 2) | |
| | | 3999 ( 1) | |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3911 ( 1) | |
| | | 3832 ( 1) | |
| | | 3825 ( 1) | |
| | | 3751 ( 1) | |
| | | 3743 ( 1) | |
| | | 3672 ( 1) | |
| | | 3648 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3574 ( 1) | |
| | | 3552 ( 1) | |
| | | 3484 ( 1) | |
| | | 3429 ( 1) | |
| | | 3315 ( 1) | |
| 113 | SURFACTANTS | TOTAL | 24 |
| | | 2869 ( 2) | |
| | | 2841 ( 2) | |
| | | 9711 ( 1) | |
| | | 5161 ( 1) | |
| | | 4971 ( 1) | |
| | | 4952 ( 1) | |
| | | 4013 ( 1) | |
| | | 3963 ( 1) | |
| | | 3851 ( 1) | |
| | | 3721 ( 1) | |
| | | 3651 ( 1) | |
| | | 3562 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3471 ( 1) | |
| | | 3353 ( 1) | |
| | | 3315 ( 1) | |
| | | 3312 ( 1) | |
| | | 3211 ( 1) | |
| | | 2865 ( 1) | |
| | | 2843 ( 1) | |
| | | 2834 ( 1) | |
| | | 2075 ( 1) | |
| | | 2052 ( 1) | |
| | NO DISCHARGE | TOTAL | 19 |
| | | 9711 ( 3) | |
| | | 0211 ( 2) | |
| | | 8911 ( 1) | |
| | | 4941 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3262 ( 1) | |
| | | 2874 ( 1) | |
| | | 2063 ( 1) | |
| | | 1475 ( 1) | |
| | | 1422 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| | | 0252 ( 1) | |
| | | 0213 ( 1) | |
| | | 0133 ( 1) | |
| 71 | SELENIUM, TOTAL | TOTAL | 18 |
| | | 4911 ( 7) | |
| | | 3331 ( 2) | |
| | | 9611 ( 1) | |
| | | 4952 ( 1) | |
| | | 3351 ( 1) | |
| | | 3333 ( 1) | |
| | | 3262 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 1094 ( 1) | |
| | | 1021 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| 96 HOUR BIOASSAY | TOTAL | 18 |
| | 4953 ( 1) | |
| | 4952 ( 1) | |
| | 4911 ( 1) | |
| | 3331 ( 1) | |
| | 3312 ( 1) | |
| | 3211 ( 1) | |
| | 2873 ( 1) | |
| | 2869 ( 1) | |
| | 2841 ( 1) | |
| | 2819 ( 1) | |
| | 2646 ( 1) | |
| | 2621 ( 1) | |
| | 2611 ( 1) | |
| | 2499 ( 1) | |
| | 2431 ( 1) | |
| | 2421 ( 1) | |
| | 2062 ( 1) | |
| | 1021 ( 1) | |
| NITROGEN, TOTAL | TOTAL | 16 |
| | 4952 ( 3) | |
| | 2873 ( 3) | |
| | 9199 ( 1) | |
| | 7391 ( 1) | |
| | 3312 ( 1) | |
| | 2875 ( 1) | |
| | 2869 ( 1) | |
| | 2824 ( 1) | |
| | 2092 ( 1) | |
| | 2065 ( 1) | |
| | 2016 ( 1) | |
| | 1061 ( 1) | |
| PHOSPHATE, TOTAL AS P | TOTAL | 16 |
| | 3483 ( 2) | |
| | 4931 ( 1) | |
| | 3963 ( 1) | |
| | 3751 ( 1) | |
| | 3699 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3661 ( 1) | |
| | | 3574 ( 1) | |
| | | 3567 ( 1) | |
| | | 3312 ( 1) | |
| | | 2892 ( 1) | |
| | | 2873 ( 1) | |
| | | 2841 ( 1) | |
| | | 2221 ( 1) | |
| | | 2033 ( 1) | |
| | | 1061 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 15 |
| | | 4952 ( 2) | |
| | | 4911 ( 1) | |
| | | 3471 ( 1) | |
| | | 3469 ( 1) | |
| | | 3351 ( 1) | |
| | | 3313 ( 1) | |
| | | 3262 ( 1) | |
| | | 2892 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 1472 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| | | 1031 ( 1) | |
| 47 | COPPER, DISSOLVED | TOTAL | 14 |
| | | 3339 ( 2) | |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3692 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| | | 3369 ( 1) | |
| | | 3362 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 1044 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | POLYCHLORINATED BIPHENYLS | TOTAL | 14 |
| | | 7629 ( 1) | |
| | | 4953 ( 1) | |
| | | 4931 ( 1) | |
| | | 4911 ( 1) | |
| | | 3743 ( 1) | |
| | | 3675 ( 1) | |
| | | 3674 ( 1) | |
| | | 3661 ( 1) | |
| | | 3629 ( 1) | |
| | | 3612 ( 1) | |
| | | 3573 ( 1) | |
| | | 2653 ( 1) | |
| | | 2646 ( 1) | |
| | | 2645 ( 1) | |
| 87 | ZINC, DISSOLVED | TOTAL | 14 |
| | | 3339 ( 2) | |
| | | 3914 ( 1) | |
| | | 3692 ( 1) | |
| | | 3672 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| | | 3369 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 1044 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| | CYANIDE, FREE | TOTAL | 13 |
| | | 3841 ( 1) | |
| | | 3743 ( 1) | |
| | | 3679 ( 1) | |
| | | 3674 ( 1) | |
| | | 3661 ( 1) | |
| | | 3651 ( 1) | |
| | | 3631 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3369 ( 1) | |
| | | 3312 ( 1) | |
| | | 3264 ( 1) | |
| | | 2879 ( 1) | |
| 25 | ALUMINUM, DISSOLVED | TOTAL | 12 |
| | | 7395 ( 1) | |
| | | 7391 ( 1) | |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |
| | | 4911 ( 1) | |
| | | 3961 ( 1) | |
| | | 3692 ( 1) | |
| | | 3613 ( 1) | |
| | | 3479 ( 1) | |
| | | 3339 ( 1) | |
| | | 3312 ( 1) | |
| | | 1061 ( 1) | |
| 109 | SPECIFIC CONDUCTANCE | TOTAL | 12 |
| | | 4941 ( 1) | |
| | | 3631 ( 1) | |
| | | 3471 ( 1) | |
| | | 3332 ( 1) | |
| | | 3325 ( 1) | |
| | | 3211 ( 1) | |
| | | 2819 ( 1) | |
| | | 2812 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |
| 2 | ALKALINITY AS CACO3 | TOTAL | 11 |
| | | 1211 ( 5) | |
| | | 4952 ( 1) | |
| | | 4911 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2865 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 1021 ( 1) | |
| 53 | LEAD, DISSOLVED | TOTAL | 10 |
| | | 3339 ( 2) | |
| | | 3914 ( 1) | |
| | | 3692 ( 1) | |
| | | 3661 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 1044 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| 92 | ORGANIC NITROGEN AS N | TOTAL | 9 |
| | | 2869 ( 2) | |
| | | 2819 ( 2) | |
| | | 7996 ( 1) | |
| | | 2874 ( 1) | |
| | | 2873 ( 1) | |
| | | 2821 ( 1) | |
| | | 2631 ( 1) | |
| 104 | TOTAL RESIDUE | TOTAL | 9 |
| | | 8221 ( 1) | |
| | | 4952 ( 1) | |
| | | 4911 ( 1) | |
| | | 3353 ( 1) | |
| | | 3313 ( 1) | |
| | | 3069 ( 1) | |
| | | 2865 ( 1) | |
| | | 2221 ( 1) | |
| | | 2082 ( 1) | |
| | HEAT | TOTAL | 8 |
| | | 4911 ( 5) | |
| | | 3511 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3295 ( 1) | |
| | | 2899 ( 1) | |
| | NO MONITORING | TOTAL | 8 |
| | | 5211 ( 1) | |
| | | 4469 ( 1) | |
| | | 2879 ( 1) | |
| | | 0291 ( 1) | |
| | | 0259 ( 1) | |
| | | 0253 ( 1) | |
| | | 0212 ( 1) | |
| | | 0211 ( 1) | |
| | PETROLEUM HYDROCARBONS | TOTAL | 8 |
| | | 5161 ( 1) | |
| | | 4931 ( 1) | |
| | | 3996 ( 1) | |
| | | 3652 ( 1) | |
| | | 2992 ( 1) | |
| | | 2951 ( 1) | |
| | | 2911 ( 1) | |
| | | 2819 ( 1) | |
| 84 | VANADIUM, TOTAL | TOTAL | 8 |
| | | 4911 ( 4) | |
| | | 9611 ( 1) | |
| | | 2869 ( 1) | |
| | | 1094 ( 1) | |
| | | 1031 ( 1) | |
| 37 | CADMIUM, DISSOLVED | TOTAL | 7 |
| | | 3692 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| | | 3339 ( 1) | |
| | | 1044 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 60 | MOLYBDENUM, TOTAL | TOTAL | 7 |
| | | 1061 ( 3) | |
| | | 1094 ( 2) | |
| | | 4953 ( 1) | |
| | | 3699 ( 1) | |
| 63 | NICKEL, DISSOLVED | TOTAL | 7 |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| | | 3369 ( 1) | |
| | | 3312 ( 1) | |
| | | 1031 ( 1) | |
| 76 | SODIUM, TOTAL | TOTAL | 7 |
| | | 4911 ( 2) | |
| | | 3332 ( 1) | |
| | | 2865 ( 1) | |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | | 1061 ( 1) | |
| 108 | TOTAL VOLATILE | TOTAL | 7 |
| | | 4952 ( 2) | |
| | | 2873 ( 2) | |
| | | 3111 ( 1) | |
| | | 2869 ( 1) | |
| | | 2035 ( 1) | |
| 26 | ANTIMONY, TOTAL | TOTAL | 6 |
| | | 3691 ( 1) | |
| | | 3331 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 2873 ( 1) | |
| | | 2822 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| | CHROMIUM, TRIVALENT | TOTAL | | 6 |
| | | 4952 | ( 1) | |
| | | 3531 | ( 1) | |
| | | 3462 | ( 1) | |
| | | 3362 | ( 1) | |
| | | 3361 | ( 1) | |
| | | 2661 | ( 1) | |
| 93 | ORTHOPHOSPHATE | TOTAL | | 6 |
| | | 4911 | ( 1) | |
| | | 3721 | ( 1) | |
| | | 3711 | ( 1) | |
| | | 3353 | ( 1) | |
| | | 2892 | ( 1) | |
| | | 2841 | ( 1) | |
| | PHOSPHATE, TOTAL AS PO4 | TOTAL | | 6 |
| | | 6515 | ( 1) | |
| | | 2731 | ( 1) | |
| | | 2221 | ( 1) | |
| | | 2047 | ( 1) | |
| | | 2033 | ( 1) | |
| | | 0921 | ( 1) | |
| 75 | SILVER, DISSOLVED | TOTAL | | 6 |
| | | 3914 | ( 2) | |
| | | 7395 | ( 1) | |
| | | 3961 | ( 1) | |
| | | 3613 | ( 1) | |
| | | 3471 | ( 1) | |
| 82 | TITANIUM, TOTAL | TOTAL | | 6 |
| | | 4953 | ( 1) | |
| | | 3731 | ( 1) | |
| | | 3721 | ( 1) | |
| | | 3339 | ( 1) | |
| | | 2861 | ( 1) | |
| | | 1031 | ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
|  | BIOASSAY | TOTAL | 5 |
|  |  | 4971 ( 1) |  |
|  |  | 3825 ( 1) |  |
|  |  | 3341 ( 1) |  |
|  |  | 2911 ( 1) |  |
|  |  | 2865 ( 1) |  |
|  | CHLORINATED HYDROCARBONS | TOTAL | 5 |
|  |  | 4952 ( 2) |  |
|  |  | 2869 ( 2) |  |
|  |  | 5161 ( 1) |  |
| 103B | RA-226 | TOTAL | 5 |
|  |  | 1094 ( 3) |  |
|  |  | 2874 ( 1) |  |
|  |  | 1475 ( 1) |  |
| 1 | ACIDITY AS CACO3 | TOTAL | 4 |
|  |  | 1211 ( 4) |  |
| 43 | CHROMIUM, DISSOLVED | TOTAL | 4 |
|  |  | 3312 ( 2) |  |
|  |  | 3613 ( 1) |  |
|  |  | 1011 ( 1) |  |
|  | COPPER, SOLUBLE | TOTAL | 4 |
|  |  | 3679 ( 1) |  |
|  |  | 3661 ( 1) |  |
|  |  | 3651 ( 1) |  |
|  |  | 3643 ( 1) |  |
|  | CYANIDE, OXIDIZABLE | TOTAL | 4 |
|  |  | 3585 ( 1) |  |
|  |  | 3479 ( 1) |  |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3369 ( 1) | |
| | | 3312 ( 1) | |
| 48 | GOLD, TOTAL | TOTAL | 4 |
| | | 3873 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3559 ( 1) | |
| 89 | NITRITE AS N | TOTAL | 4 |
| | | 9711 ( 1) | |
| | | 3483 ( 1) | |
| | | 2873 ( 1) | |
| | | 2819 ( 1) | |
| | PRECIPITATION | TOTAL | 4 |
| | | 0211 ( 3) | |
| | | 0241 ( 1) | |
| | RAINFALL | TOTAL | 4 |
| | | 4011 ( 1) | |
| | | 2873 ( 1) | |
| | | 1094 ( 1) | |
| | | 0211 ( 1) | |
| | URANIUM, TOTAL | TOTAL | 4 |
| | | 1094 ( 3) | |
| | | 3443 ( 1) | |
| 32 | BERYLLIUM, TOTAL | TOTAL | 3 |
| | | 3339 ( 2) | |
| | | 4953 ( 1) | |
| 34 | BORON, TOTAL | TOTAL | 3 |
| | | 7395 ( 1) | |
| | | 5161 ( 1) | |
| | | 3613 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 95 | PESTICIDES | TOTAL | 3 |
| | | 2879 ( 1) | |
| | | 2869 ( 1) | |
| | | 2819 ( 1) | |
| 112 | SULFITE | TOTAL | 3 |
| | | 3714 ( 1) | |
| | | 2819 ( 1) | |
| | | 2731 ( 1) | |
| | BOD ULTIMATE | TOTAL | 3 |
| | | 2611 ( 1) | |
| | | 2082 ( 1) | |
| | | 0259 ( 1) | |
| | BOD 20 | TOTAL | 3 |
| | | 3679 ( 1) | |
| | | 3292 ( 1) | |
| | | 2631 ( 1) | |
| | CARBON TETRACHLORIDE | TOTAL | 3 |
| | | 2879 ( 1) | |
| | | 2822 ( 1) | |
| | | 2819 ( 1) | |
| | CHLORINATED HYDROCARBONS TOTAL IDENTIFIABLE | TOTAL | 3 |
| | | 4911 ( 1) | |
| | | 2869 ( 1) | |
| | | 2062 ( 1) | |
| | NICKEL, SOLUBLE | TOTAL | 3 |
| | | 3679 ( 1) | |
| | | 3661 ( 1) | |
| | | 3479 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | ODOR | TOTAL | 3 |
| | | 4911 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | STANDARD MINERALS | TOTAL | 3 |
| | | 3211 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | TNT AND NITROBODIES | TOTAL | 3 |
| | | 3483 ( 2) | |
| | | 9711 ( 1) | |
| | TOLUENE | TOTAL | 3 |
| | | 2879 ( 2) | |
| | | 2865 ( 1) | |
| | TRICHLORETHANE | TOTAL | 3 |
| | | 3861 ( 1) | |
| | | 3662 ( 1) | |
| | | 3353 ( 1) | |
| 14 | CHLORINATED ORGANIC COMPOUNDS EXCEPT PESTICIDES | TOTAL | 2 |
| | | 2879 ( 1) | |
| | | 2865 ( 1) | |
| 21 | HARDNESS | TOTAL | 2 |
| | | 4911 ( 1) | |
| | | 1021 ( 1) | |
| 54 | MAGNESIUM, TOTAL | TOTAL | 2 |
| | | 3361 ( 1) | |
| | | 1094 ( 1) | |

(continued)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 57 | MANGANESE, DISSOLVED | TOTAL | 2 |
| | | 3643 ( 1) | |
| | | 1031 ( 1) | |
| 59 | MERCURY, DISSOLVED | TOTAL | 2 |
| | | 3692 ( 1) | |
| | | 3339 ( 1) | |
| 65 | PALLADIUM, TOTAL | TOTAL | 2 |
| | | 3613 ( 1) | |
| | | 3559 ( 1) | |
| 81 | TIN, DISSOLVED | TOTAL | 2 |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| 99 | ALPHA, TOTAL | TOTAL | 2 |
| | | 3443 ( 1) | |
| | | 1094 ( 1) | |
| | AMMONIUM HYDROXIDE, UNIONIZED | TOTAL | 2 |
| | | 2819 ( 1) | |
| | | 2062 ( 1) | |
| | BENZENE | TOTAL | 2 |
| | | 2865 ( 2) | |
| | CHLORINE, TOTAL AVAILABLE | TOTAL | 2 |
| | | 4911 ( 1) | |
| | | 2819 ( 1) | |
| | CHLOROFORM | TOTAL | 2 |
| | | 3861 ( 1) | |
| | | 2879 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| | FLOATING SOLIDS | TOTAL | | 2 |
| | | | 2421 ( 1) | |
| | | | 2037 ( 1) | |
| | FORMALDEHYDE | TOTAL | | 2 |
| | | | 2873 ( 2) | |
| | LIGHT TRANSMITTANCE | TOTAL | | 2 |
| | | | 4911 ( 1) | |
| | | | 3312 ( 1) | |
| | LITHIUM, TOTAL | TOTAL | | 2 |
| | | | 1479 ( 1) | |
| | | | 4911 ( 1) | |
| | METHYLENE CHLORIDE | TOTAL | | 2 |
| | | | 3662 ( 1) | |
| | | | 2822 ( 1) | |
| | NITRATE-NITRITE NITROGEN | TOTAL | | 2 |
| | | | 2819 ( 1) | |
| | | | 2631 ( 1) | |
| | PERCHLORETHYLENE | TOTAL | | 2 |
| | | | 3612 ( 1) | |
| | | | 2822 ( 1) | |
| | SLUDGE SETTLEABILITY | TOTAL | | 2 |
| | | | 6515 ( 1) | |
| | | | 4911 ( 1) | |
| | SLUDGE VOLUME INDEX | TOTAL | | 2 |
| | | | 6512 ( 1) | |
| | | | 4952 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| STYRENE | TOTAL | 2 |
| | 5161 ( 1) | |
| | 2865 ( 1) | |
| SUCROSE | TOTAL | 2 |
| | 2063 ( 2) | |
| THIOCYANATES | TOTAL | 2 |
| | 2822 ( 1) | |
| | 2819 ( 1) | |
| TOXAPHENE | TOTAL | 2 |
| | 2873 ( 1) | |
| | 2861 ( 1) | |
| TOXICITY CONCENTRATION | TOTAL | 2 |
| | 4911 ( 2) | |
| TRICHLOROETHYLENE | TOTAL | 2 |
| | 3861 ( 1) | |
| | 3612 ( 1) | |
| VELOCITY | TOTAL | 2 |
| | 4911 ( 2) | |
| ZIRCONIUM | TOTAL | 2 |
| | 7391 ( 2) | |
| ABATE | TOTAL | 1 |
| | 2869 ( 1) | |
| ALGICIDES | TOTAL | 1 |
| | 2833 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| ALPHA EMITTING RADIUM ISOTOPES, DISSOLVED | TOTAL | 1 |
| | 1094 ( 1) | |
| AMMONIA, FREE | TOTAL | 1 |
| | 3569 ( 1) | |
| AMMONIA, UNIONIZED | TOTAL | 1 |
| | 2873 ( 1) | |
| ASBESTOS | TOTAL | 1 |
| | 3292 ( 1) | |
| ASBESTOS-LIKE FIBERS | TOTAL | 1 |
| | 1211 ( 1) | |
| ATRIZINE | TOTAL | 1 |
| | 2879 ( 1) | |
| BARIUM, SOLUBLE | TOTAL | 1 |
| | 2819 ( 1) | |
| BENTHIC FAUNA | TOTAL | 1 |
| | 4911 ( 1) | |
| BOD, TOTAL | TOTAL | 1 |
| | 3131 ( 1) | |
| BOTTOM SEDIMENT ANALYSIS | TOTAL | 1 |
| | 3312 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | BROMINE | TOTAL | 1 |
| | | 4911 ( 1) | |
| | BROMINE AND IODINE | TOTAL | 1 |
| | | 7395 ( 1) | |
| | CADMIUM, SOLUBLE | TOTAL | 1 |
| | | 3679 ( 1) | |
| | CARB OXYGEN DEMAND | TOTAL | 1 |
| | | 3111 ( 1) | |
| | CARBOFURAN | TOTAL | 1 |
| | | 3361 ( 1) | |
| | CHLORAL | TOTAL | 1 |
| | | 2819 ( 1) | |
| | CHLORDANE | TOTAL | 1 |
| | | 2873 ( 1) | |
| | CHLORODIMEFORM | TOTAL | 1 |
| | | 2879 ( 1) | |
| | CHLOROPHYLL A | TOTAL | 1 |
| | | 7996 ( 1) | |
| | CHROMIUM, SOLUBLE | TOTAL | 1 |
| | | 3679 ( 1) | |
| | CLARIFYING AGENTS | TOTAL | 1 |
| | | 2812 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | COUNTER | TOTAL | 1 |
| | | 2869 ( 1) | |
| | CYANATE | TOTAL | 1 |
| | | 2869 ( 1) | |
| | CYANIDE, DISSOLVED | TOTAL | 1 |
| | | 1031 ( 1) | |
| | CYGON | TOTAL | 1 |
| | | 2869 ( 1) | |
| | CYTROLANE | TOTAL | 1 |
| | | 2869 ( 1) | |
| | DETERGENT | TOTAL | 1 |
| | | 4213 ( 1) | |
| | DIETHYLHEXYL PHTHALATE | TOTAL | 1 |
| | | 3629 ( 1) | |
| | DIFOLATAN | TOTAL | 1 |
| | | 2873 ( 1) | |
| | DISCHARGE PLUME | TOTAL | 1 |
| | | 2061 ( 1) | |
| | DITHIOCARBAMATES, TOTAL | TOTAL | 1 |
| | | 3361 ( 1) | |
| | ETHYL BENZENE | TOTAL | 1 |
| | | 2865 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| FERRO CYANIDE | TOTAL | 1 |
| | 3679 ( 1) | |
| FINFISH | TOTAL | 1 |
| | 4911 ( 1) | |
| FISH IMPINGEMENT | TOTAL | 1 |
| | 4911 ( 1) | |
| FLOATABLE SOLIDS | TOTAL | 1 |
| | 2436 ( 1) | |
| FLUORIDES, FREE OXIDIZABLE | TOTAL | 1 |
| | 3674 ( 1) | |
| FOAM | TOTAL | 1 |
| | 2258 ( 1) | |
| FSOD | TOTAL | 1 |
| | 2865 ( 1) | |
| GAMMA, COUNTING | TOTAL | 1 |
| | 3443 ( 1) | |
| GAS ANALYSIS | TOTAL | 1 |
| | 4952 ( 1) | |
| GOLD, DISSOLVED | TOTAL | 1 |
| | 3613 ( 1) | |

(continued)

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | HYDROGEN SULFIDE | TOTAL | 1 |
| | | 9611 ( 1) | |
| | ICHTHYOPLANKTON | TOTAL | 1 |
| | | 4911 ( 1) | |
| | IRON, FERROUS | TOTAL | 1 |
| | | 3312 ( 1) | |
| | LEAD, SOLUBLE | TOTAL | 1 |
| | | 3679 ( 1) | |
| | MALATHION | TOTAL | 1 |
| | | 2869 ( 1) | |
| | METHYL CHLOROFORM | TOTAL | 1 |
| | | 2822 ( 1) | |
| | MONOCHLOROBENZENE | TOTAL | 1 |
| | | 2865 ( 1) | |
| | NITROGLYCERIN AND ETHYLENE GLYCOL DINITRATE | TOTAL | 1 |
| | | 2892 ( 1) | |
| | NUTRIENTS ADDED | TOTAL | 1 |
| | | 2421 ( 1) | |
| | OIL | TOTAL | 1 |
| | | 3353 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | OILS, SOLUBLE | TOTAL | 1 |
| | | 3355 ( 1) | |
| | ORGANIC COMPOUNDS | TOTAL | 1 |
| | | 2865 ( 1) | |
| | PALLADIUM, DISSOLVED | TOTAL | 1 |
| | | 3613 ( 1) | |
| | PHOSPHATE, TOTAL SOLUBLE | TOTAL | 1 |
| | | 5191 ( 1) | |
| | PHYTOPLANKTON | TOTAL | 1 |
| | | 4911 ( 1) | |
| | POLYETHYLBENZENE | TOTAL | 1 |
| | | 2865 ( 1) | |
| | RADIONUCLIDES | TOTAL | 1 |
| | | 4911 ( 1) | |
| | RADIUM-226, DISSOLVED | TOTAL | 1 |
| | | 1094 ( 1) | |
| | RDX | TOTAL | 1 |
| | | 3483 ( 1) | |
| | SALINITY | TOTAL | 1 |
| | | 4911 ( 1) | |
| | SALMON EGG EXPOSURE | TOTAL | 1 |
| | | 2646 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD. BEGIN SECTIONS HERE

Table 4. (continued)

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | SODIUM CHLORATE | TOTAL | 1 |
| | | 2812 ( 1) | |
| | SODIUM CHLORIDE | TOTAL | 1 |
| | | 2221 ( 1) | |
| | SODIUM DICHROMATE | TOTAL | 1 |
| | | 2812 ( 1) | |
| | SODIUM SULFATE | TOTAL | 1 |
| | | 3692 ( 1) | |
| | THRESHOLD ODOR NUMBER | TOTAL | 1 |
| | | 2823 ( 1) | |
| | TNT | TOTAL | 1 |
| | | 3483 ( 1) | |
| | TOTAL OXYGEN DEMAND | TOTAL | 1 |
| | | 2879 ( 1) | |
| | TOTAL RADIOEFFLUENTS | TOTAL | 1 |
| | | 4911 ( 1) | |
| | TOXICITY | TOTAL | 1 |
| | | 2833 ( 1) | |
| | TRICHLOROBENZENE | TOTAL | 1 |
| | | 3629 ( 1) | |
| | TRIETHANOL AMINE | TOTAL | 1 |
| | | 3339 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA. OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

EPA-287 (Cin.)
(4-76)

Table 4. (continued)

| Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| TRIMET | TOTAL | 1 |
| | 2869 ( 1) | |
| TRITIUM | TOTAL | 1 |
| | 4911 ( 1) | |
| TUNGSTEN, TOTAL | TOTAL | 1 |
| | 3699 ( 1) | |
| ULTIMATE OXYGEN DEMAND | TOTAL | 1 |
| | 5147 ( 1) | |
| URANIUM-235, TOTAL | TOTAL | 1 |
| | 3671 ( 1) | |
| VINYL ACETATE | TOTAL | 1 |
| | 5161 ( 1) | |
| VINYL CHLORIDE | TOTAL | 1 |
| | 2821 ( 1) | |
| VOLATILE ACIDS | TOTAL | 1 |
| | 4952 ( 1) | |
| WARBEX | TOTAL | 1 |
| | 2869 ( 1) | |
| ZINC, SOLUBLE | TOTAL | 1 |
| | 3679 ( 1) | |
| ZOOPLANKTON | TOTAL | 1 |
| | 4911 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 4. (continued)

| Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | 1,2-DICHLOROETHANE | TOTAL | 1 |
| | | 2812 ( 1) | |
| | 24 HOUR BIOASSAY | TOTAL | 1 |
| | | 2865 ( 1) | |
| | 96 HOUR LC50 | TOTAL | 1 |
| | | 2869 ( 1) | |
| | 96 HOUR TL50 | TOTAL | 1 |
| | | 2631 ( 1) | |

COMBINED TOTAL 8987

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TABLE 5. ANALYTICAL TEST PARAMETERS BY NUMBER OF DISCHARGERS AND SIC CODES (REGIONAL)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | REGION 1 | |
| 22 | PH | TOTAL | 134 |
| | | 4952 ( 6) | |
| | | 3471 ( 5) | |
| | | 2621 ( 5) | |
| | | 7391 ( 2) | |
| | | 4911 ( 2) | |
| | | 2869 ( 2) | |
| | | 2211 ( 2) | |
| | | 9224 ( 1) | |
| | | 8249 ( 1) | |
| | | 8221 ( 1) | |
| | | 8211 ( 1) | |
| | | 7215 ( 1) | |
| | | 6513 ( 1) | |
| | | 6512 ( 1) | |
| | | 5941 ( 1) | |
| | | 5171 ( 1) | |
| | | 5134 ( 1) | |
| | | 5085 ( 1) | |
| | | 4941 ( 1) | |
| | | 3999 ( 1) | |
| | | 3964 ( 1) | |
| | | 3961 ( 1) | |
| | | 3949 ( 1) | |
| | | 3914 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3851 ( 1) | |
| | | 3841 ( 1) | |
| | | 3832 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3751 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3724 ( 1) | |
| | | 3721 ( 1) | |
| | | 3699 ( 1) | |
| | | 3692 ( 1) | |
| | | 3691 ( 1) | |
| | | 3679 ( 1) | |
| | | 3678 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3648 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3564 ( 1) | |
| | | 3562 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3469 ( 1) | |
| | | 3463 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3369 ( 1) | |
| | | 3362 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3341 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3312 ( 1) | |
| | | 3299 ( 1) | |
| | | 3292 ( 1) | |
| | | 3274 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3021 ( 1) | |
| | | 2911 ( 1) | |
| | | 2844 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2816 ( 1) | |
| | | 2812 ( 1) | |
| | | 2795 ( 1) | |
| | | 2782 ( 1) | |
| | | 2754 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2522 ( 1) | |
| | | 2299 ( 1) | |
| | | 2297 ( 1) | |
| | | 2269 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2253 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2099 ( 1) | |
| | | 2091 ( 1) | |
| | | 2086 ( 1) | |
| | | 2082 ( 1) | |
| | | 2046 ( 1) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 2037 ( 1) | |
| | 2033 ( 1) | |
| | 2017 ( 1) | |
| | 2011 ( 1) | |
| | 1446 ( 1) | |
| FLOW | TOTAL | 133 |
| | 4952 ( 5) | |
| | 3471 ( 5) | |
| | 2621 ( 5) | |
| | 7391 ( 2) | |
| | 4911 ( 2) | |
| | 2869 ( 2) | |
| | 2211 ( 2) | |
| | 9224 ( 1) | |
| | 8221 ( 1) | |
| | 8211 ( 1) | |
| | 7215 ( 1) | |
| | 6513 ( 1) | |
| | 6512 ( 1) | |
| | 5941 ( 1) | |
| | 5134 ( 1) | |
| | 5085 ( 1) | |
| | 3999 ( 1) | |
| | 3964 ( 1) | |
| | 3961 ( 1) | |
| | 3949 ( 1) | |
| | 3914 ( 1) | |
| | 3911 ( 1) | |
| | 3873 ( 1) | |
| | 3851 ( 1) | |
| | 3841 ( 1) | |
| | 3832 ( 1) | |
| | 3823 ( 1) | |
| | 3822 ( 1) | |
| | 3811 ( 1) | |
| | 3751 ( 1) | |
| | 3731 ( 1) | |
| | 3728 ( 1) | |
| | 3724 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 3721 ( 1) | |
| | 3699 ( 1) | |
| | 3692 ( 1) | |
| | 3691 ( 1) | |
| | 3679 ( 1) | |
| | 3678 ( 1) | |
| | 3675 ( 1) | |
| | 3674 ( 1) | |
| | 3672 ( 1) | |
| | 3661 ( 1) | |
| | 3648 ( 1) | |
| | 3643 ( 1) | |
| | 3613 ( 1) | |
| | 3612 ( 1) | |
| | 3564 ( 1) | |
| | 3562 ( 1) | |
| | 3559 ( 1) | |
| | 3552 ( 1) | |
| | 3551 ( 1) | |
| | 3511 ( 1) | |
| | 3499 ( 1) | |
| | 3496 ( 1) | |
| | 3484 ( 1) | |
| | 3479 ( 1) | |
| | 3469 ( 1) | |
| | 3463 ( 1) | |
| | 3462 ( 1) | |
| | 3452 ( 1) | |
| | 3432 ( 1) | |
| | 3429 ( 1) | |
| | 3369 ( 1) | |
| | 3362 ( 1) | |
| | 3361 ( 1) | |
| | 3351 ( 1) | |
| | 3341 ( 1) | |
| | 3316 ( 1) | |
| | 3315 ( 1) | |
| | 3312 ( 1) | |
| | 3299 ( 1) | |
| | 3292 ( 1) | |
| | 3274 ( 1) | |
| | 3229 ( 1) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3221 ( 1) | |
| | | 3021 ( 1) | |
| | | 2911 ( 1) | |
| | | 2844 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2816 ( 1) | |
| | | 2812 ( 1) | |
| | | 2795 ( 1) | |
| | | 2782 ( 1) | |
| | | 2754 ( 1) | |
| | | 2661 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2522 ( 1) | |
| | | 2299 ( 1) | |
| | | 2297 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2253 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2099 ( 1) | |
| | | 2091 ( 1) | |
| | | 2086 ( 1) | |
| | | 2082 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| | | 2033 ( 1) | |
| | | 2017 ( 1) | |
| | | 2011 ( 1) | |
| | | 1446 ( 1) | |
| | | 1031 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 117 |
| | | 4952 ( 5) | |
| | | 2621 ( 5) | |
| | | 3471 ( 3) | |
| | | 7391 ( 2) | |
| | | 4911 ( 2) | |
| | | 3499 ( 2) | |
| | | 2869 ( 2) | |
| | | 2211 ( 2) | |
| | | 9224 ( 1) | |
| | | 8249 ( 1) | |
| | | 8221 ( 1) | |
| | | 8211 ( 1) | |
| | | 7215 ( 1) | |
| | | 6513 ( 1) | |
| | | 6512 ( 1) | |
| | | 5941 ( 1) | |
| | | 5134 ( 1) | |
| | | 5085 ( 1) | |
| | | 4941 ( 1) | |
| | | 3999 ( 1) | |
| | | 3964 ( 1) | |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3851 ( 1) | |
| | | 3841 ( 1) | |
| | | 3832 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3724 ( 1) | |
| | | 3721 ( 1) | |
| | | 3699 ( 1) | |
| | | 3691 ( 1) | |
| | | 3679 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3678 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3648 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3564 ( 1) | |
| | | 3559 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3496 ( 1) | |
| | | 3484 ( 1) | |
| | | 3469 ( 1) | |
| | | 3463 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3369 ( 1) | |
| | | 3362 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3299 ( 1) | |
| | | 3292 ( 1) | |
| | | 3274 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3021 ( 1) | |
| | | 2911 ( 1) | |
| | | 2844 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2816 ( 1) | |
| | | 2812 ( 1) | |
| | | 2782 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2754 ( 1) | |
| | | 2649 ( 1) | |
| | | 2646 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2522 ( 1) | |
| | | 2299 ( 1) | |
| | | 2297 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2253 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2099 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| | | 2033 ( 1) | |
| | | 2017 ( 1) | |
| | | 1446 ( 1) | |
| 114 | TEMPERATURE | TOTAL | 72 |
| | | 2621 ( 4) | |
| | | 2869 ( 2) | |
| | | 8249 ( 1) | |
| | | 7215 ( 1) | |
| | | 6512 ( 1) | |
| | | 5134 ( 1) | |
| | | 5085 ( 1) | |
| | | 4952 ( 1) | |
| | | 4911 ( 1) | |
| | | 3999 ( 1) | |
| | | 3964 ( 1) | |
| | | 3949 ( 1) | |
| | | 3832 ( 1) | |
| | | 3822 ( 1) | |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3751 ( 1) | |
| | | 3731 ( 1) | |
| | | 3724 ( 1) | |
| | | 3721 ( 1) | |
| | | 3699 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3648 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3564 ( 1) | |
| | | 3562 ( 1) | |
| | | 3559 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3463 ( 1) | |
| | | 3462 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3369 ( 1) | |
| | | 3362 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3312 ( 1) | |
| | | 3292 ( 1) | |
| | | 3274 ( 1) | |
| | | 3221 ( 1) | |
| | | 3021 ( 1) | |
| | | 2911 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2812 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | <br><br>Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2795 ( 1) | |
| | | 2782 ( 1) | |
| | | 2754 ( 1) | |
| | | 2631 ( 1) | |
| | | 2522 ( 1) | |
| | | 2253 ( 1) | |
| | | 2221 ( 1) | |
| | | 2211 ( 1) | |
| | | 2099 ( 1) | |
| | | 2091 ( 1) | |
| | | 2086 ( 1) | |
| | | 2046 ( 1) | |
| | | 2033 ( 1) | |
| 10 | BOD5 | TOTAL | 58 |
| | | 4952 ( 5) | |
| | | 2621 ( 4) | |
| | | 2869 ( 2) | |
| | | 2211 ( 2) | |
| | | 9224 ( 1) | |
| | | 8249 ( 1) | |
| | | 8221 ( 1) | |
| | | 8211 ( 1) | |
| | | 7215 ( 1) | |
| | | 6513 ( 1) | |
| | | 6512 ( 1) | |
| | | 5085 ( 1) | |
| | | 3841 ( 1) | |
| | | 3832 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3699 ( 1) | |
| | | 3674 ( 1) | |
| | | 3661 ( 1) | |
| | | 3612 ( 1) | |
| | | 3484 ( 1) | |
| | | 3471 ( 1) | |
| | | 3292 ( 1) | |
| | | 2911 ( 1) | |
| | | 2841 ( 1) | |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

Table 5. (continued)

| Region I<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 2834 ( 1) | |
| | 2833 ( 1) | |
| | 2816 ( 1) | |
| | 2649 ( 1) | |
| | 2646 ( 1) | |
| | 2641 ( 1) | |
| | 2631 ( 1) | |
| | 2611 ( 1) | |
| | 2299 ( 1) | |
| | 2297 ( 1) | |
| | 2269 ( 1) | |
| | 2262 ( 1) | |
| | 2261 ( 1) | |
| | 2258 ( 1) | |
| | 2257 ( 1) | |
| | 2253 ( 1) | |
| | 2231 ( 1) | |
| | 2221 ( 1) | |
| | 2099 ( 1) | |
| | 2046 ( 1) | |
| | 2037 ( 1) | |
| | 2033 ( 1) | |
| | 2017 ( 1) | |
| | 2011 ( 1) | |
| 46 COPPER, TOTAL | TOTAL | 54 |
| | 3471 ( 5) | |
| | 7391 ( 2) | |
| | 4911 ( 2) | |
| | 5134 ( 1) | |
| | 3999 ( 1) | |
| | 3964 ( 1) | |
| | 3961 ( 1) | |
| | 3914 ( 1) | |
| | 3911 ( 1) | |
| | 3873 ( 1) | |
| | 3841 ( 1) | |
| | 3832 ( 1) | |
| | 3823 ( 1) | |
| | 3822 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3811 ( 1) | |
| | | 3751 ( 1) | |
| | | 3731 ( 1) | |
| | | 3721 ( 1) | |
| | | 3679 ( 1) | |
| | | 3678 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3648 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3496 ( 1) | |
| | | 3469 ( 1) | |
| | | 3452 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3369 ( 1) | |
| | | 3362 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3315 ( 1) | |
| | | 2869 ( 1) | |
| | | 2754 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2522 ( 1) | |
| | | 1031 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 52 |
| | | 3471 ( 4) | |
| | | 2621 ( 3)* | |
| | | 7391 ( 2) | |
| | | 2869 ( 2) | |
| | | 2211 ( 2) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 4911 ( 1) | |
| | 3873 ( 1) | |
| | 3841 ( 1) | |
| | 3823 ( 1) | |
| | 3822 ( 1) | |
| | 3811 ( 1) | |
| | 3751 ( 1) | |
| | 3731 ( 1) | |
| | 3721 ( 1) | |
| | 3678 ( 1) | |
| | 3661 ( 1) | |
| | 3648 ( 1) | |
| | 3643 ( 1) | |
| | 3613 ( 1) | |
| | 3612 ( 1) | |
| | 3564 ( 1) | |
| | 3552 ( 1) | |
| | 3545 ( 1) | |
| | 3499 ( 1) | |
| | 3484 ( 1) | |
| | 3479 ( 1) | |
| | 3469 ( 1) | |
| | 3452 ( 1) | |
| | 3432 ( 1) | |
| | 3369 ( 1) | |
| | 3362 ( 1) | |
| | 3361 ( 1) | |
| | 3341 ( 1) | |
| | 3316 ( 1) | |
| | 3315 ( 1) | |
| | 3229 ( 1) | |
| | 2844 ( 1) | |
| | 2754 ( 1) | |
| | 2611 ( 1) | |
| | 2522 ( 1) | |
| | 2269 ( 1) | |
| | 2253 ( 1) | |
| | 2231 ( 1) | |
| | 1031 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| 86 ZINC, TOTAL | TOTAL | 45 |
| | 2621 ( 4) | |
| | 7391 ( 2) | |
| | 3471 ( 2) | |
| | 2869 ( 2) | |
| | 5134 ( 1) | |
| | 4911 ( 1) | |
| | 3964 ( 1) | |
| | 3914 ( 1) | |
| | 3911 ( 1) | |
| | 3873 ( 1) | |
| | 3832 ( 1) | |
| | 3823 ( 1) | |
| | 3822 ( 1) | |
| | 3751 ( 1) | |
| | 3731 ( 1) | |
| | 3721 ( 1) | |
| | 3678 ( 1) | |
| | 3674 ( 1) | |
| | 3672 ( 1) | |
| | 3661 ( 1) | |
| | 3643 ( 1) | |
| | 3613 ( 1) | |
| | 3564 ( 1) | |
| | 3559 ( 1) | |
| | 3552 ( 1) | |
| | 3551 ( 1) | |
| | 3545 ( 1) | |
| | 3452 ( 1) | |
| | 3432 ( 1) | |
| | 3429 ( 1) | |
| | 3369 ( 1) | |
| | 3362 ( 1) | |
| | 3351 ( 1) | |
| | 3341 ( 1) | |
| | 3315 ( 1) | |
| | 2631 ( 1) | |
| | 2611 ( 1) | |
| | 2522 ( 1) | |
| | 1031 ( 1) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 62 | NICKEL, TOTAL | TOTAL | 44 |
| | | 3471 ( 4) | |
| | | 5134 ( 1) | |
| | | 3999 ( 1) | |
| | | 3964 ( 1) | |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3841 ( 1) | |
| | | 3832 ( 1) | |
| | | 3822 ( 1) | |
| | | 3751 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3692 ( 1) | |
| | | 3679 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3648 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3545 ( 1) | |
| | | 3484 ( 1) | |
| | | 3469 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3362 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3316 ( 1) | |
| | | 2869 ( 1) | |
| | | 2844 ( 1) | |
| | | 2782 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2522 ( 1) | |
| | | 1031 ( 1) | |
| 50 | IRON, TOTAL | TOTAL | 41 |
| | | 7391 ( 2) | |
| | | 4911 ( 2) | |
| | | 3471 ( 2) | |
| | | 5941 ( 1) | |
| | | 5134 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3851 ( 1) | |
| | | 3841 ( 1) | |
| | | 3832 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3699 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3564 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3484 ( 1) | |
| | | 3469 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3316 ( 1) | |
| | | 3292 ( 1) | |
| | | 2844 ( 1) | |
| | | 2782 ( 1) | |
| | | 2754 ( 1) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2522 ( 1) | |
| | | 1031 ( 1) | |
| 40 | CHROMIUM VI | TOTAL | 36 |
| | | 7391 ( 2) | |
| | | 3471 ( 2) | |
| | | 3873 ( 1) | |
| | | 3841 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3751 ( 1) | |
| | | 3731 ( 1) | |
| | | 3721 ( 1) | |
| | | 3678 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3648 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3564 ( 1) | |
| | | 3552 ( 1) | |
| | | 3545 ( 1) | |
| | | 3499 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3469 ( 1) | |
| | | 3452 ( 1) | |
| | | 3432 ( 1) | |
| | | 3369 ( 1) | |
| | | 3362 ( 1) | |
| | | 3361 ( 1) | |
| | | 3341 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 2754 ( 1) | |
| | | 2522 ( 1) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 17 | CYANIDE, TOTAL | TOTAL | 33 |
| | | 3471 ( 5) | |
| | | 5134 ( 1) | |
| | | 3999 ( 1) | |
| | | 3964 ( 1) | |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3832 ( 1) | |
| | | 3751 ( 1) | |
| | | 3721 ( 1) | |
| | | 3678 ( 1) | |
| | | 3661 ( 1) | |
| | | 3648 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3551 ( 1) | |
| | | 3545 ( 1) | |
| | | 3499 ( 1) | |
| | | 3484 ( 1) | |
| | | 3469 ( 1) | |
| | | 3429 ( 1) | |
| | | 3369 ( 1) | |
| | | 2869 ( 1) | |
| | | 2754 ( 1) | |
| | | 2522 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 31 |
| | | 5941 ( 1) | |
| | | 5171 ( 1) | |
| | | 5085 ( 1) | |
| | | 4911 ( 1) | |
| | | 3964 ( 1) | |
| | | 3851 ( 1) | |
| | | 3832 ( 1) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3823 ( 1) | |
| | | 3731 ( 1) | |
| | | 3728 ( 1) | |
| | | 3724 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3511 ( 1) | |
| | | 3463 ( 1) | |
| | | 3462 ( 1) | |
| | | 3362 ( 1) | |
| | | 3341 ( 1) | |
| | | 3316 ( 1) | |
| | | 3274 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3021 ( 1) | |
| | | 2911 ( 1) | |
| | | 2841 ( 1) | |
| | | 2816 ( 1) | |
| | | 2299 ( 1) | |
| | | 2037 ( 1) | |
| | | 2033 ( 1) | |
| | | 2017 ( 1) | |
| | | 2011 ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | 28 |
| | | 4952 ( 5) | |
| | | 2621 ( 4) | |
| | | 9224 ( 1) | |
| | | 8249 ( 1) | |
| | | 8221 ( 1) | |
| | | 8211 ( 1) | |
| | | 6513 ( 1) | |
| | | 6512 ( 1) | |
| | | 5085 ( 1) | |
| | | 3832 ( 1) | |
| | | 3699 ( 1) | |
| | | 3612 ( 1) | |
| | | 3496 ( 1) | |
| | | 3274 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2833 ( 1) | |
| | | 2646 ( 1) | |
| | | 2261 ( 1) | |
| | | 2211 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| | | 2033 ( 1) | |
| 24 | ALUMINUM, TOTAL | TOTAL | 20 |
| | | 5941 ( 1) | |
| | | 5134 ( 1) | |
| | | 5085 ( 1) | |
| | | 3961 ( 1) | |
| | | 3911 ( 1) | |
| | | 3832 ( 1) | |
| | | 3822 ( 1) | |
| | | 3811 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3661 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3499 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3463 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| 80 | TIN, TOTAL | TOTAL | 20 |
| | | 5134 ( 1) | |
| | | 3911 ( 1) | |
| | | 3823 ( 1) | |
| | | 3822 ( 1) | |
| | | 3751 ( 1) | |
| | | 3731 ( 1) | |
| | | 3679 ( 1) | |
| | | 3678 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3559 ( 1) | |
| | | 3551 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3471 ( 1) | |
| | | 3469 ( 1) | |
| | | 3462 ( 1) | |
| | | 1031 ( 1) | |
| 115 | TURBIDITY | TOTAL | 19 |
| | | 4911 ( 2) | |
| | | 8249 ( 1) | |
| | | 7215 ( 1) | |
| | | 4952 ( 1) | |
| | | 3832 ( 1) | |
| | | 3724 ( 1) | |
| | | 3496 ( 1) | |
| | | 3361 ( 1) | |
| | | 3274 ( 1) | |
| | | 2869 ( 1) | |
| | | 2833 ( 1) | |
| | | 2646 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| | | 2017 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 17 |
| | | 4952 ( 2) | |
| | | 2621 ( 2) | |
| | | 8221 ( 1) | |
| | | 6513 ( 1) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3699 ( 1) | |
| | | 3674 ( 1) | |
| | | 3661 ( 1) | |
| | | 2833 ( 1) | |
| | | 2611 ( 1) | |
| | | 2261 ( 1) | |
| | | 2211 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| | | 2033 ( 1) | |
| | | 2017 ( 1) | |
| 52 | LEAD, TOTAL | TOTAL | 17 |
| | | 2621 ( 3) | |
| | | 3911 ( 1) | |
| | | 3751 ( 1) | |
| | | 3731 ( 1) | |
| | | 3691 ( 1) | |
| | | 3679 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3648 ( 1) | |
| | | 3351 ( 1) | |
| | | 3229 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 1031 ( 1) | |
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 16 |
| | | 4952 ( 5) | |
| | | 9224 ( 1) | |
| | | 8249 ( 1) | |
| | | 8221 ( 1) | |
| | | 8211 ( 1) | |
| | | 6513 ( 1) | |
| | | 6512 ( 1) | |
| | | 4911 ( 1) | |
| | | 3699 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3661 ( 1) | |
| | | 2033 ( 1) | |
| | | 2017 ( 1) | |
| 18 | CYANIDE AMENDABLE TO CHLORINATION | TOTAL | 16 |
| | | 3999 ( 1) | |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3911 ( 1) | |
| | | 3832 ( 1) | |
| | | 3751 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3648 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3552 ( 1) | |
| | | 3499 ( 1) | |
| | | 3484 ( 1) | |
| | | 3471 ( 1) | |
| | | 3315 ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | 15 |
| | | 3471 ( 2) | |
| | | 3873 ( 1) | |
| | | 3751 ( 1) | |
| | | 3731 ( 1) | |
| | | 3648 ( 1) | |
| | | 3613 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3499 ( 1) | |
| | | 3452 ( 1) | |
| | | 3369 ( 1) | |
| | | 3315 ( 1) | |
| | | 2522 ( 1) | |
| | | 1031 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 74 | SILVER, TOTAL | TOTAL | 14 |
| | | 3999 ( 1) | |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3911 ( 1) | |
| | | 3873 ( 1) | |
| | | 3751 ( 1) | |
| | | 3672 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3559 ( 1) | |
| | | 3471 ( 1) | |
| | | 3229 ( 1) | |
| | | 1031 ( 1) | |
| 6 | COLIFORM, TOTAL | TOTAL | 9 |
| | | 4952 ( 3) | |
| | | 9224 ( 1) | |
| | | 8249 ( 1) | |
| | | 8211 ( 1) | |
| | | 2869 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| 20 | FLUORIDE | TOTAL | 9 |
| | | 7391 ( 2) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3679 ( 1) | |
| | | 3661 ( 1) | |
| | | 3613 ( 1) | |
| | | 3316 ( 1) | |
| | | 3229 ( 1) | |
| 96 | PHENOLS | TOTAL | 9 |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2211 ( 2) | |
| | | 3612 ( 1) | |
| | | 2911 ( 1) | |
| | | 2869 ( 1) | |
| | | 2611 ( 1) | |
| | | 2269 ( 1) | |
| | | 2253 ( 1) | |
| | | 2231 ( 1) | |
| 98 | PHOSPHORUS, TOTAL | TOTAL | 8 |
| | | 7215 ( 1) | |
| | | 4911 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| | | 2621 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| | | 2033 ( 1) | |
| 12 | COD | TOTAL | 6 |
| | | 2211 ( 2) | |
| | | 3674 ( 1) | |
| | | 2869 ( 1) | |
| | | 2261 ( 1) | |
| | | 2231 ( 1) | |
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | 6 |
| | | 3731 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 2754 ( 1) | |
| | | 2522 ( 1) | |
| | | 2221 ( 1) | |
| 3 | AMMONIA AS N | TOTAL | 5 |
| | | 3674 ( 1) | |
| | | 2911 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region I Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2869 ( 1) | |
| | | 2834 ( 1) | |
| | | 2221 ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | 5 |
| | | 8249 ( 1) | |
| | | 6512 ( 1) | |
| | | 4952 ( 1) | |
| | | 4911 ( 1) | |
| | | 2869 ( 1) | |
| 47 | COPPER, DISSOLVED | TOTAL | 4 |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| 48 | GOLD, TOTAL | TOTAL | 4 |
| | | 3873 ( 1) | |
| | | 3643 ( 1) | |
| | | 3613 ( 1) | |
| | | 3559 ( 1) | |
| 63 | NICKEL, DISSOLVED | TOTAL | 4 |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| 75 | SILVER, DISSOLVED | TOTAL | 4 |
| | | 3961 ( 1) | |
| | | 3914 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 91 | ORGANIC CARBON, TOTAL | TOTAL | 4 |
| | | 3731 ( 1) | |
| | | 2911 ( 1) | |
| | | 2869 ( 1) | |
| | | 2221 ( 1) | |
| 113 | SURFACTANTS | TOTAL | 4 |
| | | 3851 ( 1) | |
| | | 3471 ( 1) | |
| | | 3315 ( 1) | |
| | | 2869 ( 1) | |
| 23 | KJELDAHL NITROGEN | TOTAL | 3 |
| | | 2834 ( 1) | |
| | | 2046 ( 1) | |
| | | 2037 ( 1) | |
| 58 | MERCURY, TOTAL | TOTAL | 3 |
| | | 3471 ( 1) | |
| | | 2812 ( 1) | |
| | | 2621 ( 1) | |
| 82 | TITANIUM, TOTAL | TOTAL | 3 |
| | | 3731 ( 1) | |
| | | 3721 ( 1) | |
| | | 1031 ( 1) | |
| 87 | ZINC, DISSOLVED | TOTAL | 3 |
| | | 3914 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 3 |
| | | 7215 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3699 ( 1) | |
| | | 3674 ( 1) | |
| | PHOSPHATE, TOTAL AS P | TOTAL | 3 |
| | | 3699 ( 1) | |
| | | 3661 ( 1) | |
| | | 2221 ( 1) | |
| 111 | SULFIDE | TOTAL | 3 |
| | | 3964 ( 1) | |
| | | 2269 ( 1) | |
| | | 2253 ( 1) | |
| 25 | ALUMINUM, DISSOLVED | TOTAL | 2 |
| | | 3961 ( 1) | |
| | | 3613 ( 1) | |
| 37 | CADMIUM, DISSOLVED | TOTAL | 2 |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| 56 | MANGANESE, TOTAL | TOTAL | 2 |
| | | 2869 ( 1) | |
| | | 1031 ( 1) | |
| 65 | PALLADIUM, TOTAL | TOTAL | 2 |
| | | 3613 ( 1) | |
| | | 3559 ( 1) | |
| 76 | SODIUM, TOTAL | TOTAL | 2 |
| | | 4911 ( 2) | |
| 81 | TIN, DISSOLVED | TOTAL | 2 |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| 104 | TOTAL RESIDUE | TOTAL | 2 |
| | | 4911 ( 1) | |
| | | 2221 ( 1) | |
| 110 | SULFATE | TOTAL | 2 |
| | | 4911 ( 1) | |
| | | 3699 ( 1) | |
| | CHLORINE, FREE AVAILABLE | TOTAL | 2 |
| | | 4911 ( 2) | |
| | POLYCHLORINATED BIPHENYLS | TOTAL | 2 |
| | | 3675 ( 1) | |
| | | 3612 ( 1) | |
| | SLUDGE VOLUME INDEX | TOTAL | 2 |
| | | 6512 ( 1) | |
| | | 4952 ( 1) | |
| | ZIRCONIUM | TOTAL | 2 |
| | | 7391 ( 2) | |
| 2 | ALKALINITY AS CACO3 | TOTAL | 1 |
| | | 4911 ( 1) | |
| 13 | CHLORIDE | TOTAL | 1 |
| | | 4911 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-78)

Table 5. (continued)

| Region I Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 16 | COLOR | TOTAL | 1 |
| | | 3731 ( 1) | |
| 21 | HARDNESS | TOTAL | 1 |
| | | 4911 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 1 |
| | | 1031 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 1 |
| | | 1031 ( 1) | |
| 34 | BORON, TOTAL | TOTAL | 1 |
| | | 3613 ( 1) | |
| 41 | CHROMIUM VI, DISSOLVED | TOTAL | 1 |
| | | 3613 ( 1) | |
| 43 | CHROMIUM, DISSOLVED | TOTAL | 1 |
| | | 3613 ( 1) | |
| 51 | IRON, DISSOLVED | TOTAL | 1 |
| | | 3613 ( 1) | |
| 60 | MOLYBDENUM, TOTAL | TOTAL | 1 |
| | | 3699 ( 1) | |
| 84 | VANADIUM, TOTAL | TOTAL | 1 |
| | | 1031 ( 1) | |

(continued)

Table 5. (continued)

| Region I<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| BENTHIC FAUNA | TOTAL | 1 |
| | 4911 ( 1) | |
| FINFISH | TOTAL | 1 |
| | 4911 ( 1) | |
| FISH IMPINGEMENT | TOTAL | 1 |
| | 4911 ( 1) | |
| GOLD, DISSOLVED | TOTAL | 1 |
| | 3613 ( 1) | |
| ICHTHYOPLANKTON | TOTAL | 1 |
| | 4911 ( 1) | |
| PALLADIUM, DISSOLVED | TOTAL | 1 |
| | 3613 ( 1) | |
| PERCHLORETHYLENE | TOTAL | 1 |
| | 3612 ( 1) | |
| PHYTOPLANKTON | TOTAL | 1 |
| | 4911 ( 1) | |
| RADIONUCLIDES | TOTAL | 1 |
| | 4911 ( 1) | |
| SODIUM CHLORATE | TOTAL | 1 |
| | 2812 ( 1) | |

(continued)

Table 5. (continued)

| Region I Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| SODIUM CHLORIDE | TOTAL | 1 |
| | 2221 ( 1) | |
| SODIUM DICHROMATE | TOTAL | 1 |
| | 2812 ( 1) | |
| SODIUM SULFATE | TOTAL | 1 |
| | 3692 ( 1) | |
| TRICHLOROETHYLENE | TOTAL | 1 |
| | 3612 ( 1) | |
| TUNGSTEN, TOTAL | TOTAL | 1 |
| | 3699 ( 1) | |
| ZOOPLANKTON | TOTAL | 1 |
| | 4911 ( 1) | |

TOTAL 1186

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| | | REGION 2 | |
| 22 | PH | TOTAL | 163 |
| | | 4952 ( 5) | |
| | | 4911 ( 4) | |
| | | 2869 ( 3) | |
| | | 2819 ( 3) | |
| | | 0259 ( 3) | |
| | | 4931 ( 2) | |
| | | 3679 ( 2) | |
| | | 2911 ( 2) | |
| | | 2821 ( 2) | |
| | | 2621 ( 2) | |
| | | 2033 ( 2) | |
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8221 ( 1) | |
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 7391 ( 1) | |
| | | 6513 ( 1) | |
| | | 5171 ( 1) | |
| | | 5161 ( 1) | |
| | | 5065 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4925 ( 1) | |
| | | 4922 ( 1) | |
| | | 4582 ( 1) | |
| | | 4011 ( 1) | |
| | | 3996 ( 1) | |
| | | 3914 ( 1) | |
| | | 3861 ( 1) | |
| | | 3851 ( 1) | |
| | | 3843 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 3841 ( 1) | |
| | 3751 ( 1) | |
| | 3728 ( 1) | |
| | 3714 ( 1) | |
| | 3711 ( 1) | |
| | 3694 ( 1) | |
| | 3691 ( 1) | |
| | 3674 ( 1) | |
| | 3672 ( 1) | |
| | 3671 ( 1) | |
| | 3662 ( 1) | |
| | 3661 ( 1) | |
| | 3652 ( 1) | |
| | 3651 ( 1) | |
| | 3643 ( 1) | |
| | 3634 ( 1) | |
| | 3629 ( 1) | |
| | 3621 ( 1) | |
| | 3573 ( 1) | |
| | 3562 ( 1) | |
| | 3554 ( 1) | |
| | 3531 ( 1) | |
| | 3511 ( 1) | |
| | 3484 ( 1) | |
| | 3479 ( 1) | |
| | 3471 ( 1) | |
| | 3469 ( 1) | |
| | 3463 ( 1) | |
| | 3452 ( 1) | |
| | 3412 ( 1) | |
| | 3361 ( 1) | |
| | 3357 ( 1) | |
| | 3353 ( 1) | |
| | 3351 ( 1) | |
| | 3341 ( 1) | |
| | 3334 ( 1) | |
| | 3331 ( 1) | |
| | 3325 ( 1) | |
| | 3321 ( 1) | |
| | 3316 ( 1) | |
| | 3313 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
|  | 3312 ( 1) |  |
|  | 3295 ( 1) |  |
|  | 3292 ( 1) |  |
|  | 3291 ( 1) |  |
|  | 3264 ( 1) |  |
|  | 3241 ( 1) |  |
|  | 3229 ( 1) |  |
|  | 3221 ( 1) |  |
|  | 3111 ( 1) |  |
|  | 3079 ( 1) |  |
|  | 3069 ( 1) |  |
|  | 2992 ( 1) |  |
|  | 2952 ( 1) |  |
|  | 2951 ( 1) |  |
|  | 2892 ( 1) |  |
|  | 2891 ( 1) |  |
|  | 2874 ( 1) |  |
|  | 2865 ( 1) |  |
|  | 2851 ( 1) |  |
|  | 2844 ( 1) |  |
|  | 2843 ( 1) |  |
|  | 2841 ( 1) |  |
|  | 2834 ( 1) |  |
|  | 2833 ( 1) |  |
|  | 2823 ( 1) |  |
|  | 2816 ( 1) |  |
|  | 2813 ( 1) |  |
|  | 2812 ( 1) |  |
|  | 2731 ( 1) |  |
|  | 2661 ( 1) |  |
|  | 2647 ( 1) |  |
|  | 2646 ( 1) |  |
|  | 2631 ( 1) |  |
|  | 2611 ( 1) |  |
|  | 2499 ( 1) |  |
|  | 2295 ( 1) |  |
|  | 2262 ( 1) |  |
|  | 2231 ( 1) |  |
|  | 2099 ( 1) |  |
|  | 2095 ( 1) |  |
|  | 2092 ( 1) |  |
|  | 2091 ( 1) |  |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD (ILLUSTRATIONS) HERE

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2087 ( 1) | |
| | | 2085 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2065 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2041 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2032 ( 1) | |
| | | 2026 ( 1) | |
| | | 2024 ( 1) | |
| | | 2023 ( 1) | |
| | | 2022 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| | | 1499 ( 1) | |
| | | 1476 ( 1) | |
| | | 1442 ( 1) | |
| | | 1429 ( 1) | |
| | | 1422 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| | FLOW | TOTAL | 159 |
| | | 4952 ( 5) | |
| | | 4911 ( 4) | |
| | | 2869 ( 3) | |
| | | 2821 ( 3) | |
| | | 2819 ( 3) | |
| | | 4931 ( 2) | |
| | | 3679 ( 2) | |
| | | 2911 ( 2) | |
| | | 2621 ( 2) | |
| | | 2033 ( 2) | |

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS

(continued)

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 0259 ( 2) | |
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8221 ( 1) | |
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 7391 ( 1) | |
| | | 6513 ( 1) | |
| | | 5171 ( 1) | |
| | | 5161 ( 1) | |
| | | 5065 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4925 ( 1) | |
| | | 4922 ( 1) | |
| | | 4011 ( 1) | |
| | | 3996 ( 1) | |
| | | 3914 ( 1) | |
| | | 3861 ( 1) | |
| | | 3851 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3671 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3652 ( 1) | |
| | | 3651 ( 1) | |
| | | 3643 ( 1) | |
| | | 3634 ( 1) | |
| | | 3629 ( 1) | |
| | | 3621 ( 1) | |
| | | 3562 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3554 ( 1) | |
| | | 3511 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3469 ( 1) | |
| | | 3463 ( 1) | |
| | | 3452 ( 1) | |
| | | 3412 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3334 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3295 ( 1) | |
| | | 3291 ( 1) | |
| | | 3274 ( 1) | |
| | | 3264 ( 1) | |
| | | 3241 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3111 ( 1) | |
| | | 3079 ( 1) | |
| | | 3069 ( 1) | |
| | | 2992 ( 1) | |
| | | 2952 ( 1) | |
| | | 2951 ( 1) | |
| | | 2892 ( 1) | |
| | | 2891 ( 1) | |
| | | 2874 ( 1) | |
| | | 2865 ( 1) | |
| | | 2851 ( 1) | |
| | | 2844 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2823 ( 1) | |
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2731 ( 1) | |
| | | 2661 ( 1) | |
| | | 2653 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2295 ( 1) | |
| | | 2262 ( 1) | |
| | | 2231 ( 1) | |
| | | 2099 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2087 ( 1) | |
| | | 2085 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2065 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2041 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2026 ( 1) | |
| | | 2024 ( 1) | |
| | | 2023 ( 1) | |
| | | 2022 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 1499 ( 1) | |
| | | 1476 ( 1) | |
| | | 1442 ( 1) | |
| | | 1429 ( 1) | |
| | | 1422 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 145 |
| | | 4952 ( 5) | |
| | | 2869 ( 3) | |
| | | 2819 ( 3) | |
| | | 4931 ( 2) | |
| | | 4911 ( 2) | |
| | | 3679 ( 2) | |
| | | 2911 ( 2) | |
| | | 2621 ( 2) | |
| | | 2033 ( 2) | |
| | | 0259 ( 2) | |
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8221 ( 1) | |
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 7391 ( 1) | |
| | | 6513 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4582 ( 1) | |
| | | 4011 ( 1) | |
| | | 3996 ( 1) | |
| | | 3914 ( 1) | |
| | | 3861 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3691 ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3671 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3652 ( 1) | |
| | | 3651 ( 1) | |
| | | 3643 ( 1) | |
| | | 3634 ( 1) | |
| | | 3629 ( 1) | |
| | | 3621 ( 1) | |
| | | 3573 ( 1) | |
| | | 3562 ( 1) | |
| | | 3554 ( 1) | |
| | | 3531 ( 1) | |
| | | 3511 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3469 ( 1) | |
| | | 3463 ( 1) | |
| | | 3452 ( 1) | |
| | | 3412 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3334 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3295 ( 1) | |
| | | 3292 ( 1) | |
| | | 3291 ( 1) | |
| | | 3274 ( 1) | |
| | | 3241 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3111 ( 1) | |
| | | 3069 ( 1) | |
| | | 2992 ( 1) | |
| | | 2952 ( 1) | |
| | | 2951 ( 1) | |
| | | 2892 ( 1) | |
| | | 2891 ( 1) | |
| | | 2874 ( 1) | |
| | | 2865 ( 1) | |
| | | 2851 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2823 ( 1) | |
| | | 2821 ( 1) | |
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2731 ( 1) | |
| | | 2661 ( 1) | |
| | | 2653 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2295 ( 1) | |
| | | 2262 ( 1) | |
| | | 2231 ( 1) | |
| | | 2099 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2087 ( 1) | |
| | | 2085 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2065 ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2061 ( 1) | |
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2041 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2026 ( 1) | |
| | | 2024 ( 1) | |
| | | 2023 ( 1) | |
| | | 2022 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| | | 1499 ( 1) | |
| | | 1442 ( 1) | |
| | | 1429 ( 1) | |
| | | 1422 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| 114 | TEMPERATURE | TOTAL | 137 |
| | | 4952 ( 5) | |
| | | 4911 ( 4) | |
| | | 2869 ( 3) | |
| | | 4931 ( 2) | |
| | | 3679 ( 2) | |
| | | 2911 ( 2) | |
| | | 2821 ( 2) | |
| | | 2819 ( 2) | |
| | | 2621 ( 2) | |
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8221 ( 1) | |
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 7391 ( 1) | |
| | | 5065 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4922 ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4582 ( 1) | |
| | | 3996 ( 1) | |
| | | 3914 ( 1) | |
| | | 3861 ( 1) | |
| | | 3851 ( 1) | |
| | | 3843 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3652 ( 1) | |
| | | 3651 ( 1) | |
| | | 3643 ( 1) | |
| | | 3634 ( 1) | |
| | | 3629 ( 1) | |
| | | 3621 ( 1) | |
| | | 3573 ( 1) | |
| | | 3531 ( 1) | |
| | | 3511 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3469 ( 1) | |
| | | 3463 ( 1) | |
| | | 3412 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3334 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3295 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3292 ( 1) | |
| | | 3291 ( 1) | |
| | | 3264 ( 1) | |
| | | 3241 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3079 ( 1) | |
| | | 3069 ( 1) | |
| | | 2992 ( 1) | |
| | | 2952 ( 1) | |
| | | 2951 ( 1) | |
| | | 2892 ( 1) | |
| | | 2891 ( 1) | |
| | | 2874 ( 1) | |
| | | 2865 ( 1) | |
| | | 2851 ( 1) | |
| | | 2844 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2823 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2731 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2262 ( 1) | |
| | | 2231 ( 1) | |
| | | 2099 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2087 ( 1) | |
| | | 2085 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2065 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2051 ( 1) | |
| | | 2041 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2033 ( 1) | |
| | | 2032 ( 1) | |
| | | 2026 ( 1) | |
| | | 2024 ( 1) | |
| | | 2023 ( 1) | |
| | | 2022 ( 1) | |
| | | 2013 ( 1) | |
| | | 1499 ( 1) | |
| | | 1442 ( 1) | |
| | | 1429 ( 1) | |
| | | 1422 ( 1) | |
| 10 | BOD5 | TOTAL | 97 |
| | | 4952 ( 5) | |
| | | 4911 ( 3) | |
| | | 2869 ( 3) | |
| | | 2911 ( 2) | |
| | | 2819 ( 2) | |
| | | 2621 ( 2) | |
| | | 2033 ( 2) | |
| | | 0259 ( 2) | |
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8221 ( 1) | |
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 7391 ( 1) | |
| | | 6513 ( 1) | |
| | | 4953 ( 1) | |
| | | 4931 ( 1) | |
| | | 4925 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4011 ( 1) | |
| | | 3914 ( 1) | |
| | | 3861 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3728 ( 1) | |
| | | 3711 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3643 ( 1) | |
| | | 3629 ( 1) | |
| | | 3573 ( 1) | |
| | | 3511 ( 1) | |
| | | 3469 ( 1) | |
| | | 3452 ( 1) | |
| | | 3353 ( 1) | |
| | | 3334 ( 1) | |
| | | 3321 ( 1) | |
| | | 3295 ( 1) | |
| | | 3292 ( 1) | |
| | | 3241 ( 1) | |
| | | 3221 ( 1) | |
| | | 3111 ( 1) | |
| | | 3069 ( 1) | |
| | | 2951 ( 1) | |
| | | 2892 ( 1) | |
| | | 2891 ( 1) | |
| | | 2865 ( 1) | |
| | | 2851 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2821 ( 1) | |
| | | 2661 ( 1) | |
| | | 2653 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2295 ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2262 ( 1) | |
| | | 2231 ( 1) | |
| | | 2099 ( 1) | |
| | | 2095 ( 1) | |
| | | 2091 ( 1) | |
| | | 2087 ( 1) | |
| | | 2085 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2065 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2041 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2026 ( 1) | |
| | | 2024 ( 1) | |
| | | 2023 ( 1) | |
| | | 2022 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 84 |
| | | 2869 ( 3) | |
| | | 2819 ( 3) | |
| | | 3679 ( 2) | |
| | | 2911 ( 2) | |
| | | 9711 ( 1) | |
| | | 5171 ( 1) | |
| | | 5161 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4931 ( 1) | |
| | | 4911 ( 1) | |
| | | 4582 ( 1) | |
| | | 4011 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3996 ( 1) | |
| | | 3914 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3652 ( 1) | |
| | | 3651 ( 1) | |
| | | 3643 ( 1) | |
| | | 3634 ( 1) | |
| | | 3629 ( 1) | |
| | | 3573 ( 1) | |
| | | 3562 ( 1) | |
| | | 3554 ( 1) | |
| | | 3511 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3463 ( 1) | |
| | | 3452 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3353 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3295 ( 1) | |
| | | 3264 ( 1) | |
| | | 3241 ( 1) | |
| | | 3221 ( 1) | |
| | | 3111 ( 1) | |
| | | 3069 ( 1) | |
| | | 2992 ( 1) | |
| | | 2951 ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2731 ( 1) | |
| | | 2647 ( 1) | |
| | | 2099 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2033 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| | | 1499 ( 1) | |
| | | 1429 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| | | 0259 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 57 |
| | | 2819 ( 3) | |
| | | 3679 ( 2) | |
| | | 2911 ( 2) | |
| | | 2869 ( 2) | |
| | | 2033 ( 2) | |
| | | 8221 ( 1) | |
| | | 5161 ( 1) | |
| | | 4952 ( 1) | |
| | | 4922 ( 1) | |
| | | 3914 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3711 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

Region II

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3672 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3634 ( 1) | |
| | | 3629 ( 1) | |
| | | 3621 ( 1) | |
| | | 3573 ( 1) | |
| | | 3511 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3351 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3292 ( 1) | |
| | | 3274 ( 1) | |
| | | 3221 ( 1) | |
| | | 3111 ( 1) | |
| | | 2992 ( 1) | |
| | | 2865 ( 1) | |
| | | 2844 ( 1) | |
| | | 2843 ( 1) | |
| | | 2813 ( 1) | |
| | | 2731 ( 1) | |
| | | 2653 ( 1) | |
| | | 2621 ( 1) | |
| | | 2295 ( 1) | |
| | | 2262 ( 1) | |
| | | 2231 ( 1) | |
| | | 2077 ( 1) | |
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2026 ( 1) | |
| | | 2024 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 56 |
| | | 4952 ( 5) | |
| | | 4911 ( 2) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2869 ( 2) | |
| | | 0259 ( 2) | |
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8221 ( 1) | |
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 7391 ( 1) | |
| | | 6513 ( 1) | |
| | | 4953 ( 1) | |
| | | 4931 ( 1) | |
| | | 4925 ( 1) | |
| | | 4011 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3728 ( 1) | |
| | | 3674 ( 1) | |
| | | 3469 ( 1) | |
| | | 3452 ( 1) | |
| | | 3334 ( 1) | |
| | | 3295 ( 1) | |
| | | 3241 ( 1) | |
| | | 3111 ( 1) | |
| | | 3069 ( 1) | |
| | | 2911 ( 1) | |
| | | 2865 ( 1) | |
| | | 2851 ( 1) | |
| | | 2834 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2812 ( 1) | |
| | | 2653 ( 1) | |
| | | 2647 ( 1) | |
| | | 2262 ( 1) | |
| | | 2099 ( 1) | |
| | | 2092 ( 1) | |
| | | 2085 ( 1) | |
| | | 2084 ( 1) | |
| | | 2079 ( 1) | |
| | | 2065 ( 1) | |
| | | 2061 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2033 ( 1) | |
| | | 2024 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | 56 |
| | | 2819 ( 2) | |
| | | 2033 ( 2) | |
| | | 8221 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 4931 ( 1) | |
| | | 4922 ( 1) | |
| | | 3914 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3671 ( 1) | |
| | | 3651 ( 1) | |
| | | 3643 ( 1) | |
| | | 3621 ( 1) | |
| | | 3484 ( 1) | |
| | | 3471 ( 1) | |
| | | 3463 ( 1) | |
| | | 3412 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3334 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3274 ( 1) | |
| | | 3264 ( 1) | |
| | | 3221 ( 1) | |
| | | 3069 ( 1) | |
| | | 2992 ( 1) | |
| | | 2865 ( 1) | |
| | | 2844 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2813 ( 1) | |
| | | 2731 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2295 ( 1) | |
| | | 2231 ( 1) | |
| | | 2077 ( 1) | |
| | | 2051 ( 1) | |
| | | 2047 ( 1) | |
| | | 2026 ( 1) | |
| | | 2024 ( 1) | |
| | | 1031 ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | 39 |
| | | 4931 ( 2) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 3914 ( 1) | |
| | | 3843 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3714 ( 1) | |
| | | 3679 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3671 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3651 ( 1) | |
| | | 3643 ( 1) | |
| | | 3634 ( 1) | |
| | | 3629 ( 1) | |
| | | 3573 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3463 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3292 ( 1) | |
| | | 3264 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2819 ( 1) | |
| | | 2731 ( 1) | |
| | | 1031 ( 1) | |
| 40 | CHROMIUM VI | TOTAL | 33 |
| | | 3679 ( 2) | |
| | | 2911 ( 2) | |
| | | 5161 ( 1) | |
| | | 4953 ( 1) | |
| | | 4922 ( 1) | |
| | | 3996 ( 1) | |
| | | 3914 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3634 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3629 ( 1) | |
| | | 3621 ( 1) | |
| | | 3573 ( 1) | |
| | | 3511 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3351 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3292 ( 1) | |
| | | 3111 ( 1) | |
| | | 2869 ( 1) | |
| | | 2647 ( 1) | |
| | | 2033 ( 1) | |
| | | 2024 ( 1) | |
| 50 | IRON, TOTAL | TOTAL | 30 |
| | | 4931 ( 2) | |
| | | 4961 ( 1) | |
| | | 4952 ( 1) | |
| | | 3914 ( 1) | |
| | | 3843 ( 1) | |
| | | 3751 ( 1) | |
| | | 3679 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3651 ( 1) | |
| | | 3643 ( 1) | |
| | | 3634 ( 1) | |
| | | 3621 ( 1) | |
| | | 3573 ( 1) | |
| | | 3562 ( 1) | |
| | | 3554 ( 1) | |
| | | 3511 ( 1) | |
| | | 3484 ( 1) | |
| | | 3471 ( 1) | |
| | | 3452 ( 1) | |
| | | 3353 ( 1) | |
| | | 3341 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3325 ( 1) | |
| | | 3316 ( 1) | |
| | | 3312 ( 1) | |
| | | 2819 ( 1) | |
| | | 2816 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| 3 | AMMONIA AS N | TOTAL | 28 |
| | | 2911 ( 2) | |
| | | 9711 ( 1) | |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 3914 ( 1) | |
| | | 3674 ( 1) | |
| | | 3662 ( 1) | |
| | | 3643 ( 1) | |
| | | 3573 ( 1) | |
| | | 3469 ( 1) | |
| | | 3361 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 3264 ( 1) | |
| | | 3229 ( 1) | |
| | | 2992 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2833 ( 1) | |
| | | 2819 ( 1) | |
| | | 2647 ( 1) | |
| | | 2621 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2065 ( 1) | |
| | | 2047 ( 1) | |
| | | 2033 ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | 28 |
| | | 4952 ( 4) | |
| | | 0259 ( 2) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
STOPPED HEAD, BEGIN SECTIONS HERE

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 6513 ( 1) | |
| | | 4011 ( 1) | |
| | | 3914 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3469 ( 1) | |
| | | 3353 ( 1) | |
| | | 3334 ( 1) | |
| | | 3264 ( 1) | |
| | | 3241 ( 1) | |
| | | 3111 ( 1) | |
| | | 2646 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2061 ( 1) | |
| | | 2016 ( 1) | |
| | | 1429 ( 1) | |
| 12 | COD | TOTAL | 27 |
| | | 2819 ( 2) | |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 3996 ( 1) | |
| | | 3861 ( 1) | |
| | | 3652 ( 1) | |
| | | 3357 ( 1) | |
| | | 3351 ( 1) | |
| | | 3316 ( 1) | |
| | | 3291 ( 1) | |
| | | 3229 ( 1) | |
| | | 2911 ( 1) | |
| | | 2892 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2843 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2816 ( 1) | |
| | | 2731 ( 1) | |
| | | 2647 ( 1) | |
| | | 2611 ( 1) | |
| | | 2262 ( 1) | |
| | | 2231 ( 1) | |
| | | 2024 ( 1) | |
| 96 | PHENOLS | TOTAL | 27 |
| | | 3511 ( 2) | |
| | | 2911 ( 2) | |
| | | 2869 ( 2) | |
| | | 9711 ( 1) | |
| | | 4952 ( 1) | |
| | | 3996 ( 1) | |
| | | 3674 ( 1) | |
| | | 3573 ( 1) | |
| | | 3554 ( 1) | |
| | | 3361 ( 1) | |
| | | 3334 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3312 ( 1) | |
| | | 3291 ( 1) | |
| | | 3264 ( 1) | |
| | | 2891 ( 1) | |
| | | 2865 ( 1) | |
| | | 2819 ( 1) | |
| | | 2731 ( 1) | |
| | | 2653 ( 1) | |
| | | 2262 ( 1) | |
| | | 2231 ( 1) | |
| | | 2079 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 24 |
| | | 4952 ( 5) | |
| | | 0259 ( 2) | |
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8221 ( 1) | |
| | | 8063 ( 1) | |
| | | 7999 ( 1) | |
| | | 6513 ( 1) | |
| | | 4931 ( 1) | |
| | | 4011 ( 1) | |
| | | 3843 ( 1) | |
| | | 3728 ( 1) | |
| | | 3674 ( 1) | |
| | | 3469 ( 1) | |
| | | 3452 ( 1) | |
| | | 3361 ( 1) | |
| | | 3069 ( 1) | |
| | | 2621 ( 1) | |
| | | 2016 ( 1) | |
| 52 | LEAD, TOTAL | TOTAL | 22 |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 3996 ( 1) | |
| | | 3841 ( 1) | |
| | | 3714 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3671 ( 1) | |
| | | 3661 ( 1) | |
| | | 3651 ( 1) | |
| | | 3357 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3292 ( 1) | |
| | | 3264 ( 1) | |
| | | 2819 ( 1) | |
| | | 2647 ( 1) | |
| | | 2631 ( 1) | |
| | | 1031 ( 1) | |
| 62 | NICKEL, TOTAL | TOTAL | 22 |
| | | 4961 ( 1) | |
| | | 4952 ( 1) | |
| | | 4931 ( 1) | |
| | | 3914 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3691 ( 1) | |
| | | 3671 ( 1) | |
| | | 3661 ( 1) | |
| | | 3652 ( 1) | |
| | | 3634 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3463 ( 1) | |
| | | 3357 ( 1) | |
| | | 3341 ( 1) | |
| | | 3264 ( 1) | |
| | | 3069 ( 1) | |
| | | 2079 ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | 21 |
| | | 4952 ( 2) | |
| | | 4953 ( 1) | |
| | | 3996 ( 1) | |
| | | 3841 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3691 ( 1) | |
| | | 3672 ( 1) | |
| | | 3671 ( 1) | |
| | | 3651 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3351 ( 1) | |
| | | 3331 ( 1) | |
| | | 3292 ( 1) | |
| | | 3264 ( 1) | |
| | | 2647 ( 1) | |
| | | 1031 ( 1) | |
| 91 | ORGANIC CARBON, TOTAL | TOTAL | 20 |
| | | 2869 ( 3) | |
| | | 2911 ( 2) | |
| | | 2819 ( 2) | |
| | | 5161 ( 1) | |
| | | 4952 ( 1) | |
| | | 3511 ( 1) | |
| | | 3079 ( 1) | |
| | | 2992 ( 1) | |
| | | 2951 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.) (4-76)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2865 ( 1) | |
| | | 2851 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2262 ( 1) | |
| | | 2082 ( 1) | |
| 17 | CYANIDE, TOTAL | TOTAL | 16 |
| | | 4952 ( 1) | |
| | | 3914 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3694 ( 1) | |
| | | 3679 ( 1) | |
| | | 3672 ( 1) | |
| | | 3573 ( 1) | |
| | | 3511 ( 1) | |
| | | 3479 ( 1) | |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 3264 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 1031 ( 1) | |
| 23 | KJELDAHL NITROGEN | TOTAL | 13 |
| | | 2869 ( 2) | |
| | | 0259 ( 2) | |
| | | 4952 ( 1) | |
| | | 3674 ( 1) | |
| | | 3629 ( 1) | |
| | | 3111 ( 1) | |
| | | 2611 ( 1) | |
| | | 2295 ( 1) | |
| | | 2099 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 19 | DISSOLVED OXYGEN | TOTAL | 11 |
| | | 0259 ( 2) | |
| | | 4952 ( 1) | |
| | | 3674 ( 1) | |
| | | 3469 ( 1) | |
| | | 3331 ( 1) | |
| | | 2647 ( 1) | |
| | | 2084 ( 1) | |
| | | 2065 ( 1) | |
| | | 2047 ( 1) | |
| | | 2033 ( 1) | |
| 74 | SILVER, TOTAL | TOTAL | 11 |
| | | 4952 ( 1) | |
| | | 3861 ( 1) | |
| | | 3694 ( 1) | |
| | | 3652 ( 1) | |
| | | 3484 ( 1) | |
| | | 3351 ( 1) | |
| | | 3331 ( 1) | |
| | | 3264 ( 1) | |
| | | 2869 ( 1) | |
| | | 2731 ( 1) | |
| | | 2647 ( 1) | |
| 24 | ALUMINUM, TOTAL | TOTAL | 10 |
| | | 4953 ( 1) | |
| | | 3751 ( 1) | |
| | | 3679 ( 1) | |
| | | 3651 ( 1) | |
| | | 3629 ( 1) | |
| | | 3479 ( 1) | |
| | | 3463 ( 1) | |
| | | 3361 ( 1) | |
| | | 3353 ( 1) | |
| | | 2819 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 16 | COLOR | TOTAL | 9 |
| | | 4952 ( 1) | |
| | | 3341 ( 1) | |
| | | 3321 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2843 ( 1) | |
| | | 2231 ( 1) | |
| | | 2095 ( 1) | |
| | | 2061 ( 1) | |
| 20 | FLUORIDE | TOTAL | 9 |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3671 ( 1) | |
| | | 3484 ( 1) | |
| | | 3469 ( 1) | |
| | | 3334 ( 1) | |
| | | 3321 ( 1) | |
| | | 3264 ( 1) | |
| | | 2819 ( 1) | |
| 98 | PHOSPHORUS, TOTAL | TOTAL | 9 |
| | | 9711 ( 1) | |
| | | 4961 ( 1) | |
| | | 2891 ( 1) | |
| | | 2869 ( 1) | |
| | | 2647 ( 1) | |
| | | 2262 ( 1) | |
| | | 2084 ( 1) | |
| | | 2082 ( 1) | |
| | | 2065 ( 1) | |
| | CYANIDE, FREE | TOTAL | 9 |
| | | 3841 ( 1) | |
| | | 3679 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3674 ( 1) | |
| | | 3661 ( 1) | |
| | | 3651 ( 1) | |
| | | 3484 ( 1) | |
| | | 3479 ( 1) | |
| | | 3312 ( 1) | |
| | | 3264 ( 1) | |
| 58 | MERCURY, TOTAL | TOTAL | 8 |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 3996 ( 1) | |
| | | 3351 ( 1) | |
| | | 2869 ( 1) | |
| | | 2812 ( 1) | |
| | | 2647 ( 1) | |
| | | 1031 ( 1) | |
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | 8 |
| | | 4953 ( 1) | |
| | | 3691 ( 1) | |
| | | 3652 ( 1) | |
| | | 3313 ( 1) | |
| | | 2865 ( 1) | |
| | | 2647 ( 1) | |
| | | 2231 ( 1) | |
| | | 1476 ( 1) | |
| | PETROLEUM HYDROCARBONS | TOTAL | 8 |
| | | 5161 ( 1) | |
| | | 4931 ( 1) | |
| | | 3996 ( 1) | |
| | | 3652 ( 1) | |
| | | 2992 ( 1) | |
| | | 2951 ( 1) | |
| | | 2911 ( 1) | |
| | | 2819 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 113 | SURFACTANTS | TOTAL | 7 |
| | | 9711 ( 1) | |
| | | 3651 ( 1) | |
| | | 3353 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 6 |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 2869 ( 1) | |
| | | 2647 ( 1) | |
| 56 | MANGANESE, TOTAL | TOTAL | 6 |
| | | 3643 ( 1) | |
| | | 3573 ( 1) | |
| | | 3484 ( 1) | |
| | | 3264 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| 111 | SULFIDE | TOTAL | 6 |
| | | 2911 ( 2) | |
| | | 3672 ( 1) | |
| | | 3111 ( 1) | |
| | | 2262 ( 1) | |
| | | 2231 ( 1) | |
| 51 | IRON, DISSOLVED | TOTAL | 5 |
| | | 3661 ( 1) | |
| | | 3643 ( 1) | |
| | | 3621 ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3484 ( 1) | |
| | | 3312 ( 1) | |
| | CHLORINE, FREE AVAILABLE | TOTAL | 5 |
| | | 4911 ( 3) | |
| | | 4952 ( 1) | |
| | | 4931 ( 1) | |
| | POLYCHLORINATED BIPHENYLS | TOTAL | 5 |
| | | 4953 ( 1) | |
| | | 3674 ( 1) | |
| | | 3629 ( 1) | |
| | | 3573 ( 1) | |
| | | 2653 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 4 |
| | | 4952 ( 1) | |
| | | 3469 ( 1) | |
| | | 3351 ( 1) | |
| | | 2647 ( 1) | |
| 115 | TURBIDITY | TOTAL | 4 |
| | | 3331 ( 1) | |
| | | 2647 ( 1) | |
| | | 2077 ( 1) | |
| | | 2061 ( 1) | |
| 53 | LEAD, DISSOLVED | TOTAL | 3 |
| | | 3914 ( 1) | |
| | | 3661 ( 1) | |
| | | 3321 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 3 |
| | | 9711 ( 1) | |
| | | 2892 ( 1) | |
| | | 2819 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 110 | SULFATE | TOTAL | 3 |
| | | 3316 ( 1) | |
| | | 2891 ( 1) | |
| | | 2819 ( 1) | |
| | BOD ULTIMATE | TOTAL | 3 |
| | | 2611 ( 1) | |
| | | 2082 ( 1) | |
| | | 0259 ( 1) | |
| | CHLORINATED HYDROCARBONS | TOTAL | 3 |
| | | 5161 ( 1) | |
| | | 4952 ( 1) | |
| | | 2869 ( 1) | |
| | COPPER, SOLUBLE | TOTAL | 3 |
| | | 3661 ( 1) | |
| | | 3651 ( 1) | |
| | | 3643 ( 1) | |
| | PHOSPHATE, TOTAL AS PO4 | TOTAL | 3 |
| | | 2731 ( 1) | |
| | | 2047 ( 1) | |
| | | 2033 ( 1) | |
| | TRICHLORETHANE | TOTAL | 3 |
| | | 3861 ( 1) | |
| | | 3662 ( 1) | |
| | | 3353 ( 1) | |
| 13 | CHLORIDE | TOTAL | 2 |
| | | 3316 ( 1) | |
| | | 1476 ( 1) | |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| 71 | SELENIUM, TOTAL | TOTAL | | 2 |
| | | 3351 | ( 1) | |
| | | 2647 | ( 1) | |
| 80 | TIN, TOTAL | TOTAL | | 2 |
| | | 3694 | ( 1) | |
| | | 3463 | ( 1) | |
| 87 | ZINC, DISSOLVED | TOTAL | | 2 |
| | | 3643 | ( 1) | |
| | | 3321 | ( 1) | |
| 95 | PESTICIDES | TOTAL | | 2 |
| | | 2869 | ( 1) | |
| | | 2819 | ( 1) | |
| | NICKEL, SOLUBLE | TOTAL | | 2 |
| | | 3661 | ( 1) | |
| | | 3479 | ( 1) | |
| | NITROGEN, TOTAL | TOTAL | | 2 |
| | | 4952 | ( 1) | |
| | | 2065 | ( 1) | |
| | VELOCITY | TOTAL | | 2 |
| | | 4911 | ( 2) | |
| | 96 HOUR BIOASSAY | TOTAL | | 2 |
| | | 4952 | ( 1) | |
| | | 2869 | ( 1) | |
| 11 | BROMIDE | TOTAL | | 1 |
| | | 2819 | ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 14 | CHLORINATED ORGANIC COMPOUNDS EXCEPT PESTICIDES | TOTAL | 1 |
| | | 2865 ( 1) | |
| 25 | ALUMINUM, DISSOLVED | TOTAL | 1 |
| | | 3479 ( 1) | |
| 31 | BARIUM, DISSOLVED | TOTAL | 1 |
| | | 4953 ( 1) | |
| 32 | BERYLLIUM, TOTAL | TOTAL | 1 |
| | | 4953 ( 1) | |
| 47 | COPPER, DISSOLVED | TOTAL | 1 |
| | | 3321 ( 1) | |
| 54 | MAGNESIUM, TOTAL | TOTAL | 1 |
| | | 3361 ( 1) | |
| 57 | MANGANESE, DISSOLVED | TOTAL | 1 |
| | | 3643 ( 1) | |
| 60 | MOLYBDENUM, TOTAL | TOTAL | 1 |
| | | 4953 ( 1) | |
| 75 | SILVER, DISSOLVED | TOTAL | 1 |
| | | 3914 ( 1) | |
| 82 | TITANIUM, TOTAL | TOTAL | 1 |
| | | 4953 ( 1) | |

(continued)

Table 5. (continued)

| Region II Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 108 | TOTAL VOLATILE | TOTAL | 1 |
| | | 3111 ( 1) | |
| 112 | SULFITE | TOTAL | 1 |
| | | 2731 ( 1) | |
| | ABATE | TOTAL | 1 |
| | | 2869 ( 1) | |
| | ALGICIDES | TOTAL | 1 |
| | | 2833 ( 1) | |
| | BOD 20 | TOTAL | 1 |
| | | 3679 ( 1) | |
| | CARB OXYGEN DEMAND | TOTAL | 1 |
| | | 3111 ( 1) | |
| | CARBOFURAN | TOTAL | 1 |
| | | 3361 ( 1) | |
| | CARBON TETRACHLORIDE | TOTAL | 1 |
| | | 2819 ( 1) | |
| | CHLORAL | TOTAL | 1 |
| | | 2819 ( 1) | |
| | CHLOROFORM | TOTAL | 1 |
| | | 3861 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| COUNTER | TOTAL | 1 |
| | 2869 ( 1) | |
| CYANATE | TOTAL | 1 |
| | 2869 ( 1) | |
| CYGON | TOTAL | 1 |
| | 2869 ( 1) | |
| CYTROLANE | TOTAL | 1 |
| | 2869 ( 1) | |
| DIETHYLHEXYL PHTHALATE | TOTAL | 1 |
| | 3629 ( 1) | |
| DITHIOCARBAMATES, TOTAL | TOTAL | 1 |
| | 3361 ( 1) | |
| FERRO CYANIDE | TOTAL | 1 |
| | 3679 ( 1) | |
| FLUORIDES, FREE OXIDIZABLE | TOTAL | 1 |
| | 3674 ( 1) | |
| HEAT | TOTAL | 1 |
| | 3511 ( 1) | |
| MALATHION | TOTAL | 1 |
| | 2869 ( 1) | |

(continued)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| METHYLENE CHLORIDE | TOTAL | 1 |
| | 3662 ( 1) | |
| ODOR | TOTAL | 1 |
| | 3321 ( 1) | |
| ORGANIC COMPOUNDS | TOTAL | 1 |
| | 2865 ( 1) | |
| PHOSPHATE , TOTAL AS P | TOTAL | 1 |
| | 3751 ( 1) | |
| STYRENE | TOTAL | 1 |
| | 5161 ( 1) | |
| TRICHLOROETHYLENE | TOTAL | 1 |
| | 3861 ( 1) | |
| TRICHLOROBENZENE | TOTAL | 1 |
| | 3629 ( 1) | |
| TRIMET | TOTAL | 1 |
| | 2869 ( 1) | |
| URANIUM-235, TOTAL | TOTAL | 1 |
| | 3671 ( 1) | |
| VINYL ACETATE | TOTAL | 1 |
| | 5161 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region II<br>Test Parameter<br>No. Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|
| VINYL CHLORIDE | TOTAL | 1 |
| | 2821 ( 1) | |
| WARBEX | TOTAL | 1 |
| | 2869 ( 1) | |
| 24 HOUR BIOASSAY | TOTAL | 1 |
| | 2865 ( 1) | |

TOTAL 1530

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | REGION 3 | |
| 22 | PH | TOTAL | 124 |
| | | 4911 ( 8) | |
| | | 3312 ( 4) | |
| | | 9711 ( 3) | |
| | | 4952 ( 2) | |
| | | 3479 ( 2) | |
| | | 2911 ( 2) | |
| | | 2816 ( 2) | |
| | | 9661 ( 1) | |
| | | 9199 ( 1) | |
| | | 8911 ( 1) | |
| | | 7391 ( 1) | |
| | | 5191 ( 1) | |
| | | 5171 ( 1) | |
| | | 5147 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4925 ( 1) | |
| | | 4213 ( 1) | |
| | | 4011 ( 1) | |
| | | 3964 ( 1) | |
| | | 3743 ( 1) | |
| | | 3731 ( 1) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3643 ( 1) | |
| | | 3631 ( 1) | |
| | | 3574 ( 1) | |
| | | 3499 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3443 ( 1) | |
| | | 3431 ( 1) | |
| | | 3399 ( 1) | |
| | | 3362 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3333 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3292 ( 1) | |
| | | 3264 ( 1) | |
| | | 3262 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3131 ( 1) | |
| | | 3111 ( 1) | |
| | | 3079 ( 1) | |
| | | 3011 ( 1) | |
| | | 2951 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2824 ( 1) | |
| | | 2823 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2812 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2643 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2241 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2131 ( 1) | |
| | | 2099 ( 1) | |
| | | 2091 ( 1) | |
| | | 2077 ( 1) | |
| | | 2075 ( 1) | |
| | | 2065 ( 1) | |
| | | 2062 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |
| | | 2016 ( 1) | |
| | | 2011 ( 1) | |
| | | 1442 ( 1) | |
| | | 1321 ( 1) | |
| | | 1211 ( 1) | |
| | | 1031 ( 1) | |
| | | 0259 ( 1) | |
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 122 |
| | | 4911 ( 8) | |
| | | 3312 ( 4) | |
| | | 4952 ( 3) | |
| | | 9711 ( 2) | |
| | | 3479 ( 2) | |
| | | 2816 ( 2) | |
| | | 9661 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 9199 ( 1) | |
| | | 8911 ( 1) | |
| | | 8211 ( 1) | |
| | | 7391 ( 1) | |
| | | 5191 ( 1) | |
| | | 5147 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4931 ( 1) | |
| | | 4925 ( 1) | |
| | | 4213 ( 1) | |
| | | 4011 ( 1) | |
| | | 3964 ( 1) | |
| | | 3743 ( 1) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3643 ( 1) | |
| | | 3631 ( 1) | |
| | | 3574 ( 1) | |
| | | 3499 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 3443 ( 1) | |
| | | 3431 ( 1) | |
| | | 3399 ( 1) | |
| | | 3362 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3333 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3292 ( 1) | |
| | | 3264 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3262 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3131 ( 1) | |
| | | 3111 ( 1) | |
| | | 3079 ( 1) | |
| | | 3011 ( 1) | |
| | | 2951 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2824 ( 1) | |
| | | 2823 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2812 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2643 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2241 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2131 ( 1) | |
| | | 2099 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 2091 ( 1) | |
| | 2077 ( 1) | |
| | 2075 ( 1) | |
| | 2065 ( 1) | |
| | 2062 ( 1) | |
| | 2038 ( 1) | |
| | 2037 ( 1) | |
| | 2035 ( 1) | |
| | 2033 ( 1) | |
| | 2016 ( 1) | |
| | 2011 ( 1) | |
| | 1442 ( 1) | |
| | 1321 ( 1) | |
| | 1211 ( 1) | |
| | 1031 ( 1) | |
| | 0259 ( 1) | |
| FLOW | TOTAL | 120 |
| | 4911 ( 8) | |
| | 3312 ( 4) | |
| | 9711 ( 2) | |
| | 4952 ( 2) | |
| | 2816 ( 2) | |
| | 9661 ( 1) | |
| | 8911 ( 1) | |
| | 8211 ( 1) | |
| | 7391 ( 1) | |
| | 5191 ( 1) | |
| | 5171 ( 1) | |
| | 5147 ( 1) | |
| | 4961 ( 1) | |
| | 4953 ( 1) | |
| | 4941 ( 1) | |
| | 4925 ( 1) | |
| | 4213 ( 1) | |
| | 4011 ( 1) | |
| | 3964 ( 1) | |
| | 3743 ( 1) | |
| | 3731 ( 1) | |
| | 3721 ( 1) | |
| | 3714 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3643 ( 1) | |
| | | 3631 ( 1) | |
| | | 3574 ( 1) | |
| | | 3499 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3443 ( 1) | |
| | | 3431 ( 1) | |
| | | 3399 ( 1) | |
| | | 3362 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3333 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3292 ( 1) | |
| | | 3264 ( 1) | |
| | | 3262 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3131 ( 1) | |
| | | 3111 ( 1) | |
| | | 3079 ( 1) | |
| | | 3011 ( 1) | |
| | | 2951 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 2861 ( 1) | |
| | 2841 ( 1) | |
| | 2834 ( 1) | |
| | 2833 ( 1) | |
| | 2824 ( 1) | |
| | 2823 ( 1) | |
| | 2821 ( 1) | |
| | 2819 ( 1) | |
| | 2812 ( 1) | |
| | 2661 ( 1) | |
| | 2647 ( 1) | |
| | 2643 ( 1) | |
| | 2631 ( 1) | |
| | 2621 ( 1) | |
| | 2611 ( 1) | |
| | 2499 ( 1) | |
| | 2282 ( 1) | |
| | 2281 ( 1) | |
| | 2272 ( 1) | |
| | 2269 ( 1) | |
| | 2262 ( 1) | |
| | 2258 ( 1) | |
| | 2241 ( 1) | |
| | 2231 ( 1) | |
| | 2221 ( 1) | |
| | 2131 ( 1) | |
| | 2099 ( 1) | |
| | 2091 ( 1) | |
| | 2077 ( 1) | |
| | 2075 ( 1) | |
| | 2065 ( 1) | |
| | 2062 ( 1) | |
| | 2038 ( 1) | |
| | 2037 ( 1) | |
| | 2035 ( 1) | |
| | 2033 ( 1) | |
| | 2016 ( 1) | |
| | 2011 ( 1) | |
| | 1442 ( 1) | |
| | 1321 ( 1) | |
| | 1031 ( 1) | |
| | 0259 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 10 | BOD5 | TOTAL | 78 |
| | | 4952 ( 3) | |
| | | 4911 ( 3) | |
| | | 9711 ( 2) | |
| | | 3312 ( 2) | |
| | | 9661 ( 1) | |
| | | 9199 ( 1) | |
| | | 8911 ( 1) | |
| | | 8211 ( 1) | |
| | | 7391 ( 1) | |
| | | 5191 ( 1) | |
| | | 5147 ( 1) | |
| | | 4925 ( 1) | |
| | | 4213 ( 1) | |
| | | 3721 ( 1) | |
| | | 3674 ( 1) | |
| | | 3499 ( 1) | |
| | | 3483 ( 1) | |
| | | 3443 ( 1) | |
| | | 3431 ( 1) | |
| | | 3399 ( 1) | |
| | | 3353 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3264 ( 1) | |
| | | 3131 ( 1) | |
| | | 3111 ( 1) | |
| | | 3079 ( 1) | |
| | | 2951 ( 1) | |
| | | 2911 ( 1) | |
| | | 2892 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2824 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2823 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2643 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2499 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2241 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2131 ( 1) | |
| | | 2099 ( 1) | |
| | | 2091 ( 1) | |
| | | 2077 ( 1) | |
| | | 2075 ( 1) | |
| | | 2062 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |
| | | 2016 ( 1) | |
| | | 2011 ( 1) | |
| | | 1321 ( 1) | |
| | | 1031 ( 1) | |
| | | 0259 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 69 |
| | | 4911 ( 8) | |
| | | 3312 ( 4) | |
| | | 3479 ( 2) | |
| | | 2873 ( 2) | |
| | | 9711 ( 1) | |
| | | 8911 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 7391 ( 1) | |
| | | 5191 ( 1) | |
| | | 5171 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4925 ( 1) | |
| | | 4011 ( 1) | |
| | | 3743 ( 1) | |
| | | 3672 ( 1) | |
| | | 3574 ( 1) | |
| | | 3499 ( 1) | |
| | | 3471 ( 1) | |
| | | 3443 ( 1) | |
| | | 3431 ( 1) | |
| | | 3399 ( 1) | |
| | | 3362 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3333 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3264 ( 1) | |
| | | 3262 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3131 ( 1) | |
| | | 3111 ( 1) | |
| | | 3011 ( 1) | |
| | | 2951 ( 1) | |
| | | 2911 ( 1) | |
| | | 2892 ( 1) | |
| | | 2841 ( 1) | |
| | | 2833 ( 1) | |
| | | 2812 ( 1) | |
| | | 2643 ( 1) | |
| | | 2499 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| | | 2241 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|
| | 2221 ( 1) | |
| | 2099 ( 1) | |
| | 2077 ( 1) | |
| | 2075 ( 1) | |
| | 2065 ( 1) | |
| | 2038 ( 1) | |
| | 2033 ( 1) | |
| | 2016 ( 1) | |
| | 2011 ( 1) | |
| 114 TEMPERATURE | TOTAL | 65 |
| | 4911 ( 8) | |
| | 3312 ( 3) | |
| | 2816 ( 2) | |
| | 8911 ( 1) | |
| | 4961 ( 1) | |
| | 4931 ( 1) | |
| | 3743 ( 1) | |
| | 3731 ( 1) | |
| | 3721 ( 1) | |
| | 3714 ( 1) | |
| | 3674 ( 1) | |
| | 3661 ( 1) | |
| | 3643 ( 1) | |
| | 3574 ( 1) | |
| | 3483 ( 1) | |
| | 3431 ( 1) | |
| | 3399 ( 1) | |
| | 3362 ( 1) | |
| | 3353 ( 1) | |
| | 3351 ( 1) | |
| | 3339 ( 1) | |
| | 3333 ( 1) | |
| | 3321 ( 1) | |
| | 3313 ( 1) | |
| | 3292 ( 1) | |
| | 3264 ( 1) | |
| | 3262 ( 1) | |
| | 3229 ( 1) | |
| | 3211 ( 1) | |
| | 3079 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3011 ( 1) | |
| | | 2911 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2824 ( 1) | |
| | | 2823 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2812 ( 1) | |
| | | 2647 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2282 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2091 ( 1) | |
| | | 2075 ( 1) | |
| | | 2065 ( 1) | |
| | | 2062 ( 1) | |
| | | 2035 ( 1) | |
| | | 1321 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 43 |
| | | 4952 ( 2) | |
| | | 4911 ( 2) | |
| | | 9711 ( 1) | |
| | | 9661 ( 1) | |
| | | 9199 ( 1) | |
| | | 8211 ( 1) | |
| | | 5191 ( 1) | |
| | | 5147 ( 1) | |
| | | 3721 ( 1) | |
| | | 3483 ( 1) | |
| | | 3443 ( 1) | |
| | | 3431 ( 1) | |
| | | 3399 ( 1) | |
| | | 3353 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3334 ( 1) | |
| | | 3331 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3131 ( 1) | |
| | | 3111 ( 1) | |
| | | 2892 ( 1) | |
| | | 2873 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2823 ( 1) | |
| | | 2661 ( 1) | |
| | | 2647 ( 1) | |
| | | 2281 ( 1) | |
| | | 2269 ( 1) | |
| | | 2241 ( 1) | |
| | | 2099 ( 1) | |
| | | 2091 ( 1) | |
| | | 2075 ( 1) | |
| | | 2038 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |
| | | 2016 ( 1) | |
| | | 2011 ( 1) | |
| | | 1031 ( 1) | |
| | | 0259 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 34 |
| | | 3479 ( 2) | |
| | | 7391 ( 1) | |
| | | 4213 ( 1) | |
| | | 3743 ( 1) | |
| | | 3721 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3643 ( 1) | |
| | | 3631 ( 1) | |
| | | 3574 ( 1) | |
| | | 3471 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region III<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3443 ( 1) | |
| | | 3362 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3264 ( 1) | |
| | | 3211 ( 1) | |
| | | 3131 ( 1) | |
| | | 3111 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2833 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2241 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | 29 |
| | | 4911 ( 8) | |
| | | 3479 ( 2) | |
| | | 7391 ( 1) | |
| | | 4961 ( 1) | |
| | | 3743 ( 1) | |
| | | 3714 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3661 ( 1) | |
| | | 3574 ( 1) | |
| | | 3471 ( 1) | |
| | | 3443 ( 1) | |
| | | 3362 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 2873 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
3/8
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2865 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| | | 2221 ( 1) | |
| 50 | IRON, TOTAL | TOTAL | 29 |
| | | 4911 ( 8) | |
| | | 3479 ( 2) | |
| | | 8911 ( 1) | |
| | | 7391 ( 1) | |
| | | 4961 ( 1) | |
| | | 3743 ( 1) | |
| | | 3643 ( 1) | |
| | | 3631 ( 1) | |
| | | 3574 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3333 ( 1) | |
| | | 3313 ( 1) | |
| | | 3292 ( 1) | |
| | | 3229 ( 1) | |
| | | 2865 ( 1) | |
| | | 2833 ( 1) | |
| | | 2816 ( 1) | |
| | | 2258 ( 1) | |
| | | 1211 ( 1) | |
| | | 1031 ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | 28 |
| | | 4911 ( 2) | |
| | | 8911 ( 1) | |
| | | 7391 ( 1) | |
| | | 3964 ( 1) | |
| | | 3691 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3631 ( 1) | |
| | | 3574 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region III<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3333 ( 1) | |
| | | 3331 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 2865 ( 1) | |
| | | 2833 ( 1) | |
| | | 2823 ( 1) | |
| | | 2819 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| | | 2221 ( 1) | |
| | | 1031 ( 1) | |
| 3 | AMMONIA AS N | TOTAL | 23 |
| | | 5191 ( 1) | |
| | | 5147 ( 1) | |
| | | 3674 ( 1) | |
| | | 3661 ( 1) | |
| | | 3339 ( 1) | |
| | | 3131 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2873 ( 1) | |
| | | 2861 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| | | 2221 ( 1) | |
| | | 2075 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2016 ( 1) | |
| | | 1031 ( 1) | |
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 23 |
| | | 4911 ( 3) | |
| | | 9711 ( 2) | |
| | | 4952 ( 2) | |
| | | 9661 ( 1) | |
| | | 8211 ( 1) | |
| | | 7391 ( 1) | |
| | | 3721 ( 1) | |
| | | 3471 ( 1) | |
| | | 3443 ( 1) | |
| | | 3331 ( 1) | |
| | | 2834 ( 1) | |
| | | 2269 ( 1) | |
| | | 2131 ( 1) | |
| | | 2091 ( 1) | |
| | | 2075 ( 1) | |
| | | 2038 ( 1) | |
| | | 2035 ( 1) | |
| | | 2016 ( 1) | |
| | | 2011 ( 1) | |
| 40 | CHROMIUM VI | TOTAL | 20 |
| | | 4931 ( 1) | |
| | | 3743 ( 1) | |
| | | 3721 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3643 ( 1) | |
| | | 3631 ( 1) | |
| | | 3574 ( 1) | |
| | | 3499 ( 1) | |
| | | 3471 ( 1) | |
| | | 3362 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3313 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3262 ( 1) | |
| | | 3131 ( 1) | |
| | | 2861 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| 12 | COD | TOTAL | 19 |
| | | 4213 ( 1) | |
| | | 3483 ( 1) | |
| | | 3353 ( 1) | |
| | | 2892 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2833 ( 1) | |
| | | 2824 ( 1) | |
| | | 2823 ( 1) | |
| | | 2821 ( 1) | |
| | | 2816 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| | | 2241 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| 96 | PHENOLS | TOTAL | 17 |
| | | 4213 ( 1) | |
| | | 3574 ( 1) | |
| | | 3221 ( 1) | |
| | | 3079 ( 1) | |
| | | 2911 ( 1) | |
| | | 2879 ( 1) | |
| | | 2833 ( 1) | |
| | | 2824 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2241 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| 52 | LEAD, TOTAL | TOTAL | 16 |
| | | 4911 ( 2) | |
| | | 7391 ( 1) | |
| | | 3714 ( 1) | |
| | | 3691 ( 1) | |
| | | 3499 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3333 ( 1) | |
| | | 3313 ( 1) | |
| | | 3262 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 2865 ( 1) | |
| | | 2499 ( 1) | |
| | | 1031 ( 1) | |
| 17 | CYANIDE, TOTAL | TOTAL | 14 |
| | | 3479 ( 2) | |
| | | 7391 ( 1) | |
| | | 4213 ( 1) | |
| | | 3743 ( 1) | |
| | | 3714 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3574 ( 1) | |
| | | 3471 ( 1) | |
| | | 3362 ( 1) | |
| | | 3353 ( 1) | |
| | | 3351 ( 1) | |
| | | 3333 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region III<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| 24 ALUMINUM, TOTAL | TOTAL | 14 |
| | 4941 ( 1) | |
| | 4931 ( 1) | |
| | 3714 ( 1) | |
| | 3631 ( 1) | |
| | 3483 ( 1) | |
| | 3339 ( 1) | |
| | 3333 ( 1) | |
| | 3313 ( 1) | |
| | 3079 ( 1) | |
| | 2879 ( 1) | |
| | 2873 ( 1) | |
| | 2262 ( 1) | |
| | 2258 ( 1) | |
| | 2231 ( 1) | |
| 62 NICKEL, TOTAL | TOTAL | 14 |
| | 4911 ( 2) | |
| | 3714 ( 1) | |
| | 3691 ( 1) | |
| | 3661 ( 1) | |
| | 3643 ( 1) | |
| | 3631 ( 1) | |
| | 3574 ( 1) | |
| | 3471 ( 1) | |
| | 3351 ( 1) | |
| | 3341 ( 1) | |
| | 3313 ( 1) | |
| | 2869 ( 1) | |
| | 2258 ( 1) | |
| 98 PHOSPHORUS, TOTAL | TOTAL | 14 |
| | 9199 ( 1) | |
| | 7391 ( 1) | |
| | 4961 ( 1) | |
| | 4952 ( 1) | |
| | 4911 ( 1) | |
| | 3331 ( 1) | |

(continued)

BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
BEGIN LAST LINE OF TEXT

PAGE NUMBER
EPA-287 (Cin.)
(4-79)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2631 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| | | 2038 ( 1) | |
| | | 2035 ( 1) | |
| | | 2016 ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | 11 |
| | | 9711 ( 2) | |
| | | 9199 ( 1) | |
| | | 4952 ( 1) | |
| | | 4911 ( 1) | |
| | | 3674 ( 1) | |
| | | 3631 ( 1) | |
| | | 2258 ( 1) | |
| | | 2038 ( 1) | |
| | | 2037 ( 1) | |
| | | 2033 ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | 11 |
| | | 3479 ( 2) | |
| | | 7391 ( 1) | |
| | | 3743 ( 1) | |
| | | 3443 ( 1) | |
| | | 3362 ( 1) | |
| | | 3333 ( 1) | |
| | | 3313 ( 1) | |
| | | 3262 ( 1) | |
| | | 2865 ( 1) | |
| | | 1031 ( 1) | |
| 6 | COLIFORM, TOTAL | TOTAL | 9 |
| | | 9711 ( 1) | |
| | | 8211 ( 1) | |
| | | 4911 ( 1) | |
| | | 2834 ( 1) | |
| | | 2258 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No.* | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| | | 2091 ( 1) | |
| | | 2075 ( 1) | |
| | | 2035 ( 1) | |
| | | 2016 ( 1) | |
| 20 | FLUORIDE | TOTAL | 9 |
| | | 7391 ( 1) | |
| | | 3714 ( 1) | |
| | | 3674 ( 1) | |
| | | 3672 ( 1) | |
| | | 3661 ( 1) | |
| | | 3443 ( 1) | |
| | | 3353 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| 111 | SULFIDE | TOTAL | 9 |
| | | 2911 ( 1) | |
| | | 2833 ( 1) | |
| | | 2812 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| 16 | COLOR | TOTAL | 8 |
| | | 3479 ( 2) | |
| | | 2861 ( 1) | |
| | | 2812 ( 1) | |
| | | 2269 ( 1) | |
| | | 2258 ( 1) | |
| | | 2221 ( 1) | |
| | | 2131 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| 58 | MERCURY, TOTAL | TOTAL | 8 |
| | | 4911 ( 2) | |
| | | 7391 ( 1) | |
| | | 3471 ( 1) | |
| | | 3313 ( 1) | |
| | | 3262 ( 1) | |
| | | 2861 ( 1) | |
| | | 2821 ( 1) | |
| | CHLORINE, FREE AVAILABLE | TOTAL | 8 |
| | | 4911 ( 5) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3674 ( 1) | |
| 23 | KJELDAHL NITROGEN | TOTAL | 6 |
| | | 4213 ( 1) | |
| | | 2873 ( 1) | |
| | | 2823 ( 1) | |
| | | 2282 ( 1) | |
| | | 2269 ( 1) | |
| | | 2038 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 6 |
| | | 4911 ( 2) | |
| | | 3691 ( 1) | |
| | | 3331 ( 1) | |
| | | 3313 ( 1) | |
| | | 3262 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 5 |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 3339 ( 1) | |
| | | 2892 ( 1) | |
| | | 2038 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | 5 |
| | | 4953 ( 1) | |
| | | 3691 ( 1) | |
| | | 2873 ( 1) | |
| | | 2833 ( 1) | |
| | | 2258 ( 1) | |
| | NO DISCHARGE | TOTAL | 5 |
| | | 9711 ( 1) | |
| | | 8911 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3262 ( 1) | |
| 56 | MANGANESE, TOTAL | TOTAL | 4 |
| | | 3339 ( 1) | |
| | | 3333 ( 1) | |
| | | 3313 ( 1) | |
| | | 2499 ( 1) | |
| 110 | SULFATE | TOTAL | 4 |
| | | 3483 ( 1) | |
| | | 3339 ( 1) | |
| | | 3079 ( 1) | |
| | | 2834 ( 1) | |
| 13 | CHLORIDE | TOTAL | 3 |
| | | 3471 ( 1) | |
| | | 2873 ( 1) | |
| | | 2823 ( 1) | |
| 18 | CYANIDE AMENDABLE TO CHLORINATION | TOTAL | 3 |
| | | 3743 ( 1) | |
| | | 3661 ( 1) | |
| | | 3574 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| 26 | ANTIMONY, TOTAL | TOTAL | 3 |
| | | 3691 ( 1) | |
| | | 3313 ( 1) | |
| | | 2873 ( 1) | |
| 51 | IRON, DISSOLVED | TOTAL | 3 |
| | | 5191 ( 1) | |
| | | 4931 ( 1) | |
| | | 1211 ( 1) | |
| 74 | SILVER, TOTAL | TOTAL | 3 |
| | | 7391 ( 1) | |
| | | 3574 ( 1) | |
| | | 3262 ( 1) | |
| 91 | ORGANIC CARBON, TOTAL | TOTAL | 3 |
| | | 2911 ( 1) | |
| | | 2873 ( 1) | |
| | | 2065 ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | 3 |
| | | 3674 ( 1) | |
| | | 3339 ( 1) | |
| | | 2911 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 2 |
| | | 3313 ( 1) | |
| | | 3262 ( 1) | |
| 71 | SELENIUM, TOTAL | TOTAL | 2 |
| | | 3331 ( 1) | |
| | | 3262 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| 104 | TOTAL RESIDUE | TOTAL | | 2 |
| | | | 3353 ( 1) | |
| | | | 3313 ( 1) | |
| 113 | SURFACTANTS | TOTAL | | 2 |
| | | | 2834 ( 1) | |
| | | | 2075 ( 1) | |
| | BIOASSAY | TOTAL | | 2 |
| | | | 2911 ( 1) | |
| | | | 2865 ( 1) | |
| | HEAT | TOTAL | | 2 |
| | | | 4911 ( 2) | |
| | NITROGEN, TOTAL | TOTAL | | 2 |
| | | | 9199 ( 1) | |
| | | | 7391 ( 1) | |
| | PHOSPHATE, TOTAL AS P | TOTAL | | 2 |
| | | | 3574 ( 1) | |
| | | | 2033 ( 1) | |
| | POLYCHLORINATED BIPHENYLS | TOTAL | | 2 |
| | | | 3743 ( 1) | |
| | | | 3661 ( 1) | |
| 2 | ALKALINITY AS CACO3 | TOTAL | | 1 |
| | | | 1211 ( 1) | |
| 25 | ALUMINUM, DISSOLVED | TOTAL | | 1 |
| | | | 7391 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 32 | BERYLLIUM, TOTAL | TOTAL | 1 |
| | | 3339 ( 1) | |
| 47 | COPPER, DISSOLVED | TOTAL | 1 |
| | | 3362 ( 1) | |
| 80 | TIN, TOTAL | TOTAL | 1 |
| | | 3471 ( 1) | |
| 87 | ZINC, DISSOLVED | TOTAL | 1 |
| | | 3672 ( 1) | |
| 89 | NITRITE AS N | TOTAL | 1 |
| | | 3483 ( 1) | |
| 93 | ORTHOPHOSPHATE | TOTAL | 1 |
| | | 4911 ( 1) | |
| 99 | ALPHA, TOTAL | TOTAL | 1 |
| | | 3443 ( 1) | |
| 100 | ALPHA, COUNTING ERROR | TOTAL | 1 |
| | | 3443 ( 1) | |
| 102 | BETA, COUNTING ERROR | TOTAL | 1 |
| | | 3443 ( 1) | |
| 112 | SULFITE | TOTAL | 1 |
| | | 2819 ( 1) | |

(continued)

Table 5. (continued)

| Region III Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 115 | TURBIDITY | TOTAL | 1 |
| | | 2258 ( 1) | |
| | ASBESTOS | TOTAL | 1 |
| | | 3292 ( 1) | |
| | BENZENE | TOTAL | 1 |
| | | 2865 ( 1) | |
| | BOD 20 | TOTAL | 1 |
| | | 3292 ( 1) | |
| | BOD, TOTAL | TOTAL | 1 |
| | | 3131 ( 1) | |
| | CHROMIUM, TRIVALENT | TOTAL | 1 |
| | | 3362 ( 1) | |
| | CYANIDE, FREE | TOTAL | 1 |
| | | 3743 ( 1) | |
| | DETERGENT | TOTAL | 1 |
| | | 4213 ( 1) | |
| | FOAM | TOTAL | 1 |
| | | 2258 ( 1) | |
| | FSOD | TOTAL | 1 |
| | | 2865 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| GAMMA, COUNTING | TOTAL | 1 |
| | 3443 ( 1) | |
| MONOCHLOROBENZENE | TOTAL | 1 |
| | 2865 ( 1) | |
| NITROGLYCERIN AND ETHYLENE GLYCOL DINITRATE | TOTAL | 1 |
| | 2892 ( 1) | |
| PHOSPHATE, TOTAL AS PO4 | TOTAL | 1 |
| | 2221 ( 1) | |
| PHOSPHATE, TOTAL SOLUBLE | TOTAL | 1 |
| | 5191 ( 1) | |
| SALINITY | TOTAL | 1 |
| | 4911 ( 1) | |
| THRESHOLD ODOR NUMBER | TOTAL | 1 |
| | 2823 ( 1) | |
| TNT AND NITROBODIES | TOTAL | 1 |
| | 3483 ( 1) | |
| TOTAL RADIOEFFLUENTS | TOTAL | 1 |
| | 4911 ( 1) | |
| TOXICITY | TOTAL | 1 |
| | 2833 ( 1) | |

(continued)

Table 5. (continued)

| Region III<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| TRITIUM | TOTAL | 1 |
| | 4911 ( 1) | |
| ULTIMATE OXYGEN DEMAND | TOTAL | 1 |
| | 5147 ( 1) | |
| URANIUM, TOTAL | TOTAL | 1 |
| | 3443 ( 1) | |

TOTAL 1097

(continued)

Table 5. (continued)

| Region IV Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | REGION 4 | |
| FLOW | TOTAL | 249 |
| | 4911 ( 11) | |
| | 4952 ( 5) | |
| | 1211 ( 5) | |
| | 1475 ( 4) | |
| | 2869 ( 3) | |
| | 2819 ( 3) | |
| | 2631 ( 3) | |
| | 3631 ( 2) | |
| | 3471 ( 2) | |
| | 3355 ( 2) | |
| | 3334 ( 2) | |
| | 3295 ( 2) | |
| | 2824 ( 2) | |
| | 2821 ( 2) | |
| | 2621 ( 2) | |
| | 2611 ( 2) | |
| | 2261 ( 2) | |
| | 2211 ( 2) | |
| | 2033 ( 2) | |
| | 2016 ( 2) | |
| | 2011 ( 2) | |
| | 1422 ( 2) | |
| | 9711 ( 1) | |
| | 9611 ( 1) | |
| | 9223 ( 1) | |
| | 8361 ( 1) | |
| | 8221 ( 1) | |
| | 8062 ( 1) | |
| | 7999 ( 1) | |
| | 7629 ( 1) | |
| | 7011 ( 1) | |
| | 6552 ( 1) | |
| | 6515 ( 1) | |
| | 6514 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 6513 ( 1) | |
| | 5311 ( 1) | |
| | 5153 ( 1) | |
| | 5148 ( 1) | |
| | 4961 ( 1) | |
| | 4953 ( 1) | |
| | 4941 ( 1) | |
| | 4939 ( 1) | |
| | 4931 ( 1) | |
| | 4463 ( 1) | |
| | 4213 ( 1) | |
| | 4013 ( 1) | |
| | 4011 ( 1) | |
| | 3963 ( 1) | |
| | 3861 ( 1) | |
| | 3842 ( 1) | |
| | 3751 ( 1) | |
| | 3743 ( 1) | |
| | 3721 ( 1) | |
| | 3714 ( 1) | |
| | 3694 ( 1) | |
| | 3692 ( 1) | |
| | 3691 ( 1) | |
| | 3679 ( 1) | |
| | 3675 ( 1) | |
| | 3651 ( 1) | |
| | 3648 ( 1) | |
| | 3646 ( 1) | |
| | 3644 ( 1) | |
| | 3643 ( 1) | |
| | 3639 ( 1) | |
| | 3634 ( 1) | |
| | 3624 ( 1) | |
| | 3623 ( 1) | |
| | 3622 ( 1) | |
| | 3613 ( 1) | |
| | 3612 ( 1) | |
| | 3585 ( 1) | |
| | 3574 ( 1) | |
| | 3569 ( 1) | |
| | 3567 ( 1) | |
| | 3562 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3544 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3494 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3469 ( 1) | |
| | | 3465 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3443 ( 1) | |
| | | 3442 ( 1) | |
| | | 3441 ( 1) | |
| | | 3433 ( 1) | |
| | | 3432 ( 1) | |
| | | 3431 ( 1) | |
| | | 3429 ( 1) | |
| | | 3411 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3356 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3333 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3296 ( 1) | |
| | | 3291 ( 1) | |
| | | 3281 ( 1) | |
| | | 3274 ( 1) | |
| | | 3264 ( 1) | |
| | | 3255 ( 1) | |
| | | 3241 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3231 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 3079 ( 1) | |
| | | 3069 ( 1) | |
| | | 3041 ( 1) | |
| | | 3011 ( 1) | |
| | | 2999 ( 1) | |
| | | 2951 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2891 ( 1) | |
| | | 2875 ( 1) | |
| | | 2874 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2823 ( 1) | |
| | | 2822 ( 1) | |
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2795 ( 1) | |
| | | 2789 ( 1) | |
| | | 2661 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2643 ( 1) | |
| | | 2531 ( 1) | |
| | | 2511 ( 1) | |
| | | 2499 ( 1) | |
| | | 2491 ( 1) | |
| | | 2436 ( 1) | |
| | | 2392 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2297 ( 1) | |
| | | 2295 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2253 ( 1) | |
| | | 2252 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2111 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2086 ( 1) | |
| | | 2085 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2062 ( 1) | |
| | | 2052 ( 1) | |
| | | 2048 ( 1) | |
| | | 2047 ( 1) | |
| | | 2041 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2026 ( 1) | |
| | | 2017 ( 1) | |
| | | 2013 ( 1) | |
| | | 1521 ( 1) | |
| | | 1481 ( 1) | |
| | | 1479 ( 1) | |
| | | 1472 ( 1) | |
| | | 1459 ( 1) | |
| | | 1455 ( 1) | |
| | | 1446 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. Description | | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 1429 ( 1) | |
| | | 1423 ( 1) | |
| | | 1099 ( 1) | |
| | | 1031 ( 1) | |
| | | 0751 ( 1) | |
| 22 | PH | TOTAL | 247 |
| | | 4911 ( 10) | |
| | | 1211 ( 6) | |
| | | 4952 ( 5) | |
| | | 1475 ( 4) | |
| | | 2869 ( 3) | |
| | | 2819 ( 3) | |
| | | 2631 ( 3) | |
| | | 8221 ( 2) | |
| | | 3631 ( 2) | |
| | | 3471 ( 2) | |
| | | 3355 ( 2) | |
| | | 3334 ( 2) | |
| | | 3295 ( 2) | |
| | | 2824 ( 2) | |
| | | 2821 ( 2) | |
| | | 2621 ( 2) | |
| | | 2611 ( 2) | |
| | | 2261 ( 2) | |
| | | 2211 ( 2) | |
| | | 2033 ( 2) | |
| | | 2016 ( 2) | |
| | | 2011 ( 2) | |
| | | 1422 ( 2) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 9223 ( 1) | |
| | | 8361 ( 1) | |
| | | 8062 ( 1) | |
| | | 7999 ( 1) | |
| | | 7629 ( 1) | |
| | | 7011 ( 1) | |
| | | 6552 ( 1) | |
| | | 6515 ( 1) | |
| | | 6514 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 6513 ( 1) | |
| | 5311 ( 1) | |
| | 5153 ( 1) | |
| | 5148 ( 1) | |
| | 4961 ( 1) | |
| | 4953 ( 1) | |
| | 4941 ( 1) | |
| | 4939 ( 1) | |
| | 4931 ( 1) | |
| | 4463 ( 1) | |
| | 4213 ( 1) | |
| | 4013 ( 1) | |
| | 4011 ( 1) | |
| | 3963 ( 1) | |
| | 3842 ( 1) | |
| | 3751 ( 1) | |
| | 3743 ( 1) | |
| | 3721 ( 1) | |
| | 3714 ( 1) | |
| | 3694 ( 1) | |
| | 3692 ( 1) | |
| | 3691 ( 1) | |
| | 3679 ( 1) | |
| | 3675 ( 1) | |
| | 3651 ( 1) | |
| | 3648 ( 1) | |
| | 3646 ( 1) | |
| | 3644 ( 1) | |
| | 3643 ( 1) | |
| | 3639 ( 1) | |
| | 3634 ( 1) | |
| | 3624 ( 1) | |
| | 3623 ( 1) | |
| | 3622 ( 1) | |
| | 3613 ( 1) | |
| | 3612 ( 1) | |
| | 3585 ( 1) | |
| | 3574 ( 1) | |
| | 3569 ( 1) | |
| | 3567 ( 1) | |
| | 3562 ( 1) | |
| | 3559 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3552 ( 1) | |
| | | 3544 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3494 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3469 ( 1) | |
| | | 3465 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3443 ( 1) | |
| | | 3442 ( 1) | |
| | | 3441 ( 1) | |
| | | 3433 ( 1) | |
| | | 3432 ( 1) | |
| | | 3431 ( 1) | |
| | | 3429 ( 1) | |
| | | 3411 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3356 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3333 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3296 ( 1) | |
| | | 3291 ( 1) | |
| | | 3281 ( 1) | |
| | | 3274 ( 1) | |
| | | 3264 ( 1) | |
| | | 3255 ( 1) | |
| | | 3241 ( 1) | |
| | | 3231 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 3229 ( 1) | |
| | 3221 ( 1) | |
| | 3111 ( 1) | |
| | 3079 ( 1) | |
| | 3069 ( 1) | |
| | 3041 ( 1) | |
| | 3011 ( 1) | |
| | 2999 ( 1) | |
| | 2951 ( 1) | |
| | 2911 ( 1) | |
| | 2899 ( 1) | |
| | 2892 ( 1) | |
| | 2891 ( 1) | |
| | 2875 ( 1) | |
| | 2874 ( 1) | |
| | 2873 ( 1) | |
| | 2865 ( 1) | |
| | 2861 ( 1) | |
| | 2843 ( 1) | |
| | 2841 ( 1) | |
| | 2834 ( 1) | |
| | 2833 ( 1) | |
| | 2823 ( 1) | |
| | 2822 ( 1) | |
| | 2816 ( 1) | |
| | 2813 ( 1) | |
| | 2812 ( 1) | |
| | 2795 ( 1) | |
| | 2789 ( 1) | |
| | 2661 ( 1) | |
| | 2649 ( 1) | |
| | 2646 ( 1) | |
| | 2643 ( 1) | |
| | 2531 ( 1) | |
| | 2511 ( 1) | |
| | 2499 ( 1) | |
| | 2491 ( 1) | |
| | 2436 ( 1) | |
| | 2392 ( 1) | |
| | 2297 ( 1) | |
| | 2295 ( 1) | |
| | 2284 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2253 ( 1) | |
| | | 2252 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2111 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2086 ( 1) | |
| | | 2085 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2062 ( 1) | |
| | | 2052 ( 1) | |
| | | 2048 ( 1) | |
| | | 2047 ( 1) | |
| | | 2041 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2026 ( 1) | |
| | | 2017 ( 1) | |
| | | 2013 ( 1) | |
| | | 1521 ( 1) | |
| | | 1481 ( 1) | |
| | | 1479 ( 1) | |
| | | 1472 ( 1) | |
| | | 1459 ( 1) | |
| | | 1455 ( 1) | |
| | | 1446 ( 1) | |
| | | 1429 ( 1) | |
| | | 1423 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 1099 ( 1) | |
| | | 1031 ( 1) | |
| | | 0751 ( 1) | |
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 225 |
| | | 4911 ( 10) | |
| | | 1211 ( 6) | |
| | | 4952 ( 5) | |
| | | 1475 ( 4) | |
| | | 2819 ( 3) | |
| | | 2631 ( 3) | |
| | | 3631 ( 2) | |
| | | 3562 ( 2) | |
| | | 3471 ( 2) | |
| | | 3355 ( 2) | |
| | | 3334 ( 2) | |
| | | 3295 ( 2) | |
| | | 2869 ( 2) | |
| | | 2824 ( 2) | |
| | | 2621 ( 2) | |
| | | 2611 ( 2) | |
| | | 2261 ( 2) | |
| | | 2211 ( 2) | |
| | | 2033 ( 2) | |
| | | 2011 ( 2) | |
| | | 1422 ( 2) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 9223 ( 1) | |
| | | 8361 ( 1) | |
| | | 8221 ( 1) | |
| | | 8062 ( 1) | |
| | | 7999 ( 1) | |
| | | 7011 ( 1) | |
| | | 6552 ( 1) | |
| | | 6515 ( 1) | |
| | | 6514 ( 1) | |
| | | 6513 ( 1) | |
| | | 5311 ( 1) | |
| | | 5153 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 5148 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4939 ( 1) | |
| | | 4931 ( 1) | |
| | | 4213 ( 1) | |
| | | 4013 ( 1) | |
| | | 4011 ( 1) | |
| | | 3963 ( 1) | |
| | | 3842 ( 1) | |
| | | 3751 ( 1) | |
| | | 3743 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3691 ( 1) | |
| | | 3679 ( 1) | |
| | | 3675 ( 1) | |
| | | 3651 ( 1) | |
| | | 3648 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |
| | | 3643 ( 1) | |
| | | 3639 ( 1) | |
| | | 3634 ( 1) | |
| | | 3624 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3585 ( 1) | |
| | | 3567 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |
| | | 3544 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3494 ( 1) | |
| | | 3483 ( 1) | |
| | | 3465 ( 1) | |
| | | 3462 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

Table 5. (continued)

Region IV

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3452 ( 1) | |
| | | 3443 ( 1) | |
| | | 3441 ( 1) | |
| | | 3433 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3411 ( 1) | |
| | | 3361 ( 1) | |
| | | 3356 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3333 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3296 ( 1) | |
| | | 3291 ( 1) | |
| | | 3281 ( 1) | |
| | | 3274 ( 1) | |
| | | 3255 ( 1) | |
| | | 3241 ( 1) | |
| | | 3231 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 3079 ( 1) | |
| | | 3069 ( 1) | |
| | | 3041 ( 1) | |
| | | 3011 ( 1) | |
| | | 2999 ( 1) | |
| | | 2951 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2891 ( 1) | |
| | | 2875 ( 1) | |
| | | 2874 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2823 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2795 ( 1) | |
| | | 2789 ( 1) | |
| | | 2661 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2643 ( 1) | |
| | | 2531 ( 1) | |
| | | 2511 ( 1) | |
| | | 2499 ( 1) | |
| | | 2436 ( 1) | |
| | | 2392 ( 1) | |
| | | 2297 ( 1) | |
| | | 2295 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2253 ( 1) | |
| | | 2252 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2111 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2086 ( 1) | |
| | | 2085 ( 1) | |
| | | 2082 ( 1) | |
| | | 2077 ( 1) | |
| | | 2052 ( 1) | |
| | | 2048 ( 1) | |
| | | 2047 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2017 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| | | 1521 ( 1) | |
| | | 1481 ( 1) | |
| | | 1479 ( 1) | |
| | | 1472 ( 1) | |
| | | 1459 ( 1) | |
| | | 1446 ( 1) | |
| | | 1429 ( 1) | |
| | | 1423 ( 1) | |
| | | 1099 ( 1) | |
| | | 1031 ( 1) | |
| | | 0751 ( 1) | |
| 10 | BOD5 | TOTAL | 160 |
| | | 4911 ( 7) | |
| | | 4952 ( 5) | |
| | | 1211 ( 4) | |
| | | 2631 ( 3) | |
| | | 3334 ( 2) | |
| | | 2869 ( 2) | |
| | | 2824 ( 2) | |
| | | 2611 ( 2) | |
| | | 2261 ( 2) | |
| | | 2211 ( 2) | |
| | | 2033 ( 2) | |
| | | 2011 ( 2) | |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8361 ( 1) | |
| | | 8221 ( 1) | |
| | | 8062 ( 1) | |
| | | 7999 ( 1) | |
| | | 7011 ( 1) | |
| | | 6552 ( 1) | |
| | | 6515 ( 1) | |
| | | 6514 ( 1) | |
| | | 6513 ( 1) | |
| | | 5311 ( 1) | |
| | | 5153 ( 1) | |
| | | 5148 ( 1) | |
| | | 4939 ( 1) | |
| | | 4931 ( 1) | |
| | | 4213 ( 1) | |
| | | 4013 ( 1) | |
| | | 4011 ( 1) | |
| | | 3963 ( 1) | |
| | | 3861 ( 1) | |
| | | 3842 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3691 ( 1) | |
| | | 3679 ( 1) | |
| | | 3675 ( 1) | |
| | | 3651 ( 1) | |
| | | 3646 ( 1) | |
| | | 3643 ( 1) | |
| | | 3639 ( 1) | |
| | | 3631 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3612 ( 1) | |
| | | 3569 ( 1) | |
| | | 3567 ( 1) | |
| | | 3562 ( 1) | |
| | | 3559 ( 1) | |
| | | 3552 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| | | 3544 ( 1) | |
| | | 3496 ( 1) | |
| | | 3465 ( 1) | |
| | | 3462 ( 1) | |
| | | 3443 ( 1) | |
| | | 3361 ( 1) | |
| | | 3355 ( 1) | |
| | | 3325 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3296 ( 1) | |
| | | 3255 ( 1) | |
| | | 3231 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 3079 ( 1) | |
| | | 3069 ( 1) | |
| | | 3041 ( 1) | |
| | | 3011 ( 1) | |
| | | 2999 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2891 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2823 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2813 ( 1) | |
| | | 2789 ( 1) | |
| | | 2661 ( 1) | |
| | | 2649 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2647 ( 1) | |
| | | 2646 ( 1) | |
| | | 2643 ( 1) | |
| | | 2621 ( 1) | |
| | | 2511 ( 1) | |
| | | 2436 ( 1) | |
| | | 2392 ( 1) | |
| | | 2297 ( 1) | |
| | | 2295 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2262 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2253 ( 1) | |
| | | 2252 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2111 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2086 ( 1) | |
| | | 2085 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2062 ( 1) | |
| | | 2052 ( 1) | |
| | | 2048 ( 1) | |
| | | 2047 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2017 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 1521 ( 1) | |
| | | 0751 ( 1) | |
| 114 | TEMPERATURE | TOTAL | 103 |
| | | 4911 ( 10) | |
| | | 2869 ( 3) | |
| | | 3631 ( 2) | |
| | | 3334 ( 2) | |
| | | 2824 ( 2) | |
| | | 2819 ( 2) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 8221 ( 1) | |
| | | 4961 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4463 ( 1) | |
| | | 4213 ( 1) | |
| | | 3751 ( 1) | |
| | | 3743 ( 1) | |
| | | 3714 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3691 ( 1) | |
| | | 3675 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |
| | | 3643 ( 1) | |
| | | 3624 ( 1) | |
| | | 3623 ( 1) | |
| | | 3552 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3469 ( 1) | |
| | | 3465 ( 1) | |
| | | 3452 ( 1) | |
| | | 3442 ( 1) | |
| | | 3433 ( 1) | |
| | | 3432 ( 1) | |
| | | 3431 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 3411 ( 1) | |
| | 3356 ( 1) | |
| | 3351 ( 1) | |
| | 3339 ( 1) | |
| | 3315 ( 1) | |
| | 3313 ( 1) | |
| | 3312 ( 1) | |
| | 3296 ( 1) | |
| | 3291 ( 1) | |
| | 3241 ( 1) | |
| | 3231 ( 1) | |
| | 3229 ( 1) | |
| | 3221 ( 1) | |
| | 3011 ( 1) | |
| | 2999 ( 1) | |
| | 2951 ( 1) | |
| | 2911 ( 1) | |
| | 2892 ( 1) | |
| | 2865 ( 1) | |
| | 2834 ( 1) | |
| | 2823 ( 1) | |
| | 2822 ( 1) | |
| | 2821 ( 1) | |
| | 2813 ( 1) | |
| | 2795 ( 1) | |
| | 2789 ( 1) | |
| | 2649 ( 1) | |
| | 2646 ( 1) | |
| | 2643 ( 1) | |
| | 2631 ( 1) | |
| | 2621 ( 1) | |
| | 2611 ( 1) | |
| | 2499 ( 1) | |
| | 2491 ( 1) | |
| | 2436 ( 1) | |
| | 2283 ( 1) | |
| | 2281 ( 1) | |
| | 2261 ( 1) | |
| | 2253 ( 1) | |
| | 2231 ( 1) | |
| | 2221 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2111 ( 1) | |
| | | 2095 ( 1) | |
| | | 2091 ( 1) | |
| | | 2086 ( 1) | |
| | | 2085 ( 1) | |
| | | 2062 ( 1) | |
| | | 2048 ( 1) | |
| | | 2041 ( 1) | |
| | | 2026 ( 1) | |
| | | 2017 ( 1) | |
| | | 2016 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 100 |
| | | 4911 ( 10) | |
| | | 2011 ( 2) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 7629 ( 1) | |
| | | 5153 ( 1) | |
| | | 5148 ( 1) | |
| | | 4961 ( 1) | |
| | | 4463 ( 1) | |
| | | 4013 ( 1) | |
| | | 4011 ( 1) | |
| | | 3963 ( 1) | |
| | | 3751 ( 1) | |
| | | 3743 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3675 ( 1) | |
| | | 3651 ( 1) | |
| | | 3646 ( 1) | |
| | | 3631 ( 1) | |
| | | 3623 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3585 ( 1) | |
| | | 3562 ( 1) | |
| | | 3559 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3552 ( 1) | |
| | | 3544 ( 1) | |
| | | 3499 ( 1) | |
| | | 3494 ( 1) | |
| | | 3469 ( 1) | |
| | | 3465 ( 1) | |
| | | 3462 ( 1) | |
| | | 3452 ( 1) | |
| | | 3443 ( 1) | |
| | | 3432 ( 1) | |
| | | 3411 ( 1) | |
| | | 3361 ( 1) | |
| | | 3357 ( 1) | |
| | | 3356 ( 1) | |
| | | 3355 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3325 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3312 ( 1) | |
| | | 3296 ( 1) | |
| | | 3295 ( 1) | |
| | | 3291 ( 1) | |
| | | 3281 ( 1) | |
| | | 3255 ( 1) | |
| | | 3231 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3079 ( 1) | |
| | | 3069 ( 1) | |
| | | 3011 ( 1) | |
| | | 2999 ( 1) | |
| | | 2951 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2892 ( 1) | |
| | | 2891 ( 1) | |
| | | 2869 ( 1) | |
| | | 2841 ( 1) | |
| | | 2824 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
CHAPTER HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2795 ( 1) | |
| | | 2646 ( 1) | |
| | | 2511 ( 1) | |
| | | 2491 ( 1) | |
| | | 2436 ( 1) | |
| | | 2297 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2111 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2079 ( 1) | |
| | | 2077 ( 1) | |
| | | 2052 ( 1) | |
| | | 2047 ( 1) | |
| | | 2017 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| | | 0751 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 97 |
| | | 4911 ( 6) | |
| | | 4952 ( 5) | |
| | | 1211 ( 4) | |
| | | 3334 ( 2) | |
| | | 2211 ( 2) | |
| | | 2011 ( 2) | |
| | | 9711 ( 1) | |
| | | 9223 ( 1) | |
| | | 8361 ( 1) | |
| | | 8221 ( 1) | |
| | | 8062 ( 1) | |
| | | 7999 ( 1) | |
| | | 7011 ( 1) | |
| | | 6552 ( 1) | |
| | | 6515 ( 1) | |
| | | 6514 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 6513 ( 1) | |
| | 5311 ( 1) | |
| | 5148 ( 1) | |
| | 4961 ( 1) | |
| | 4939 ( 1) | |
| | 4931 ( 1) | |
| | 4013 ( 1) | |
| | 3842 ( 1) | |
| | 3721 ( 1) | |
| | 3694 ( 1) | |
| | 3692 ( 1) | |
| | 3691 ( 1) | |
| | 3679 ( 1) | |
| | 3675 ( 1) | |
| | 3646 ( 1) | |
| | 3643 ( 1) | |
| | 3631 ( 1) | |
| | 3623 ( 1) | |
| | 3622 ( 1) | |
| | 3612 ( 1) | |
| | 3567 ( 1) | |
| | 3562 ( 1) | |
| | 3559 ( 1) | |
| | 3544 ( 1) | |
| | 3496 ( 1) | |
| | 3465 ( 1) | |
| | 3443 ( 1) | |
| | 3356 ( 1) | |
| | 3355 ( 1) | |
| | 3325 ( 1) | |
| | 3316 ( 1) | |
| | 3315 ( 1) | |
| | 3313 ( 1) | |
| | 3312 ( 1) | |
| | 3069 ( 1) | |
| | 2999 ( 1) | |
| | 2869 ( 1) | |
| | 2834 ( 1) | |
| | 2824 ( 1) | |
| | 2823 ( 1) | |
| | 2819 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2789 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2511 ( 1) | |
| | | 2436 ( 1) | |
| | | 2392 ( 1) | |
| | | 2297 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2261 ( 1) | |
| | | 2221 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2085 ( 1) | |
| | | 2077 ( 1) | |
| | | 2047 ( 1) | |
| | | 2033 ( 1) | |
| | | 2017 ( 1) | |
| | | 2016 ( 1) | |
| | | 2013 ( 1) | |
| | | 1521 ( 1) | |
| | | 0751 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 88 |
| | | 4911 ( 7) | |
| | | 9611 ( 2) | |
| | | 3631 ( 2) | |
| | | 2261 ( 2) | |
| | | 9711 ( 1) | |
| | | 4013 ( 1) | |
| | | 3963 ( 1) | |
| | | 3842 ( 1) | |
| | | 3751 ( 1) | |
| | | 3694 ( 1) | |
| | | 3675 ( 1) | |
| | | 3651 ( 1) | |
| | | 3646 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 3634 ( 1) | |
| | 3623 ( 1) | |
| | 3622 ( 1) | |
| | 3613 ( 1) | |
| | 3612 ( 1) | |
| | 3585 ( 1) | |
| | 3574 ( 1) | |
| | 3569 ( 1) | |
| | 3552 ( 1) | |
| | 3544 ( 1) | |
| | 3511 ( 1) | |
| | 3499 ( 1) | |
| | 3483 ( 1) | |
| | 3471 ( 1) | |
| | 3469 ( 1) | |
| | 3465 ( 1) | |
| | 3462 ( 1) | |
| | 3442 ( 1) | |
| | 3433 ( 1) | |
| | 3431 ( 1) | |
| | 3429 ( 1) | |
| | 3411 ( 1) | |
| | 3356 ( 1) | |
| | 3355 ( 1) | |
| | 3351 ( 1) | |
| | 3341 ( 1) | |
| | 3339 ( 1) | |
| | 3334 ( 1) | |
| | 3317 ( 1) | |
| | 3316 ( 1) | |
| | 3315 ( 1) | |
| | 3313 ( 1) | |
| | 3312 ( 1) | |
| | 3291 ( 1) | |
| | 3211 ( 1) | |
| | 3011 ( 1) | |
| | 2999 ( 1) | |
| | 2911 ( 1) | |
| | 2899 ( 1) | |
| | 2873 ( 1) | |
| | 2869 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2834 ( 1) | |
| | | 2819 ( 1) | |
| | | 2816 ( 1) | |
| | | 2795 ( 1) | |
| | | 2531 ( 1) | |
| | | 2499 ( 1) | |
| | | 2436 ( 1) | |
| | | 2297 ( 1) | |
| | | 2295 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2253 ( 1) | |
| | | 2252 ( 1) | |
| | | 2221 ( 1) | |
| | | 2211 ( 1) | |
| | | 2111 ( 1) | |
| | | 2041 ( 1) | |
| | | 2026 ( 1) | |
| | | 2016 ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | 69 |
| | | 4911 ( 7) | |
| | | 9611 ( 2) | |
| | | 4953 ( 1) | |
| | | 3963 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3691 ( 1) | |
| | | 3675 ( 1) | |
| | | 3651 ( 1) | |
| | | 3648 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region IV<br>Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3631 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3574 ( 1) | |
| | | 3567 ( 1) | |
| | | 3552 ( 1) | |
| | | 3544 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3494 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3442 ( 1) | |
| | | 3441 ( 1) | |
| | | 3432 ( 1) | |
| | | 3431 ( 1) | |
| | | 3411 ( 1) | |
| | | 3356 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3333 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 3231 ( 1) | |
| | | 3041 ( 1) | |
| | | 2999 ( 1) | |
| | | 2899 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2843 ( 1) | |
| | | 2834 ( 1) | |
| | | 2824 ( 1) | |
| | | 2819 ( 1) | |
| | | 2816 ( 1) | |
| | | 2531 ( 1) | |
| | | 2436 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-78)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2281 ( 1) | |
| | | 2221 ( 1) | |
| | | 2111 ( 1) | |
| | | 2041 ( 1) | |
| | | 2026 ( 1) | |
| | | 2016 ( 1) | |
| | | 1455 ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | 49 |
| | | 4911 ( 10) | |
| | | 9611 ( 2) | |
| | | 9711 ( 1) | |
| | | 4941 ( 1) | |
| | | 4013 ( 1) | |
| | | 3963 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3675 ( 1) | |
| | | 3651 ( 1) | |
| | | 3648 ( 1) | |
| | | 3644 ( 1) | |
| | | 3631 ( 1) | |
| | | 3623 ( 1) | |
| | | 3613 ( 1) | |
| | | 3612 ( 1) | |
| | | 3574 ( 1) | |
| | | 3569 ( 1) | |
| | | 3562 ( 1) | |
| | | 3552 ( 1) | |
| | | 3496 ( 1) | |
| | | 3494 ( 1) | |
| | | 3442 ( 1) | |
| | | 3432 ( 1) | |
| | | 3429 ( 1) | |
| | | 3411 ( 1) | |
| | | 3357 ( 1) | |
| | | 3341 ( 1) | |
| | | 3312 ( 1) | |
| | | 3231 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3211 ( 1) | |
| | | 2899 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2843 ( 1) | |
| | | 2499 ( 1) | |
| | | 2283 ( 1) | |
| | | 2281 ( 1) | |
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 48 |
| | | 4911 ( 8) | |
| | | 4952 ( 2) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 8221 ( 1) | |
| | | 7999 ( 1) | |
| | | 7011 ( 1) | |
| | | 6515 ( 1) | |
| | | 5311 ( 1) | |
| | | 4961 ( 1) | |
| | | 4931 ( 1) | |
| | | 3691 ( 1) | |
| | | 3675 ( 1) | |
| | | 3646 ( 1) | |
| | | 3631 ( 1) | |
| | | 3511 ( 1) | |
| | | 3499 ( 1) | |
| | | 3465 ( 1) | |
| | | 3442 ( 1) | |
| | | 3431 ( 1) | |
| | | 3355 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 2999 ( 1) | |
| | | 2869 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2819 ( 1) | |
| | | 2436 ( 1) | |
| | | 2281 ( 1) | |
| | | 2231 ( 1) | |
| | | 2221 ( 1) | |
| | | 2111 ( 1) | |
| | | 2041 ( 1) | |
| | | 2035 ( 1) | |
| | | 2026 ( 1) | |
| | | 2016 ( 1) | |
| 12 | COD | TOTAL | 46 |
| | | 2819 ( 2) | |
| | | 9711 ( 1) | |
| | | 8221 ( 1) | |
| | | 5153 ( 1) | |
| | | 4213 ( 1) | |
| | | 3842 ( 1) | |
| | | 3721 ( 1) | |
| | | 3692 ( 1) | |
| | | 3648 ( 1) | |
| | | 3631 ( 1) | |
| | | 3612 ( 1) | |
| | | 3357 ( 1) | |
| | | 3321 ( 1) | |
| | | 3221 ( 1) | |
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2833 ( 1) | |
| | | 2824 ( 1) | |
| | | 2823 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2646 ( 1) | |
| | | 2491 ( 1) | |
| | | 2297 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2282 ( 1) | |
| | | 2272 ( 1) | |
| | | 2261 ( 1) | |
| | | 2258 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2253 ( 1) | |
| | | 2252 ( 1) | |
| | | 2221 ( 1) | |
| | | 2211 ( 1) | |
| | | 2086 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | 46 |
| | | 4911 ( 3) | |
| | | 4952 ( 2) | |
| | | 3631 ( 2) | |
| | | 2631 ( 2) | |
| | | 9223 ( 1) | |
| | | 8361 ( 1) | |
| | | 8221 ( 1) | |
| | | 6552 ( 1) | |
| | | 6515 ( 1) | |
| | | 6514 ( 1) | |
| | | 5311 ( 1) | |
| | | 3721 ( 1) | |
| | | 3648 ( 1) | |
| | | 3646 ( 1) | |
| | | 3623 ( 1) | |
| | | 3552 ( 1) | |
| | | 3494 ( 1) | |
| | | 3321 ( 1) | |
| | | 3312 ( 1) | |
| | | 3229 ( 1) | |
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2865 ( 1) | |
| | | 2834 ( 1) | |
| | | 2821 ( 1) | |
| | | 2789 ( 1) | |
| | | 2511 ( 1) | |
| | | 2297 ( 1) | |
| | | 2284 ( 1) | |
| | | 2283 ( 1) | |
| | | 2281 ( 1) | |
| | | 2261 ( 1) | |
| | | 2091 ( 1) | |
| | | 2086 ( 1) | |
| | | 2052 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |
| | | 2017 ( 1) | |
| | | 2013 ( 1) | |
| | | 2011 ( 1) | |
| | | 1521 ( 1) | |
| 96 | PHENOLS | TOTAL | 39 |
| | | 2283 ( 2) | |
| | | 9711 ( 1) | |
| | | 4013 ( 1) | |
| | | 3842 ( 1) | |
| | | 3721 ( 1) | |
| | | 3552 ( 1) | |
| | | 3443 ( 1) | |
| | | 3355 ( 1) | |
| | | 3316 ( 1) | |
| | | 3312 ( 1) | |
| | | 3291 ( 1) | |
| | | 3281 ( 1) | |
| | | 3231 ( 1) | |
| | | 3211 ( 1) | |
| | | 3079 ( 1) | |
| | | 2999 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2843 ( 1) | |

(continued)

BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
BEGIN LAST LINE OF TEXT
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2833 ( 1) | |
| | | 2824 ( 1) | |
| | | 2823 ( 1) | |
| | | 2646 ( 1) | |
| | | 2491 ( 1) | |
| | | 2297 ( 1) | |
| | | 2295 ( 1) | |
| | | 2284 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2269 ( 1) | |
| | | 2261 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2253 ( 1) | |
| | | 2252 ( 1) | |
| | | 2221 ( 1) | |
| | | 2211 ( 1) | |
| 50 | IRON, TOTAL | TOTAL | 34 |
| | | 4911 ( 10) | |
| | | 1211 ( 6) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 3963 ( 1) | |
| | | 3751 ( 1) | |
| | | 3646 ( 1) | |
| | | 3644 ( 1) | |
| | | 3639 ( 1) | |
| | | 3499 ( 1) | |
| | | 3496 ( 1) | |
| | | 3479 ( 1) | |
| | | 3441 ( 1) | |
| | | 3432 ( 1) | |
| | | 3316 ( 1) | |
| | | 3312 ( 1) | |
| | | 3291 ( 1) | |
| | | 3069 ( 1) | |
| | | 2816 ( 1) | |
| | | 2499 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 3 | AMMONIA AS N | TOTAL | 31 |
| | | 4952 ( 2) | |
| | | 9711 ( 1) | |
| | | 8361 ( 1) | |
| | | 8221 ( 1) | |
| | | 6514 ( 1) | |
| | | 5153 ( 1) | |
| | | 4911 ( 1) | |
| | | 3963 ( 1) | |
| | | 3644 ( 1) | |
| | | 3612 ( 1) | |
| | | 3559 ( 1) | |
| | | 3316 ( 1) | |
| | | 3312 ( 1) | |
| | | 3231 ( 1) | |
| | | 2911 ( 1) | |
| | | 2892 ( 1) | |
| | | 2875 ( 1) | |
| | | 2823 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2789 ( 1) | |
| | | 2295 ( 1) | |
| | | 2283 ( 1) | |
| | | 2281 ( 1) | |
| | | 2262 ( 1) | |
| | | 2082 ( 1) | |
| | | 2052 ( 1) | |
| | | 2017 ( 1) | |
| | | 2011 ( 1) | |
| | | 1521 ( 1) | |
| 62 | NICKEL, TOTAL | TOTAL | 30 |
| | | 4911 ( 7) | |
| | | 9611 ( 1) | |
| | | 3963 ( 1) | |
| | | 3751 ( 1) | |
| | | 3721 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3694 ( 1) | |
| | | 3651 ( 1) | |
| | | 3646 ( 1) | |
| | | 3634 ( 1) | |
| | | 3631 ( 1) | |
| | | 3623 ( 1) | |
| | | 3613 ( 1) | |
| | | 3574 ( 1) | |
| | | 3559 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 3462 ( 1) | |
| | | 3429 ( 1) | |
| | | 3356 ( 1) | |
| | | 3341 ( 1) | |
| | | 3317 ( 1) | |
| | | 2899 ( 1) | |
| | | 2816 ( 1) | |
| | | 2531 ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | 26 |
| | | 4911 ( 7) | |
| | | 9611 ( 1) | |
| | | 4953 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3651 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3613 ( 1) | |
| | | 3569 ( 1) | |
| | | 3552 ( 1) | |
| | | 3494 ( 1) | |
| | | 3479 ( 1) | |
| | | 3441 ( 1) | |
| | | 3356 ( 1) | |
| | | 3321 ( 1) | |
| | | 3315 ( 1) | |
| | | 3312 ( 1) | |
| | | 2899 ( 1) | |
| | | 2816 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 52 | LEAD, TOTAL | TOTAL | 23 |
| | | 4911 ( 7) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 4953 ( 1) | |
| | | 3721 ( 1) | |
| | | 3651 ( 1) | |
| | | 3644 ( 1) | |
| | | 3623 ( 1) | |
| | | 3622 ( 1) | |
| | | 3432 ( 1) | |
| | | 3341 ( 1) | |
| | | 3312 ( 1) | |
| | | 3231 ( 1) | |
| | | 3041 ( 1) | |
| | | 2899 ( 1) | |
| | | 2816 ( 1) | |
| | | 2647 ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | 23 |
| | | 9711 ( 1) | |
| | | 8221 ( 1) | |
| | | 5148 ( 1) | |
| | | 4961 ( 1) | |
| | | 4911 ( 1) | |
| | | 3429 ( 1) | |
| | | 3355 ( 1) | |
| | | 3281 ( 1) | |
| | | 2999 ( 1) | |
| | | 2875 ( 1) | |
| | | 2861 ( 1) | |
| | | 2789 ( 1) | |
| | | 2661 ( 1) | |
| | | 2269 ( 1) | |
| | | 2261 ( 1) | |
| | | 2111 ( 1) | |
| | | 2052 ( 1) | |
| | | 2048 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 2037 ( 1) | |
| | 2033 ( 1) | |
| | 2016 ( 1) | |
| | 1459 ( 1) | |
| | 1211 ( 1) | |
| 17 CYANIDE, TOTAL | TOTAL | 22 |
| | 3963 ( 1) | |
| | 3721 ( 1) | |
| | 3694 ( 1) | |
| | 3692 ( 1) | |
| | 3651 ( 1) | |
| | 3648 ( 1) | |
| | 3623 ( 1) | |
| | 3622 ( 1) | |
| | 3613 ( 1) | |
| | 3574 ( 1) | |
| | 3569 ( 1) | |
| | 3562 ( 1) | |
| | 3499 ( 1) | |
| | 3494 ( 1) | |
| | 3429 ( 1) | |
| | 3356 ( 1) | |
| | 3321 ( 1) | |
| | 3316 ( 1) | |
| | 3315 ( 1) | |
| | 3312 ( 1) | |
| | 2833 ( 1) | |
| | 2824 ( 1) | |
| 98 PHOSPHORUS, TOTAL | TOTAL | 20 |
| | 1475 ( 4) | |
| | 9711 ( 1) | |
| | 8361 ( 1) | |
| | 4953 ( 1) | |
| | 4911 ( 1) | |
| | 3751 ( 1) | |
| | 3694 ( 1) | |
| | 3646 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3483 ( 1) | |
| | | 3231 ( 1) | |
| | | 3211 ( 1) | |
| | | 2899 ( 1) | |
| | | 2874 ( 1) | |
| | | 2869 ( 1) | |
| | | 2823 ( 1) | |
| | | 2035 ( 1) | |
| | | 2016 ( 1) | |
| 23 | KJELDAHL NITROGEN | TOTAL | 19 |
| | | 9223 ( 1) | |
| | | 7999 ( 1) | |
| | | 6513 ( 1) | |
| | | 4953 ( 1) | |
| | | 3612 ( 1) | |
| | | 3544 ( 1) | |
| | | 3465 ( 1) | |
| | | 2899 ( 1) | |
| | | 2873 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2283 ( 1) | |
| | | 2281 ( 1) | |
| | | 2262 ( 1) | |
| | | 2095 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2035 ( 1) | |
| | | 2017 ( 1) | |
| 20 | FLUORIDE | TOTAL | 18 |
| | | 1475 ( 4) | |
| | | 3334 ( 2) | |
| | | 4911 ( 1) | |
| | | 3721 ( 1) | |
| | | 3631 ( 1) | |
| | | 3559 ( 1) | |
| | | 3544 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3355 ( 1) | |
| | | 3317 ( 1) | |
| | | 3295 ( 1) | |
| | | 3229 ( 1) | |
| | | 2874 ( 1) | |
| | | 1479 ( 1) | |
| | | 1459 ( 1) | |
| 58 | MERCURY, TOTAL | TOTAL | 18 |
| | | 4911 ( 7) | |
| | | 9711 ( 1) | |
| | | 9611 ( 1) | |
| | | 4953 ( 1) | |
| | | 3721 ( 1) | |
| | | 3494 ( 1) | |
| | | 3321 ( 1) | |
| | | 3315 ( 1) | |
| | | 3312 ( 1) | |
| | | 2869 ( 1) | |
| | | 2812 ( 1) | |
| | | 2646 ( 1) | |
| 111 | SULFIDE | TOTAL | 17 |
| | | 2819 ( 2) | |
| | | 3842 ( 1) | |
| | | 2911 ( 1) | |
| | | 2297 ( 1) | |
| | | 2295 ( 1) | |
| | | 2284 ( 1) | |
| | | 2282 ( 1) | |
| | | 2281 ( 1) | |
| | | 2272 ( 1) | |
| | | 2261 ( 1) | |
| | | 2257 ( 1) | |
| | | 2254 ( 1) | |
| | | 2253 ( 1) | |
| | | 2252 ( 1) | |
| | | 2221 ( 1) | |
| | | 2211 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 40 | CHROMIUM VI | TOTAL | 15 |
| | | 3751 ( 1) | |
| | | 3694 ( 1) | |
| | | 3646 ( 1) | |
| | | 3634 ( 1) | |
| | | 3631 ( 1) | |
| | | 3585 ( 1) | |
| | | 3544 ( 1) | |
| | | 3499 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 3465 ( 1) | |
| | | 3433 ( 1) | |
| | | 2911 ( 1) | |
| | | 2795 ( 1) | |
| | | 2281 ( 1) | |
| | CHLORINE, FREE AVAILABLE | TOTAL | 14 |
| | | 4911 ( 11) | |
| | | 4961 ( 1) | |
| | | 3643 ( 1) | |
| | | 2812 ( 1) | |
| 24 | ALUMINUM, TOTAL | TOTAL | 13 |
| | | 4953 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3675 ( 1) | |
| | | 3646 ( 1) | |
| | | 3613 ( 1) | |
| | | 3471 ( 1) | |
| | | 3442 ( 1) | |
| | | 3433 ( 1) | |
| | | 3411 ( 1) | |
| | | 3356 ( 1) | |
| | | 3355 ( 1) | |
| | | 3334 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 115 | TURBIDITY | TOTAL | 10 |
| | | 3631 ( 1) | |
| | | 3295 ( 1) | |
| | | 3281 ( 1) | |
| | | 3274 ( 1) | |
| | | 3264 ( 1) | |
| | | 3231 ( 1) | |
| | | 1472 ( 1) | |
| | | 1459 ( 1) | |
| | | 1455 ( 1) | |
| | | 1031 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 9 |
| | | 4911 ( 7) | |
| | | 9611 ( 1) | |
| | | 4953 ( 1) | |
| 71 | SELENIUM, TOTAL | TOTAL | 8 |
| | | 4911 ( 7) | |
| | | 9611 ( 1) | |
| 51 | IRON, DISSOLVED | TOTAL | 7 |
| | | 3494 ( 1) | |
| | | 3452 ( 1) | |
| | | 3411 ( 1) | |
| | | 3356 ( 1) | |
| | | 3321 ( 1) | |
| | | 3315 ( 1) | |
| | | 3312 ( 1) | |
| 113 | SURFACTANTS | TOTAL | 6 |
| | | 4013 ( 1) | |
| | | 3963 ( 1) | |
| | | 3721 ( 1) | |
| | | 3562 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. | <br><br>Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| | | 3312 ( 1) | |
| | | 2052 ( 1) | |
| | NITROGEN, TOTAL | TOTAL | 6 |
| | | 2875 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2824 ( 1) | |
| | | 2092 ( 1) | |
| | | 2016 ( 1) | |
| 13 | CHLORIDE | TOTAL | 5 |
| | | 4941 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| 84 | VANADIUM, TOTAL | TOTAL | 5 |
| | | 4911 ( 4) | |
| | | 9611 ( 1) | |
| 109 | SPECIFIC CONDUCTANCE | TOTAL | 5 |
| | | 3631 ( 1) | |
| | | 3471 ( 1) | |
| | | 2812 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |
| 1 | ACIDITY AS CACO3 | TOTAL | 4 |
| | | 1211 ( 4) | |
| 2 | ALKALINITY AS CACO3 | TOTAL | 4 |
| | | 1211 ( 4) | |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 56 | MANGANESE, TOTAL | TOTAL | 4 |
| | | 9711 ( 1) | |
| | | 4911 ( 1) | |
| | | 3312 ( 1) | |
| | | 1211 ( 1) | |
| 74 | SILVER, TOTAL | TOTAL | 3 |
| | | 3861 ( 1) | |
| | | 3721 ( 1) | |
| | | 3341 ( 1) | |
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | 3 |
| | | 9711 ( 1) | |
| | | 3714 ( 1) | |
| | | 3631 ( 1) | |
| 110 | SULFATE | TOTAL | 3 |
| | | 9711 ( 1) | |
| | | 3315 ( 1) | |
| | | 1211 ( 1) | |
| | NO DISCHARGE | TOTAL | 3 |
| | | 9711 ( 1) | |
| | | 1475 ( 1) | |
| | | 1422 ( 1) | |
| | POLYCHLORINATED BIPHENYLS | TOTAL | 3 |
| | | 7629 ( 1) | |
| | | 4911 ( 1) | |
| | | 2646 ( 1) | |
| 16 | COLOR | TOTAL | 2 |
| | | 2819 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| | | | 2631 ( 1) | |
| 80 | TIN, TOTAL | TOTAL | | 2 |
| | | | 3613 ( 1) | |
| | | | 3312 ( 1) | |
| 88 | NITRATE AS N | TOTAL | | 2 |
| | | | 9711 ( 1) | |
| | | | 2873 ( 1) | |
| 103B | RA-226 | TOTAL | | 2 |
| | | | 2874 ( 1) | |
| | | | 1475 ( 1) | |
| 104 | TOTAL RESIDUE | TOTAL | | 2 |
| | | | 8221 ( 1) | |
| | | | 2865 ( 1) | |
| | NO MONITORING | TOTAL | | 2 |
| | | | 5211 ( 1) | |
| | | | 2879 ( 1) | |
| | PHOSPHATE, TOTAL AS P | TOTAL | | 2 |
| | | | 3963 ( 1) | |
| | | | 3567 ( 1) | |
| | SLUDGE SETTLEABILITY | TOTAL | | 2 |
| | | | 6515 ( 1) | |
| | | | 4911 ( 1) | |
| 6 | COLIFORM, TOTAL | TOTAL | | 1 |
| | | | 2661 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 8 | FECAL STREPTOCOCCI | TOTAL | 1 |
| | | 5148 ( 1) | |
| 18 | CYANIDE AMENDABLE TO CHLORINATION | TOTAL | 1 |
| | | 3499 ( 1) | |
| 26 | ANTIMONY, TOTAL | TOTAL | 1 |
| | | 3312 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 1 |
| | | 1472 ( 1) | |
| 43 | CHROMIUM, DISSOLVED | TOTAL | 1 |
| | | 3312 ( 1) | |
| 66 | PLATINUM, TOTAL | TOTAL | 1 |
| | | 2899 ( 1) | |
| 76 | SODIUM, TOTAL | TOTAL | 1 |
| | | 2865 ( 1) | |
| 89 | NITRITE AS N | TOTAL | 1 |
| | | 9711 ( 1) | |
| 91 | ORGANIC CARBON, TOTAL | TOTAL | 1 |
| | | 2861 ( 1) | |
| 93 | ORTHOPHOSPHATE | TOTAL | 1 |
| | | 3721 ( 1) | |

(continued)

Table 5. (continued)

| Region IV Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 108 | TOTAL VOLATILE | TOTAL | 1 |
| | | 2035 ( 1) | |
| | AMMONIA, FREE | TOTAL | 1 |
| | | 3569 ( 1) | |
| | BARIUM, SOLUBLE | TOTAL | 1 |
| | | 2819 ( 1) | |
| | BOD 20 | TOTAL | 1 |
| | | 2631 ( 1) | |
| | BROMINE | TOTAL | 1 |
| | | 4911 ( 1) | |
| | CADMIUM, SOLUBLE | TOTAL | 1 |
| | | 3679 ( 1) | |
| | CHROMIUM, SOLUBLE | TOTAL | 1 |
| | | 3679 ( 1) | |
| | COPPER, SOLUBLE | TOTAL | 1 |
| | | 3679 ( 1) | |
| | HEAT | TOTAL | 1 |
| | | 4911 ( 1) | |
| | HYDROGEN SULFIDE | TOTAL | 1 |
| | | 9611 ( 1) | |

(continued)

Table 5. (continued)

| Region IV<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| LEAD, SOLUBLE | TOTAL | 1 |
| | 3679 ( 1) | |
| LITHIUM, TOTAL | TOTAL | 1 |
| | 1479 ( 1) | |
| NICKEL, SOLUBLE | TOTAL | 1 |
| | 3679 ( 1) | |
| OILS, SOLUBLE | TOTAL | 1 |
| | 3355 ( 1) | |
| THIOCYANATES | TOTAL | 1 |
| | 2819 ( 1) | |
| TNT AND NITROBODIES | TOTAL | 1 |
| | 9711 ( 1) | |
| TOXAPHENE | TOTAL | 1 |
| | 2861 ( 1) | |
| ZINC, SOLUBLE | TOTAL | 1 |
| | 3679 ( 1) | |

TOTAL 2022

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | REGION 5 | |
| 22 | PH | TOTAL | 106 |
| | | 4911 ( 10) | |
| | | 4952 ( 5) | |
| | | 3312 ( 5) | |
| | | 2621 ( 4) | |
| | | 2911 ( 3) | |
| | | 4953 ( 2) | |
| | | 4931 ( 2) | |
| | | 9711 ( 1) | |
| | | 5149 ( 1) | |
| | | 5093 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4463 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3633 ( 1) | |
| | | 3631 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3585 ( 1) | |
| | | 3531 ( 1) | |
| | | 3519 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3465 ( 1) | |
| | | 3462 ( 1) | |
| | | 3429 ( 1) | |
| | | 3412 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |

(continued)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3322 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3297 ( 1) | |
| | | 3296 ( 1) | |
| | | 3295 ( 1) | |
| | | 3291 ( 1) | |
| | | 3241 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 3011 ( 1) | |
| | | 2899 ( 1) | |
| | | 2869 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2661 ( 1) | |
| | | 2653 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2645 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2396 ( 1) | |
| | | 2085 ( 1) | |
| | | 2083 ( 1) | |
| | | 2075 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2063 ( 1) | |
| | | 2046 ( 1) | |
| | | 2013 ( 1) | |
| | | 2011 ( 1) | |
| | | 1442 ( 1) | |
| | | 1422 ( 1) | |
| | | 1211 ( 1) | |
| | | 1011 ( 1) | |
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 102 |
| | | 4911 ( 10) | |
| | | 4952 ( 5) | |
| | | 3312 ( 5) | |
| | | 2621 ( 4) | |
| | | 2911 ( 3) | |
| | | 4931 ( 2) | |
| | | 9711 ( 1) | |
| | | 5149 ( 1) | |
| | | 5093 ( 1) | |
| | | 4953 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4463 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3633 ( 1) | |
| | | 3631 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3585 ( 1) | |
| | | 3531 ( 1) | |
| | | 3519 ( 1) | |
| | | 3499 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3465 ( 1) | |
| | | 3462 ( 1) | |
| | | 3429 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3412 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3322 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3297 ( 1) | |
| | | 3296 ( 1) | |
| | | 3295 ( 1) | |
| | | 3241 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 3011 ( 1) | |
| | | 2899 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2816 ( 1) | |
| | | 2812 ( 1) | |
| | | 2653 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2645 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2396 ( 1) | |
| | | 2085 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region V<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| | 2083 ( 1) | |
| | 2075 ( 1) | |
| | 2063 ( 1) | |
| | 2046 ( 1) | |
| | 2013 ( 1) | |
| | 2011 ( 1) | |
| | 1442 ( 1) | |
| | 1422 ( 1) | |
| | 1211 ( 1) | |
| | 1011 ( 1) | |
| FLOW | TOTAL | 102 |
| | 4911 ( 10) | |
| | 3312 ( 5) | |
| | 2621 ( 4) | |
| | 2911 ( 3) | |
| | 4952 ( 2) | |
| | 4931 ( 2) | |
| | 5149 ( 1) | |
| | 5093 ( 1) | |
| | 4953 ( 1) | |
| | 4941 ( 1) | |
| | 4463 ( 1) | |
| | 3714 ( 1) | |
| | 3711 ( 1) | |
| | 3694 ( 1) | |
| | 3633 ( 1) | |
| | 3631 ( 1) | |
| | 3599 ( 1) | |
| | 3592 ( 1) | |
| | 3585 ( 1) | |
| | 3531 ( 1) | |
| | 3519 ( 1) | |
| | 3499 ( 1) | |
| | 3479 ( 1) | |
| | 3471 ( 1) | |
| | 3465 ( 1) | |
| | 3462 ( 1) | |
| | 3429 ( 1) | |

(continued)

BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3412 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3322 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3316 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3297 ( 1) | |
| | | 3296 ( 1) | |
| | | 3295 ( 1) | |
| | | 3291 ( 1) | |
| | | 3241 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 3011 ( 1) | |
| | | 2899 ( 1) | |
| | | 2869 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2661 ( 1) | |
| | | 2653 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2645 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |

(continued)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2396 ( 1) | |
| | | 2085 ( 1) | |
| | | 2083 ( 1) | |
| | | 2075 ( 1) | |
| | | 2063 ( 1) | |
| | | 2046 ( 1) | |
| | | 2013 ( 1) | |
| | | 2011 ( 1) | |
| | | 1442 ( 1) | |
| | | 1422 ( 1) | |
| | | 1211 ( 1) | |
| | | 1011 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 73 |
| | | 4911 ( 10) | |
| | | 3312 ( 5) | |
| | | 2911 ( 3) | |
| | | 4953 ( 2) | |
| | | 4931 ( 2) | |
| | | 2621 ( 2) | |
| | | 5149 ( 1) | |
| | | 5093 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4463 ( 1) | |
| | | 3714 ( 1) | |
| | | 3694 ( 1) | |
| | | 3633 ( 1) | |
| | | 3631 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3585 ( 1) | |
| | | 3531 ( 1) | |
| | | 3519 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3369 ( 1) | |
| | | 3351 ( 1) | |

(continued)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3322 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3315 ( 1) | |
| | | 3296 ( 1) | |
| | | 3295 ( 1) | |
| | | 3291 ( 1) | |
| | | 3241 ( 1) | |
| | | 3229 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 3011 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2833 ( 1) | |
| | | 2819 ( 1) | |
| | | 2813 ( 1) | |
| | | 2661 ( 1) | |
| | | 2645 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2396 ( 1) | |
| | | 2085 ( 1) | |
| | | 2046 ( 1) | |
| | | 2013 ( 1) | |
| | | 2011 ( 1) | |
| | | 1422 ( 1) | |
| | | 1011 ( 1) | |
| 10 | BOD5 | TOTAL | 62 |
| | | 4952 ( 5) | |
| | | 2621 ( 4) | |
| | | 4911 ( 3) | |
| | | 2911 ( 3) | |
| | | 3312 ( 2) | |
| | | 9711 ( 1) | |
| | | 5149 ( 1) | |

(continued)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 5093 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4931 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3633 ( 1) | |
| | | 3531 ( 1) | |
| | | 3499 ( 1) | |
| | | 3465 ( 1) | |
| | | 3412 ( 1) | |
| | | 3361 ( 1) | |
| | | 3339 ( 1) | |
| | | 3317 ( 1) | |
| | | 3315 ( 1) | |
| | | 3313 ( 1) | |
| | | 3297 ( 1) | |
| | | 3296 ( 1) | |
| | | 3221 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 2869 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2653 ( 1) | |
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2645 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2396 ( 1) | |
| | | 2085 ( 1) | |
| | | 2083 ( 1) | |
| | | 2075 ( 1) | |
| | | 2063 ( 1) | |
| | | 2046 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-75)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| | | 2013 ( 1) | |
| | | 2011 ( 1) | |
| 114 | TEMPERATURE | TOTAL | 61 |
| | | 4911 ( 10) | |
| | | 3312 ( 5) | |
| | | 2621 ( 4) | |
| | | 4931 ( 2) | |
| | | 2046 ( 2) | |
| | | 4463 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3519 ( 1) | |
| | | 3479 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3341 ( 1) | |
| | | 3322 ( 1) | |
| | | 3321 ( 1) | |
| | | 3316 ( 1) | |
| | | 3313 ( 1) | |
| | | 3297 ( 1) | |
| | | 3296 ( 1) | |
| | | 3295 ( 1) | |
| | | 3291 ( 1) | |
| | | 3241 ( 1) | |
| | | 3211 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2819 ( 1) | |
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2661 ( 1) | |
| | | 2653 ( 1) | |

(continued)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2649 ( 1) | |
| | | 2647 ( 1) | |
| | | 2645 ( 1) | |
| | | 2641 ( 1) | |
| | | 2631 ( 1) | |
| | | 2085 ( 1) | |
| | | 2083 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 35 |
| | | 4952 ( 5) | |
| | | 4911 ( 4) | |
| | | 3312 ( 2) | |
| | | 9711 ( 1) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4931 ( 1) | |
| | | 3694 ( 1) | |
| | | 3412 ( 1) | |
| | | 3339 ( 1) | |
| | | 3313 ( 1) | |
| | | 3297 ( 1) | |
| | | 3211 ( 1) | |
| | | 3111 ( 1) | |
| | | 2911 ( 1) | |
| | | 2843 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2653 ( 1) | |
| | | 2499 ( 1) | |
| | | 2396 ( 1) | |
| | | 2085 ( 1) | |
| | | 2083 ( 1) | |
| | | 2013 ( 1) | |
| | | 2011 ( 1) | |
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 31 |
| | | 4911 ( 10) | |
| | | 4952 ( 2) | |

(continued)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4931 ( 2) | |
| | | 3592 ( 1) | |
| | | 3465 ( 1) | |
| | | 3321 ( 1) | |
| | | 3313 ( 1) | |
| | | 3297 ( 1) | |
| | | 3211 ( 1) | |
| | | 3011 ( 1) | |
| | | 2841 ( 1) | |
| | | 2822 ( 1) | |
| | | 2816 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2621 ( 1) | |
| | | 2396 ( 1) | |
| | | 2046 ( 1) | |
| | | 2013 ( 1) | |
| | | 2011 ( 1) | |
| 98 | PHOSPHORUS, TOTAL | TOTAL | 30 |
| | | 3312 ( 3) | |
| | | 4911 ( 2) | |
| | | 3585 ( 2) | |
| | | 5093 ( 1) | |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 4939 ( 1) | |
| | | 4463 ( 1) | |
| | | 3714 ( 1) | |
| | | 3592 ( 1) | |
| | | 3479 ( 1) | |
| | | 3412 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3317 ( 1) | |
| | | 3211 ( 1) | |
| | | 2841 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2822 ( 1) | |

(continued)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2819 ( 1) | |
| | | 2649 ( 1) | |
| | | 2499 ( 1) | |
| | | 2396 ( 1) | |
| | | 2075 ( 1) | |
| | | 2046 ( 1) | |
| 3 | AMMONIA AS N | TOTAL | 26 |
| | | 3312 ( 4) | |
| | | 2911 ( 3) | |
| | | 5093 ( 1) | |
| | | 4953 ( 1) | |
| | | 4952 ( 1) | |
| | | 4463 ( 1) | |
| | | 3412 ( 1) | |
| | | 3339 ( 1) | |
| | | 3322 ( 1) | |
| | | 3296 ( 1) | |
| | | 3229 ( 1) | |
| | | 3111 ( 1) | |
| | | 2833 ( 1) | |
| | | 2822 ( 1) | |
| | | 2819 ( 1) | |
| | | 2621 ( 1) | |
| | | 2396 ( 1) | |
| | | 2063 ( 1) | |
| | | 2046 ( 1) | |
| | | 2013 ( 1) | |
| | | 2011 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 23 |
| | | 2911 ( 3) | |
| | | 5093 ( 1) | |
| | | 4953 ( 1) | |
| | | 4939 ( 1) | |
| | | 3631 ( 1) | |
| | | 3599 ( 1) | |
| | | 3592 ( 1) | |
| | | 3585 ( 1) | |

(continued)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3499 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3462 ( 1) | |
| | | 3429 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |
| | | 3312 ( 1) | |
| | | 3111 ( 1) | |
| | | 2822 ( 1) | |
| | | 2816 ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | 22 |
| | | 4911 ( 5) | |
| | | 5093 ( 1) | |
| | | 4953 ( 1) | |
| | | 4939 ( 1) | |
| | | 3631 ( 1) | |
| | | 3592 ( 1) | |
| | | 3499 ( 1) | |
| | | 3471 ( 1) | |
| | | 3462 ( 1) | |
| | | 3429 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |
| | | 3321 ( 1) | |
| | | 2833 ( 1) | |
| | | 2816 ( 1) | |
| | | 2661 ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | 19 |
| | | 4953 ( 2) | |
| | | 5093 ( 1) | |
| | | 4939 ( 1) | |
| | | 3633 ( 1) | |

(continued)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3631 ( 1) | |
| | | 3592 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3462 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |
| | | 3321 ( 1) | |
| | | 3312 ( 1) | |
| | | 2816 ( 1) | |
| | | 2661 ( 1) | |
| | | 2621 ( 1) | |
| 96 | PHENOLS | TOTAL | 19 |
| | | 3312 ( 4) | |
| | | 2911 ( 3) | |
| | | 5093 ( 1) | |
| | | 4953 ( 1) | |
| | | 4939 ( 1) | |
| | | 3694 ( 1) | |
| | | 3519 ( 1) | |
| | | 3296 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2661 ( 1) | |
| | | 2645 ( 1) | |
| | | 2641 ( 1) | |
| | | 2621 ( 1) | |
| 17 | CYANIDE, TOTAL | TOTAL | 18 |
| | | 3312 ( 4) | |
| | | 4953 ( 2) | |
| | | 5093 ( 1) | |
| | | 4939 ( 1) | |
| | | 3694 ( 1) | |
| | | 3631 ( 1) | |
| | | 3519 ( 1) | |

(continued)

EPA-287 (Cin.) (4-76)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3471 ( 1) | |
| | | 3462 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2661 ( 1) | |
| 50 | IRON, TOTAL | TOTAL | 18 |
| | | 4911 ( 6) | |
| | | 5093 ( 1) | |
| | | 4939 ( 1) | |
| | | 4463 ( 1) | |
| | | 3633 ( 1) | |
| | | 3531 ( 1) | |
| | | 3479 ( 1) | |
| | | 3462 ( 1) | |
| | | 3322 ( 1) | |
| | | 3321 ( 1) | |
| | | 3317 ( 1) | |
| | | 3312 ( 1) | |
| | | 2661 ( 1) | |
| 40 | CHROMIUM VI | TOTAL | 15 |
| | | 2911 ( 3) | |
| | | 3631 ( 1) | |
| | | 3585 ( 1) | |
| | | 3531 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3462 ( 1) | |
| | | 3429 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 3339 ( 1) | |
| | | 2661 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 62 | NICKEL, TOTAL | TOTAL | 13 |
| | | 5093 ( 1) | |
| | | 4953 ( 1) | |
| | | 4939 ( 1) | |
| | | 3633 ( 1) | |
| | | 3631 ( 1) | |
| | | 3499 ( 1) | |
| | | 3462 ( 1) | |
| | | 3429 ( 1) | |
| | | 3369 ( 1) | |
| | | 3361 ( 1) | |
| | | 3351 ( 1) | |
| | | 2661 ( 1) | |
| | | 2621 ( 1) | |
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | 12 |
| | | 5093 ( 1) | |
| | | 4911 ( 1) | |
| | | 4463 ( 1) | |
| | | 3711 ( 1) | |
| | | 3479 ( 1) | |
| | | 3462 ( 1) | |
| | | 3361 ( 1) | |
| | | 3339 ( 1) | |
| | | 3211 ( 1) | |
| | | 2899 ( 1) | |
| | | 2816 ( 1) | |
| | | 1422 ( 1) | |
| 12 | COD | TOTAL | 9 |
| | | 2911 ( 3) | |
| | | 3296 ( 1) | |
| | | 3291 ( 1) | |
| | | 2841 ( 1) | |
| | | 2833 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 115 | TURBIDITY | TOTAL | 9 |
| | | 4911 ( 3) | |
| | | 9711 ( 1) | |
| | | 4952 ( 1) | |
| | | 4941 ( 1) | |
| | | 3313 ( 1) | |
| | | 3312 ( 1) | |
| | | 1211 ( 1) | |
| 13 | CHLORIDE | TOTAL | 8 |
| | | 4953 ( 1) | |
| | | 4939 ( 1) | |
| | | 3479 ( 1) | |
| | | 3315 ( 1) | |
| | | 3312 ( 1) | |
| | | 2899 ( 1) | |
| | | 2822 ( 1) | |
| | | 2819 ( 1) | |
| 51 | IRON, DISSOLVED | TOTAL | 7 |
| | | 3312 ( 2) | |
| | | 4911 ( 1) | |
| | | 3479 ( 1) | |
| | | 3339 ( 1) | |
| | | 2661 ( 1) | |
| | | 1011 ( 1) | |
| 110 | SULFATE | TOTAL | 7 |
| | | 3479 ( 1) | |
| | | 3317 ( 1) | |
| | | 3315 ( 1) | |
| | | 3312 ( 1) | |
| | | 2899 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |

(continued)

Table 5. (continued)

| Region V Test Parameter No. | Description | SIC Codes and Number of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| 20 | FLUORIDE | TOTAL | | 6 |
| | | 4463 | ( 1) | |
| | | 3339 | ( 1) | |
| | | 3321 | ( 1) | |
| | | 3229 | ( 1) | |
| | | 2822 | ( 1) | |
| | | 2661 | ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | | 6 |
| | | 5093 | ( 1) | |
| | | 4463 | ( 1) | |
| | | 3471 | ( 1) | |
| | | 3462 | ( 1) | |
| | | 3321 | ( 1) | |
| | | 2661 | ( 1) | |
| 52 | LEAD, TOTAL | TOTAL | | 6 |
| | | 5093 | ( 1) | |
| | | 3711 | ( 1) | |
| | | 3479 | ( 1) | |
| | | 3321 | ( 1) | |
| | | 3315 | ( 1) | |
| | | 2661 | ( 1) | |
| | NO DISCHARGE | TOTAL | | 6 |
| | | 0211 | ( 2) | |
| | | 2874 | ( 1) | |
| | | 2063 | ( 1) | |
| | | 0252 | ( 1) | |
| | | 0213 | ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | | 5 |
| | | 4941 | ( 1) | |
| | | 3633 | ( 1) | |
| | | 2631 | ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2621 ( 1) | |
| | | 2011 ( 1) | |
| 58 | MERCURY, TOTAL | TOTAL | 5 |
| | | 4953 ( 1) | |
| | | 3321 ( 1) | |
| | | 2834 ( 1) | |
| | | 2812 ( 1) | |
| | | 2661 ( 1) | |
| 111 | SULFIDE | TOTAL | 5 |
| | | 2911 ( 3) | |
| | | 3312 ( 1) | |
| | | 3111 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 4 |
| | | 4911 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2661 ( 1) | |
| | CHROMIUM, TRIVALENT | TOTAL | 4 |
| | | 3531 ( 1) | |
| | | 3462 ( 1) | |
| | | 3361 ( 1) | |
| | | 2661 ( 1) | |
| | HEAT | TOTAL | 4 |
| | | 4911 ( 2) | |
| | | 3295 ( 1) | |
| | | 2899 ( 1) | |
| | NO MONITORING | TOTAL | 4 |
| | | 0291 ( 1) | |
| | | 0259 ( 1) | |

(continued)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 0253 ( 1) | |
| | | 0212 ( 1) | |
| 16 | COLOR | TOTAL | 2 |
| | | 4911 ( 1) | |
| | | 3313 ( 1) | |
| 18 | CYANIDE AMENDABLE TO CHLORINATION | TOTAL | 2 |
| | | 3471 ( 1) | |
| | | 3429 ( 1) | |
| 47 | COPPER, DISSOLVED | TOTAL | 2 |
| | | 3369 ( 1) | |
| | | 3339 ( 1) | |
| 56 | MANGANESE, TOTAL | TOTAL | 2 |
| | | 3321 ( 1) | |
| | | 2661 ( 1) | |
| 87 | ZINC, DISSOLVED | TOTAL | 2 |
| | | 3369 ( 1) | |
| | | 3339 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 2 |
| | | 3479 ( 1) | |
| | | 2833 ( 1) | |
| 91 | ORGANIC CARBON, TOTAL | TOTAL | 2 |
| | | 3111 ( 1) | |
| | | 2869 ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | 2 |

(continued)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| | | 2645 ( 1) | |
| | | 2611 ( 1) | |
| | CYANIDE, FREE | TOTAL | 2 |
| | | 3631 ( 1) | |
| | | 3369 ( 1) | |
| | CYANIDE, OXIDIZABLE | TOTAL | 2 |
| | | 3369 ( 1) | |
| | | 3312 ( 1) | |
| | ODOR | TOTAL | 2 |
| | | 4911 ( 1) | |
| | | 3313 ( 1) | |
| 23 | KJELDAHL NITROGEN | TOTAL | 1 |
| | | 2621 ( 1) | |
| 25 | ALUMINUM, DISSOLVED | TOTAL | 1 |
| | | 3339 ( 1) | |
| 26 | ANTIMONY, TOTAL | TOTAL | 1 |
| | | 2822 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 1 |
| | | 2661 ( 1) | |
| 32 | BERYLLIUM, TOTAL | TOTAL | 1 |
| | | 3339 ( 1) | |
| 53 | LEAD, DISSOLVED | TOTAL | 1 |
| | | 3339 ( 1) | |

(continued)

Table 5. (continued)

| Region V<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 63 | NICKEL, DISSOLVED | TOTAL | 1 |
| | | 3369 ( 1) | |
| 71 | SELENIUM, TOTAL | TOTAL | 1 |
| | | 2661 ( 1) | |
| 74 | SILVER, TOTAL | TOTAL | 1 |
| | | 2661 ( 1) | |
| 80 | TIN, TOTAL | TOTAL | 1 |
| | | 3312 ( 1) | |
| 97 | PHOSPHORUS, ELEMENTAL | TOTAL | 1 |
| | | 4952 ( 1) | |
| 112 | SULFITE | TOTAL | 1 |
| | | 3714 ( 1) | |
| | ASBESTOS-LIKE FIBERS | TOTAL | 1 |
| | | 1211 ( 1) | |
| | CARBON TETRACHLORIDE | TOTAL | 1 |
| | | 2822 ( 1) | |
| | METHYL CHLOROFORM | TOTAL | 1 |
| | | 2822 ( 1) | |
| | METHYLENE CHLORIDE | TOTAL | 1 |
| | | 2822 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region V<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| PERCHLORETHYLENE | TOTAL | 1 |
| | 2822 ( 1) | |
| POLYCHLORINATED BIPHENYLS | TOTAL | 1 |
| | 2645 ( 1) | |
| PRECIPITATION | TOTAL | 1 |
| | 0211 ( 1) | |
| RAINFALL | TOTAL | 1 |
| | 0211 ( 1) | |
| THIOCYANATES | TOTAL | 1 |
| | 2822 ( 1) | |
| TRIETHANOL AMINE | TOTAL | 1 |
| | 3339 ( 1) | |

TOTAL 926

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VI Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | REGION 6<br>--------- | |
| 22 | PH | TOTAL | 60 |
| | | 4952 ( 6) | |
| | | 2911 ( 5) | |
| | | 2869 ( 4) | |
| | | 4911 ( 3) | |
| | | 2821 ( 3) | |
| | | 1094 ( 2) | |
| | | 7391 ( 1) | |
| | | 5171 ( 1) | |
| | | 4011 ( 1) | |
| | | 3731 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3333 ( 1) | |
| | | 3312 ( 1) | |
| | | 3274 ( 1) | |
| | | 2895 ( 1) | |
| | | 2892 ( 1) | |
| | | 2879 ( 1) | |
| | | 2874 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2822 ( 1) | |
| | | 2819 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2661 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2272 ( 1) | |
| | | 2211 ( 1) | |

(continued)

Table 5. (continued)

| Region VI Test No. | Parameter Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2062 ( 1) | |
| | | 2046 ( 1) | |
| | | 2026 ( 1) | |
| | | 2023 ( 1) | |
| | | 2016 ( 1) | |
| | | 1311 ( 1) | |
| | | 1061 ( 1) | |
| | FLOW | TOTAL | 60 |
| | | 4952 ( 6) | |
| | | 2911 ( 5) | |
| | | 2869 ( 4) | |
| | | 4911 ( 3) | |
| | | 2821 ( 3) | |
| | | 1094 ( 2) | |
| | | 7391 ( 1) | |
| | | 5171 ( 1) | |
| | | 4011 ( 1) | |
| | | 3731 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3333 ( 1) | |
| | | 3312 ( 1) | |
| | | 3274 ( 1) | |
| | | 2895 ( 1) | |
| | | 2892 ( 1) | |
| | | 2879 ( 1) | |
| | | 2874 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2822 ( 1) | |
| | | 2819 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2661 ( 1) | |

(continued)

Table 5. (continued)

| Region VI<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2272 ( 1) | |
| | | 2211 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2062 ( 1) | |
| | | 2046 ( 1) | |
| | | 2026 ( 1) | |
| | | 2023 ( 1) | |
| | | 2016 ( 1) | |
| | | 1311 ( 1) | |
| | | 1061 ( 1) | |
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 58 |
| | | 4952 ( 6) | |
| | | 2911 ( 5) | |
| | | 2869 ( 4) | |
| | | 2821 ( 3) | |
| | | 4911 ( 2) | |
| | | 3483 ( 2) | |
| | | 1094 ( 2) | |
| | | 7391 ( 1) | |
| | | 4011 ( 1) | |
| | | 3731 ( 1) | |
| | | 3471 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3333 ( 1) | |
| | | 3312 ( 1) | |
| | | 3274 ( 1) | |
| | | 2895 ( 1) | |
| | | 2892 ( 1) | |
| | | 2879 ( 1) | |
| | | 2874 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |

(continued)

Table 5. (continued)

| Region VI<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| | | 2822 | ( 1) | |
| | | 2819 | ( 1) | |
| | | 2813 | ( 1) | |
| | | 2812 | ( 1) | |
| | | 2661 | ( 1) | |
| | | 2631 | ( 1) | |
| | | 2621 | ( 1) | |
| | | 2611 | ( 1) | |
| | | 2272 | ( 1) | |
| | | 2211 | ( 1) | |
| | | 2082 | ( 1) | |
| | | 2079 | ( 1) | |
| | | 2062 | ( 1) | |
| | | 2046 | ( 1) | |
| | | 2026 | ( 1) | |
| | | 2023 | ( 1) | |
| | | 2016 | ( 1) | |
| | | 1061 | ( 1) | |
| 10 | BOD5 | TOTAL | | 43 |
| | | 4952 | ( 6) | |
| | | 2911 | ( 5) | |
| | | 2869 | ( 4) | |
| | | 2821 | ( 2) | |
| | | 7391 | ( 1) | |
| | | 4911 | ( 1) | |
| | | 4011 | ( 1) | |
| | | 3731 | ( 1) | |
| | | 3339 | ( 1) | |
| | | 3334 | ( 1) | |
| | | 2895 | ( 1) | |
| | | 2892 | ( 1) | |
| | | 2879 | ( 1) | |
| | | 2865 | ( 1) | |
| | | 2861 | ( 1) | |
| | | 2822 | ( 1) | |
| | | 2813 | ( 1) | |
| | | 2661 | ( 1) | |
| | | 2631 | ( 1) | |
| | | 2621 | ( 1) | |

(continued)

Table 5. (continued)

| Region VI<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2611 ( 1) | |
| | | 2272 ( 1) | |
| | | 2211 ( 1) | |
| | | 2082 ( 1) | |
| | | 2079 ( 1) | |
| | | 2062 ( 1) | |
| | | 2046 ( 1) | |
| | | 2026 ( 1) | |
| | | 2023 ( 1) | |
| | | 2016 ( 1) | |
| 114 | TEMPERATURE | TOTAL | 29 |
| | | 4911 ( 3) | |
| | | 2911 ( 3) | |
| | | 2821 ( 3) | |
| | | 2869 ( 2) | |
| | | 7391 ( 1) | |
| | | 4952 ( 1) | |
| | | 3731 ( 1) | |
| | | 3339 ( 1) | |
| | | 3312 ( 1) | |
| | | 2895 ( 1) | |
| | | 2892 ( 1) | |
| | | 2879 ( 1) | |
| | | 2874 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2822 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2661 ( 1) | |
| | | 2026 ( 1) | |
| | | 1311 ( 1) | |
| | | 1094 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 27 |
| | | 2911 ( 5) | |
| | | 4911 ( 3) | |
| | | 2869 ( 2) | |

(continued)

Table 5. (continued)

| Region VI Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 5171 ( 1) | |
| | | 4011 ( 1) | |
| | | 3731 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 3312 ( 1) | |
| | | 2895 ( 1) | |
| | | 2892 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2813 ( 1) | |
| | | 2079 ( 1) | |
| | | 2016 ( 1) | |
| 12 | COD | TOTAL | 20 |
| | | 2911 ( 5) | |
| | | 2869 ( 2) | |
| | | 7391 ( 1) | |
| | | 3731 ( 1) | |
| | | 3312 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2272 ( 1) | |
| | | 2211 ( 1) | |
| | | 2082 ( 1) | |
| | | 1094 ( 1) | |
| 3 | AMMONIA AS N | TOTAL | 16 |
| | | 2911 ( 5) | |
| | | 2869 ( 3) | |
| | | 7391 ( 1) | |

(continued)

Table 5. (continued)

| Region VI Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4011 ( 1) | |
| | | 3339 ( 1) | |
| | | 2879 ( 1) | |
| | | 2874 ( 1) | |
| | | 2873 ( 1) | |
| | | 2821 ( 1) | |
| | | 1094 ( 1) | |
| 91 | ORGANIC CARBON, TOTAL | TOTAL | 16 |
| | | 2869 ( 4) | |
| | | 2911 ( 2) | |
| | | 4952 ( 1) | |
| | | 3483 ( 1) | |
| | | 2892 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2865 ( 1) | |
| | | 2861 ( 1) | |
| | | 2821 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 14 |
| | | 2911 ( 2) | |
| | | 4011 ( 1) | |
| | | 3731 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 2874 ( 1) | |
| | | 2869 ( 1) | |
| | | 2865 ( 1) | |
| | | 2822 ( 1) | |
| | | 2821 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| | | 2211 ( 1) | |
| 96 | PHENOLS | TOTAL | 12 |
| | | 2911 ( 5) | |

(continued)

Table 5. (continued)

| Region VI<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2869 ( 3) | |
| | | 4011 ( 1) | |
| | | 2865 ( 1) | |
| | | 2272 ( 1) | |
| | | 2211 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 11 |
| | | 4952 ( 5) | |
| | | 3731 ( 1) | |
| | | 3334 ( 1) | |
| | | 2892 ( 1) | |
| | | 2879 ( 1) | |
| | | 2023 ( 1) | |
| | | 2016 ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | 8 |
| | | 4911 ( 3) | |
| | | 2869 ( 2) | |
| | | 3731 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| 50 | IRON, TOTAL | TOTAL | 8 |
| | | 4911 ( 3) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 2819 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | 7 |
| | | 3731 ( 1) | |
| | | 3483 ( 1) | |
| | | 3471 ( 1) | |
| | | 3333 ( 1) | |
| | | 2892 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |

(continued)

Table 5. (continued)

| Region VI<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | | Total<br>Dischargers |
|---|---|---|---|---|
| 98 | PHOSPHORUS, TOTAL | TOTAL | | 6 |
| | | 7391 | ( 1) | |
| | | 4011 | ( 1) | |
| | | 3483 | ( 1) | |
| | | 3471 | ( 1) | |
| | | 2874 | ( 1) | |
| | | 2869 | ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | | 6 |
| | | 4952 | ( 5) | |
| | | 3731 | ( 1) | |
| 111 | SULFIDE | TOTAL | | 6 |
| | | 2911 | ( 5) | |
| | | 2211 | ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | | 5 |
| | | 1094 | ( 2) | |
| | | 3731 | ( 1) | |
| | | 3333 | ( 1) | |
| | | 1061 | ( 1) | |
| 20 | FLUORIDE | TOTAL | | 4 |
| | | 3339 | ( 1) | |
| | | 3334 | ( 1) | |
| | | 2874 | ( 1) | |
| | | 1061 | ( 1) | |
| 62 | NICKEL, TOTAL | TOTAL | | 4 |
| | | 3483 | ( 1) | |
| | | 3471 | ( 1) | |
| | | 2869 | ( 1) | |
| | | 1094 | ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VI<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 92 | ORGANIC NITROGEN AS N | TOTAL | 4 |
| | | 2869 ( 2) | |
| | | 2874 ( 1) | |
| | | 2821 ( 1) | |
| 2 | ALKALINITY AS CACO3 | TOTAL | 3 |
| | | 2865 ( 1) | |
| | | 2813 ( 1) | |
| | | 2812 ( 1) | |
| 13 | CHLORIDE | TOTAL | 3 |
| | | 2869 ( 2) | |
| | | 1094 ( 1) | |
| 17 | CYANIDE, TOTAL | TOTAL | 3 |
| | | 4011 ( 1) | |
| | | 2869 ( 1) | |
| | | 1061 ( 1) | |
| 24 | ALUMINUM, TOTAL | TOTAL | 3 |
| | | 3483 ( 1) | |
| | | 2865 ( 1) | |
| | | 2819 ( 1) | |
| 40 | CHROMIUM VI | TOTAL | 3 |
| | | 2911 ( 2) | |
| | | 3483 ( 1) | |
| 52 | LEAD, TOTAL | TOTAL | 3 |
| | | 3731 ( 1) | |
| | | 2892 ( 1) | |
| | | 2812 ( 1) | |

(continued)

Table 5. (continued)

| Region VI<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 58 | MERCURY, TOTAL | TOTAL | 3 |
| | | 3731 ( 1) | |
| | | 3333 ( 1) | |
| | | 2813 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 3 |
| | | 2874 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | TOLUENE | TOTAL | 3 |
| | | 2879 ( 2) | |
| | | 2865 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 2 |
| | | 3731 ( 1) | |
| | | 1094 ( 1) | |
| 56 | MANGANESE, TOTAL | TOTAL | 2 |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| 60 | MOLYBDENUM, TOTAL | TOTAL | 2 |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| 71 | SELENIUM, TOTAL | TOTAL | 2 |
| | | 3333 ( 1) | |
| | | 1094 ( 1) | |
| 84 | VANADIUM, TOTAL | TOTAL | 2 |
| | | 2869 ( 1) | |
| | | 1094 ( 1) | |

(continued)

Table 5. (continued)

| Region VI Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | 2 |
| | | 7391 ( 1) | |
| | | 2869 ( 1) | |
| 110 | SULFATE | TOTAL | 2 |
| | | 2869 ( 1) | |
| | | 1094 ( 1) | |
| | CHLORINE, FREE AVAILABLE | TOTAL | 2 |
| | | 4911 ( 2) | |
| | PHOSPHATE, TOTAL AS P | TOTAL | 2 |
| | | 3483 ( 1) | |
| | | 2892 ( 1) | |
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 1 |
| | | 4952 ( 1) | |
| 16 | COLOR | TOTAL | 1 |
| | | 2869 ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | 1 |
| | | 2892 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 1 |
| | | 2892 ( 1) | |
| 80 | TIN, TOTAL | TOTAL | 1 |
| | | 3731 ( 1) | |

(continued)

Table 5. (continued)

| Region VI Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 93 | ORTHOPHOSPHATE | TOTAL | 1 |
| | | 2892 ( 1) | |
| 103B | RA-226 | TOTAL | 1 |
| | | 1094 ( 1) | |
| 104 | TOTAL RESIDUE | TOTAL | 1 |
| | | 2082 ( 1) | |
| 108 | TOTAL VOLATILE | TOTAL | 1 |
| | | 2869 ( 1) | |
| 115 | TURBIDITY | TOTAL | 1 |
| | | 4911 ( 1) | |
| | ATRIZINE | TOTAL | 1 |
| | | 2879 ( 1) | |
| | BENZENE | TOTAL | 1 |
| | | 2865 ( 1) | |
| | CARBON TETRACHLORIDE | TOTAL | 1 |
| | | 2879 ( 1) | |
| | CHLORINATED HYDROCARBONS | TOTAL | 1 |
| | | 2869 ( 1) | |
| | CHLORODIMEFORM | TOTAL | 1 |
| | | 2879 ( 1) | |

(continued)

Table 5. (continued)

| Region VI Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| CHLOROFORM | TOTAL | 1 |
| | 2879 ( 1) | |
| CLARIFYING AGENTS | TOTAL | 1 |
| | 2812 ( 1) | |
| CYANIDE, FREE | TOTAL | 1 |
| | 2879 ( 1) | |
| ETHYL BENZENE | TOTAL | 1 |
| | 2865 ( 1) | |
| NO DISCHARGE | TOTAL | 1 |
| | 1021 ( 1) | |
| POLYETHYLBENZENE | TOTAL | 1 |
| | 2865 ( 1) | |
| RAINFALL | TOTAL | 1 |
| | 1094 ( 1) | |
| STYRENE | TOTAL | 1 |
| | 2865 ( 1) | |
| TNT AND NITROBODIES | TOTAL | 1 |
| | 3483 ( 1) | |
| URANIUM, TOTAL | TOTAL | 1 |
| | 1094 ( 1) | |

(continued)

Table 5. (continued)

| Region VI<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| 1,2-DICHLOROETHANE | TOTAL | 1 |
| | 2812 ( 1) | |
| 96 HOUR LC50 | TOTAL | 1 |
| | 2869 ( 1) | |

TOTAL 496

(continued)

Table 5. (continued)

| Region VII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | REGION 7 | |
| 22 | PH | TOTAL | 68 |
| | | 4952 ( 4) | |
| | | 2011 ( 3) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4931 ( 1) | |
| | | 4911 ( 1) | |
| | | 4583 ( 1) | |
| | | 4013 ( 1) | |
| | | 4011 ( 1) | |
| | | 3842 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3724 ( 1) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3612 ( 1) | |
| | | 3585 ( 1) | |
| | | 3523 ( 1) | |
| | | 3489 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3423 ( 1) | |
| | | 3339 ( 1) | |
| | | 3332 ( 1) | |
| | | 3312 ( 1) | |
| | | 3069 ( 1) | |
| | | 2911 ( 1) | |

(continued)

Table 5. (continued)

| Region VII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2861 ( 1) | |
| | | 2851 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2812 ( 1) | |
| | | 2752 ( 1) | |
| | | 2653 ( 1) | |
| | | 2631 ( 1) | |
| | | 2514 ( 1) | |
| | | 2491 ( 1) | |
| | | 2261 ( 1) | |
| | | 2085 ( 1) | |
| | | 2077 ( 1) | |
| | | 2075 ( 1) | |
| | | 2048 ( 1) | |
| | | 2046 ( 1) | |
| | | 2026 ( 1) | |
| | | 2022 ( 1) | |
| | | 2021 ( 1) | |
| | | 2017 ( 1) | |
| | | 2013 ( 1) | |
| | | 1422 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| | FLOW | TOTAL | 65 |
| | | 4952 ( 4) | |
| | | 2011 ( 2) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4931 ( 1) | |
| | | 4911 ( 1) | |
| | | 4583 ( 1) | |
| | | 4013 ( 1) | |

(continued)

Table 5. (continued)

| Region VII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4011 ( 1) | |
| | | 3842 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3724 ( 1) | |
| | | 3721 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3662 ( 1) | |
| | | 3661 ( 1) | |
| | | 3612 ( 1) | |
| | | 3585 ( 1) | |
| | | 3523 ( 1) | |
| | | 3489 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3423 ( 1) | |
| | | 3339 ( 1) | |
| | | 3332 ( 1) | |
| | | 3312 ( 1) | |
| | | 3069 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |
| | | 2879 ( 1) | |
| | | 2861 ( 1) | |
| | | 2851 ( 1) | |
| | | 2834 ( 1) | |
| | | 2833 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2812 ( 1) | |
| | | 2752 ( 1) | |
| | | 2653 ( 1) | |
| | | 2631 ( 1) | |
| | | 2514 ( 1) | |
| | | 2491 ( 1) | |
| | | 2261 ( 1) | |
| | | 2085 ( 1) | |

(continued)

Table 5. (continued)

| Region VII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2077 ( 1) | |
| | | 2075 ( 1) | |
| | | 2048 ( 1) | |
| | | 2046 ( 1) | |
| | | 2026 ( 1) | |
| | | 2023 ( 1) | |
| | | 2022 ( 1) | |
| | | 2021 ( 1) | |
| | | 2017 ( 1) | |
| | | 2013 ( 1) | |
| | | 1422 ( 1) | |
| | | 1011 ( 1) | |
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 57 |
| | | 4952 ( 4) | |
| | | 2011 ( 2) | |
| | | 4941 ( 1) | |
| | | 4939 ( 1) | |
| | | 4931 ( 1) | |
| | | 4911 ( 1) | |
| | | 4013 ( 1) | |
| | | 4011 ( 1) | |
| | | 3842 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3662 ( 1) | |
| | | 3612 ( 1) | |
| | | 3585 ( 1) | |
| | | 3523 ( 1) | |
| | | 3489 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3423 ( 1) | |

(continued)

Table 5. (continued)

| Region VII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3339 ( 1) | |
| | | 3332 ( 1) | |
| | | 3312 ( 1) | |
| | | 3069 ( 1) | |
| | | 2911 ( 1) | |
| | | 2899 ( 1) | |
| | | 2891 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2861 ( 1) | |
| | | 2821 ( 1) | |
| | | 2819 ( 1) | |
| | | 2812 ( 1) | |
| | | 2752 ( 1) | |
| | | 2653 ( 1) | |
| | | 2631 ( 1) | |
| | | 2514 ( 1) | |
| | | 2261 ( 1) | |
| | | 2085 ( 1) | |
| | | 2077 ( 1) | |
| | | 2075 ( 1) | |
| | | 2048 ( 1) | |
| | | 2046 ( 1) | |
| | | 2022 ( 1) | |
| | | 2021 ( 1) | |
| | | 2017 ( 1) | |
| | | 2013 ( 1) | |
| | | 1422 ( 1) | |
| 10 | BOD5 | TOTAL | 38 |
| | | 4952 ( 4) | |
| | | 2011 ( 2) | |
| | | 4939 ( 1) | |
| | | 4911 ( 1) | |
| | | 4583 ( 1) | |
| | | 3842 ( 1) | |
| | | 3751 ( 1) | |
| | | 3721 ( 1) | |
| | | 3711 ( 1) | |
| | | 3662 ( 1) | |

(continued)

Table 5. (continued)

| Region VII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3585 ( 1) | |
| | | 3523 ( 1) | |
| | | 3489 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3339 ( 1) | |
| | | 2911 ( 1) | |
| | | 2891 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2821 ( 1) | |
| | | 2812 ( 1) | |
| | | 2752 ( 1) | |
| | | 2631 ( 1) | |
| | | 2261 ( 1) | |
| | | 2085 ( 1) | |
| | | 2077 ( 1) | |
| | | 2075 ( 1) | |
| | | 2048 ( 1) | |
| | | 2046 ( 1) | |
| | | 2022 ( 1) | |
| | | 2021 ( 1) | |
| | | 2017 ( 1) | |
| | | 2013 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 32 |
| | | 4952 ( 2) | |
| | | 2011 ( 2) | |
| | | 4911 ( 1) | |
| | | 4583 ( 1) | |
| | | 4013 ( 1) | |
| | | 4011 ( 1) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3692 ( 1) | |
| | | 3612 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3523 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3312 ( 1) | |
| | | 3069 ( 1) | |
| | | 2911 ( 1) | |
| | | 2891 ( 1) | |
| | | 2819 ( 1) | |
| | | 2752 ( 1) | |
| | | 2514 ( 1) | |
| | | 2491 ( 1) | |
| | | 2261 ( 1) | |
| | | 2077 ( 1) | |
| | | 2048 ( 1) | |
| | | 2046 ( 1) | |
| | | 2013 ( 1) | |
| 114 | TEMPERATURE | TOTAL | 27 |
| | | 4952 ( 1) | |
| | | 4931 ( 1) | |
| | | 4911 ( 1) | |
| | | 3724 ( 1) | |
| | | 3721 ( 1) | |
| | | 3694 ( 1) | |
| | | 3662 ( 1) | |
| | | 3612 ( 1) | |
| | | 3585 ( 1) | |
| | | 3523 ( 1) | |
| | | 3423 ( 1) | |
| | | 3339 ( 1) | |
| | | 3332 ( 1) | |
| | | 3312 ( 1) | |
| | | 3069 ( 1) | |
| | | 2911 ( 1) | |
| | | 2861 ( 1) | |
| | | 2851 ( 1) | |
| | | 2833 ( 1) | |
| | | 2514 ( 1) | |
| | | 2491 ( 1) | |
| | | 2075 ( 1) | |

(continued)

Table 5. (continued)

| Region VII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2046 ( 1) | |
| | | 2026 ( 1) | |
| | | 2023 ( 1) | |
| | | 2022 ( 1) | |
| | | 2021 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 18 |
| | | 3724 ( 1) | |
| | | 3721 ( 1) | |
| | | 3714 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3661 ( 1) | |
| | | 3612 ( 1) | |
| | | 3585 ( 1) | |
| | | 3523 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3339 ( 1) | |
| | | 3069 ( 1) | |
| | | 2911 ( 1) | |
| | | 2819 ( 1) | |
| | | 2514 ( 1) | |
| | | 2261 ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | 18 |
| | | 4952 ( 2) | |
| | | 3751 ( 1) | |
| | | 3724 ( 1) | |
| | | 3711 ( 1) | |
| | | 3694 ( 1) | |
| | | 3661 ( 1) | |
| | | 3585 ( 1) | |
| | | 3523 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3332 ( 1) | |

(continued)

Table 5. (continued)

| Region VII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2873 ( 1) | |
| | | 2821 ( 1) | |
| | | 2752 ( 1) | |
| | | 2261 ( 1) | |
| | | 2075 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 17 |
| | | 4952 ( 3) | |
| | | 2011 ( 2) | |
| | | 4939 ( 1) | |
| | | 4911 ( 1) | |
| | | 3751 ( 1) | |
| | | 3662 ( 1) | |
| | | 3523 ( 1) | |
| | | 3489 ( 1) | |
| | | 3479 ( 1) | |
| | | 3339 ( 1) | |
| | | 2812 ( 1) | |
| | | 2048 ( 1) | |
| | | 2017 ( 1) | |
| | | 2013 ( 1) | |
| 12 | COD | TOTAL | 13 |
| | | 4952 ( 1) | |
| | | 4011 ( 1) | |
| | | 3842 ( 1) | |
| | | 3728 ( 1) | |
| | | 3694 ( 1) | |
| | | 3339 ( 1) | |
| | | 2911 ( 1) | |
| | | 2873 ( 1) | |
| | | 2821 ( 1) | |
| | | 2514 ( 1) | |
| | | 2261 ( 1) | |
| | | 2085 ( 1) | |
| | | 2075 ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | 13 |
| | | 4952 ( 2) | |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4931 ( 1) | |
| | | 3711 ( 1) | |
| | | 3661 ( 1) | |
| | | 3523 ( 1) | |
| | | 3483 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3423 ( 1) | |
| | | 2873 ( 1) | |
| | | 2821 ( 1) | |
| | | 2261 ( 1) | |
| 3 | AMMONIA AS N | TOTAL | 12 |
| | | 4952 ( 2) | |
| | | 3312 ( 1) | |
| | | 2911 ( 1) | |
| | | 2891 ( 1) | |
| | | 2879 ( 1) | |
| | | 2873 ( 1) | |
| | | 2834 ( 1) | |
| | | 2819 ( 1) | |
| | | 2077 ( 1) | |
| | | 2022 ( 1) | |
| | | 2021 ( 1) | |
| 52 | LEAD, TOTAL | TOTAL | 9 |
| | | 4952 ( 2) | |
| | | 3694 ( 1) | |
| | | 3523 ( 1) | |
| | | 3483 ( 1) | |
| | | 3332 ( 1) | |
| | | 2873 ( 1) | |
| | | 2821 ( 1) | |
| | | 2752 ( 1) | |
| 17 | CYANIDE, TOTAL | TOTAL | 8 |
| | | 4952 ( 2) | |
| | | 3692 ( 1) | |

(continued)

Table 5. (continued)

| Region VII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3585 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3423 ( 1) | |
| | | 3312 ( 1) | |
| 40 | CHROMIUM VI | TOTAL | 8 |
| | | 4952 ( 2) | |
| | | 3751 ( 1) | |
| | | 3728 ( 1) | |
| | | 3714 ( 1) | |
| | | 3585 ( 1) | |
| | | 3479 ( 1) | |
| | | 2911 ( 1) | |
| 96 | PHENOLS | TOTAL | 7 |
| | | 4011 ( 1) | |
| | | 3728 ( 1) | |
| | | 3523 ( 1) | |
| | | 3312 ( 1) | |
| | | 2911 ( 1) | |
| | | 2879 ( 1) | |
| | | 2491 ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | 6 |
| | | 4952 ( 2) | |
| | | 3523 ( 1) | |
| | | 3339 ( 1) | |
| | | 2022 ( 1) | |
| | | 2021 ( 1) | |
| 62 | NICKEL, TOTAL | TOTAL | 5 |
| | | 4952 ( 1) | |
| | | 3661 ( 1) | |
| | | 3479 ( 1) | |
| | | 3471 ( 1) | |
| | | 3423 ( 1) | |

(continued)

Table 5. (continued)

| Region VII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 24 | ALUMINUM, TOTAL | TOTAL | 4 |
| | | 3728 ( 1) | |
| | | 3721 ( 1) | |
| | | 3612 ( 1) | |
| | | 2752 ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | 4 |
| | | 4952 ( 2) | |
| | | 3694 ( 1) | |
| | | 3332 ( 1) | |
| 51 | IRON, DISSOLVED | TOTAL | 4 |
| | | 4941 ( 1) | |
| | | 3692 ( 1) | |
| | | 3483 ( 1) | |
| | | 1011 ( 1) | |
| 37 | CADMIUM, DISSOLVED | TOTAL | 3 |
| | | 3692 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| 47 | COPPER, DISSOLVED | TOTAL | 3 |
| | | 3692 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| 53 | LEAD, DISSOLVED | TOTAL | 3 |
| | | 3692 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| 58 | MERCURY, TOTAL | TOTAL | 3 |

(continued)

Table 5. (continued)

| Region VII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4952 ( 2) | |
| | | 2821 ( 1) | |
| 87 | ZINC, DISSOLVED | TOTAL | 3 |
| | | 3692 ( 1) | |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| 98 | PHOSPHORUS, TOTAL | TOTAL | 3 |
| | | 4952 ( 1) | |
| | | 3694 ( 1) | |
| | | 3612 ( 1) | |
| 111 | SULFIDE | TOTAL | 3 |
| | | 3312 ( 1) | |
| | | 2911 ( 1) | |
| | | 2821 ( 1) | |
| 13 | CHLORIDE | TOTAL | 2 |
| | | 4952 ( 1) | |
| | | 2899 ( 1) | |
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 2 |
| | | 3523 ( 1) | |
| | | 2013 ( 1) | |
| 20 | FLUORIDE | TOTAL | 2 |
| | | 3339 ( 1) | |
| | | 2752 ( 1) | |
| 25 | ALUMINUM, DISSOLVED | TOTAL | 2 |
| | | 4941 ( 1) | |
| | | 3692 ( 1) | |

(continued)

Table 5. (continued)

| Region VII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 50 | IRON, TOTAL | TOTAL | 2 |
| | | 4931 ( 1) | |
| | | 2861 ( 1) | |
| 56 | MANGANESE, TOTAL | TOTAL | 2 |
| | | 3694 ( 1) | |
| | | 3612 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 2 |
| | | 2834 ( 1) | |
| | | 2819 ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | 2 |
| | | 1031 ( 1) | |
| | | 1011 ( 1) | |
| | CYANIDE, OXIDIZABLE | TOTAL | 2 |
| | | 3585 ( 1) | |
| | | 3479 ( 1) | |
| 18 | CYANIDE AMENDABLE TO CHLORINATION | TOTAL | 1 |
| | | 3471 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 1 |
| | | 4952 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 1 |
| | | 4952 ( 1) | |
| 43 | CHROMIUM, DISSOLVED | TOTAL | 1 |
| | | 1011 ( 1) | |

(continued)

Table 5. (continued)

| Region VII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 57 | MANGANESE, DISSOLVED | TOTAL | 1 |
| | | 1031 ( 1) | |
| 59 | MERCURY, DISSOLVED | TOTAL | 1 |
| | | 3692 ( 1) | |
| 63 | NICKEL, DISSOLVED | TOTAL | 1 |
| | | 1031 ( 1) | |
| 71 | SELENIUM, TOTAL | TOTAL | 1 |
| | | 4952 ( 1) | |
| 76 | SODIUM, TOTAL | TOTAL | 1 |
| | | 3332 ( 1) | |
| 82 | TITANIUM, TOTAL | TOTAL | 1 |
| | | 2861 ( 1) | |
| 92 | ORGANIC NITROGEN AS N | TOTAL | 1 |
| | | 2819 ( 1) | |
| 93 | ORTHOPHOSPHATE | TOTAL | 1 |
| | | 3711 ( 1) | |
| 95 | PESTICIDES | TOTAL | 1 |
| | | 2879 ( 1) | |
| 104 | TOTAL RESIDUE | TOTAL | 1 |
| | | 3069 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN POSITIONS HERE
BEGIN LAST LINE OF TEXT
7/8
PAGE NUMBER
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-78)

Table 5. (continued)

| Region VII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 109 | SPECIFIC CONDUCTANCE | TOTAL | 1 |
| | | 3332 ( 1) | |
| 113 | SURFACTANTS | TOTAL | 1 |
| | | 4952 ( 1) | |
| 115 | TURBIDITY | TOTAL | 1 |
| | | 3612 ( 1) | |
| | CHLORINATED HYDROCARBONS | TOTAL | 1 |
| | | 4952 ( 1) | |
| | CHLORINE, FREE AVAILABLE | TOTAL | 1 |
| | | 4911 ( 1) | |
| | CHROMIUM, TRIVALENT | TOTAL | 1 |
| | | 4952 ( 1) | |
| | CYANIDE, DISSOLVED | TOTAL | 1 |
| | | 1031 ( 1) | |
| | NITROGEN, TOTAL | TOTAL | 1 |
| | | 4952 ( 1) | |
| | NO DISCHARGE | TOTAL | 1 |
| | | 9711 ( 1) | |
| | NO MONITORING | TOTAL | 1 |
| | | 0211 ( 1) | |

(continued)

Table 5. (continued)

| Region VII<br>Test Parameter<br>No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| PHOSPHATE, TOTAL AS P | TOTAL | 1 |
| | 3483 ( 1) | |
| RAINFALL | TOTAL | 1 |
| | 4011 ( 1) | |
| RDX | TOTAL | 1 |
| | 3483 ( 1) | |
| TNT | TOTAL | 1 |
| | 3483 ( 1) | |
| TOTAL OXYGEN DEMAND | TOTAL | 1 |
| | 2879 ( 1) | |

TOTAL 501

(continued)

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | REGION 8 | | |
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 40 |
| | | 4952 ( 4) | |
| | | 4911 ( 2) | |
| | | 2063 ( 2) | |
| | | 1094 ( 2) | |
| | | 7395 ( 1) | |
| | | 7032 ( 1) | |
| | | 7011 ( 1) | |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |
| | | 4789 ( 1) | |
| | | 4011 ( 1) | |
| | | 3471 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 3241 ( 1) | |
| | | 3069 ( 1) | |
| | | 2952 ( 1) | |
| | | 2911 ( 1) | |
| | | 2874 ( 1) | |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2082 ( 1) | |
| | | 2077 ( 1) | |
| | | 2011 ( 1) | |
| | | 1473 ( 1) | |
| | | 1442 ( 1) | |
| | | 1311 ( 1) | |
| | | 1211 ( 1) | |
| | | 1061 ( 1) | |
| | | 1041 ( 1) | |

(continued)

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 1031 ( 1) | |
| | | 1021 ( 1) | |
| 22 | PH | TOTAL | 39 |
| | | 4952 ( 4) | |
| | | 4911 ( 2) | |
| | | 2063 ( 2) | |
| | | 1094 ( 2) | |
| | | 7395 ( 1) | |
| | | 7032 ( 1) | |
| | | 7011 ( 1) | |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |
| | | 4011 ( 1) | |
| | | 3471 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 3241 ( 1) | |
| | | 3069 ( 1) | |
| | | 2952 ( 1) | |
| | | 2911 ( 1) | |
| | | 2874 ( 1) | |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2082 ( 1) | |
| | | 2077 ( 1) | |
| | | 2011 ( 1) | |
| | | 1473 ( 1) | |
| | | 1442 ( 1) | |
| | | 1311 ( 1) | |
| | | 1211 ( 1) | |
| | | 1061 ( 1) | |
| | | 1041 ( 1) | |
| | | 1031 ( 1) | |
| | | 1021 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VIII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | FLOW | TOTAL | 38 |
| | | 4952 ( 4) | |
| | | 4911 ( 2) | |
| | | 2063 ( 2) | |
| | | 1094 ( 2) | |
| | | 7395 ( 1) | |
| | | 7032 ( 1) | |
| | | 7011 ( 1) | |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |
| | | 4789 ( 1) | |
| | | 4011 ( 1) | |
| | | 3471 ( 1) | |
| | | 3331 ( 1) | |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 3241 ( 1) | |
| | | 3069 ( 1) | |
| | | 2952 ( 1) | |
| | | 2911 ( 1) | |
| | | 2874 ( 1) | |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2082 ( 1) | |
| | | 2077 ( 1) | |
| | | 1473 ( 1) | |
| | | 1442 ( 1) | |
| | | 1311 ( 1) | |
| | | 1061 ( 1) | |
| | | 1041 ( 1) | |
| | | 1031 ( 1) | |
| | | 1021 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 25 |
| | | 4952 ( 3) | |
| | | 1094 ( 2) | |
| | | 5161 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VIII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4941 ( 1) | |
| | | 4911 ( 1) | |
| | | 4789 ( 1) | |
| | | 4011 ( 1) | |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 3241 ( 1) | |
| | | 3069 ( 1) | |
| | | 2952 ( 1) | |
| | | 2911 ( 1) | |
| | | 2621 ( 1) | |
| | | 2082 ( 1) | |
| | | 2077 ( 1) | |
| | | 2011 ( 1) | |
| | | 1473 ( 1) | |
| | | 1442 ( 1) | |
| | | 1311 ( 1) | |
| | | 1061 ( 1) | |
| | | 1031 ( 1) | |
| 10 | BOD5 | TOTAL | 23 |
| | | 4952 ( 4) | |
| | | 2063 ( 2) | |
| | | 7395 ( 1) | |
| | | 7032 ( 1) | |
| | | 7011 ( 1) | |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |
| | | 4789 ( 1) | |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 3241 ( 1) | |
| | | 2952 ( 1) | |
| | | 2911 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2082 ( 1) | |
| | | 2077 ( 1) | |
| | | 2011 ( 1) | |
| | | 1094 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 4 | COLIFORM, FECAL | TOTAL | 19 |
| | | 4952 ( 4) | |
| | | 2063 ( 2) | |
| | | 7395 ( 1) | |
| | | 7032 ( 1) | |
| | | 7011 ( 1) | |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |
| | | 4789 ( 1) | |
| | | 3312 ( 1) | |
| | | 3241 ( 1) | |
| | | 2621 ( 1) | |
| | | 2082 ( 1) | |
| | | 2077 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| 3 | AMMONIA AS N | TOTAL | 15 |
| | | 4952 ( 2) | |
| | | 2063 ( 2) | |
| | | 7395 ( 1) | |
| | | 7032 ( 1) | |
| | | 7011 ( 1) | |
| | | 5161 ( 1) | |
| | | 4789 ( 1) | |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 2911 ( 1) | |
| | | 2631 ( 1) | |
| | | 2082 ( 1) | |
| | | 1061 ( 1) | |
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 15 |
| | | 4952 ( 4) | |
| | | 7395 ( 1) | |
| | | 7032 ( 1) | |
| | | 7011 ( 1) | |
| | | 5161 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4941 ( 1) | |
| | | 4789 ( 1) | |
| | | 3241 ( 1) | |
| | | 2621 ( 1) | |
| | | 2082 ( 1) | |
| | | 2077 ( 1) | |
| | | 1061 ( 1) | |
| 114 | TEMPERATURE | TOTAL | 15 |
| | | 4911 ( 2) | |
| | | 2063 ( 2) | |
| | | 7395 ( 1) | |
| | | 7011 ( 1) | |
| | | 3325 ( 1) | |
| | | 3241 ( 1) | |
| | | 3069 ( 1) | |
| | | 2952 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2077 ( 1) | |
| | | 2011 ( 1) | |
| | | 1061 ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | 14 |
| | | 1094 ( 2) | |
| | | 7395 ( 1) | |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |
| | | 4911 ( 1) | |
| | | 3471 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 3069 ( 1) | |
| | | 1061 ( 1) | |
| | | 1041 ( 1) | |
| | | 1031 ( 1) | |
| | | 1021 ( 1) | |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 52 | LEAD, TOTAL | TOTAL | 11 |
| | | 4941 ( 1) | |
| | | 4911 ( 1) | |
| | | 3471 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 3069 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| | | 1041 ( 1) | |
| | | 1031 ( 1) | |
| | | 1021 ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | 9 |
| | | 4911 ( 2) | |
| | | 4941 ( 1) | |
| | | 3471 ( 1) | |
| | | 3331 ( 1) | |
| | | 1061 ( 1) | |
| | | 1041 ( 1) | |
| | | 1031 ( 1) | |
| | | 1021 ( 1) | |
| 50 | IRON, TOTAL | TOTAL | 9 |
| | | 7395 ( 1) | |
| | | 4941 ( 1) | |
| | | 4911 ( 1) | |
| | | 3471 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 1211 ( 1) | |
| | | 1094 ( 1) | |
| | | 1021 ( 1) | |
| 96 | PHENOLS | TOTAL | 8 |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3471 ( 1) | |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 2952 ( 1) | |
| | | 2911 ( 1) | |
| | | 2631 ( 1) | |
| 12 | COD | TOTAL | 7 |
| | | 7395 ( 1) | |
| | | 4941 ( 1) | |
| | | 4789 ( 1) | |
| | | 2952 ( 1) | |
| | | 2911 ( 1) | |
| | | 2819 ( 1) | |
| | | 1094 ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | 7 |
| | | 4941 ( 1) | |
| | | 4911 ( 1) | |
| | | 3471 ( 1) | |
| | | 3331 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 7 |
| | | 7395 ( 1) | |
| | | 5161 ( 1) | |
| | | 4941 ( 1) | |
| | | 4911 ( 1) | |
| | | 3471 ( 1) | |
| | | 3312 ( 1) | |
| | | 2911 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 6 |
| | | 4911 ( 1) | |
| | | 3331 ( 1) | |

(continued)

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3312 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| 58 | MERCURY, TOTAL | TOTAL | 6 |
| | | 4911 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 1041 ( 1) | |
| | | 1031 ( 1) | |
| | | 1021 ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | 5 |
| | | 2063 ( 2) | |
| | | 3312 ( 1) | |
| | | 2631 ( 1) | |
| | | 2082 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 5 |
| | | 7395 ( 1) | |
| | | 5161 ( 1) | |
| | | 4952 ( 1) | |
| | | 4941 ( 1) | |
| | | 3312 ( 1) | |
| 110 | SULFATE | TOTAL | 5 |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 1311 ( 1) | |
| | | 1094 ( 1) | |
| | | 1021 ( 1) | |
| 20 | FLUORIDE | TOTAL | 4 |
| | | 4911 ( 1) | |
| | | 3312 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 1473 ( 1) | |
| | | 1061 ( 1) | |
| 56 | MANGANESE, TOTAL | TOTAL | 4 |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| 13 | CHLORIDE | TOTAL | 3 |
| | | 3312 ( 1) | |
| | | 2631 ( 1) | |
| | | 1311 ( 1) | |
| 17 | CYANIDE, TOTAL | TOTAL | 3 |
| | | 7395 ( 1) | |
| | | 5161 ( 1) | |
| | | 3312 ( 1) | |
| 23 | KJELDAHL NITROGEN | TOTAL | 3 |
| | | 5161 ( 1) | |
| | | 4952 ( 1) | |
| | | 4941 ( 1) | |
| 25 | ALUMINUM, DISSOLVED | TOTAL | 3 |
| | | 7395 ( 1) | |
| | | 5161 ( 1) | |
| | | 1061 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 3 |
| | | 4911 ( 1) | |
| | | 3471 ( 1) | |
| | | 1094 ( 1) | |

(continued)

Table 5. (continued)

| Region VIII<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| 40 | CHROMIUM VI | TOTAL | | 3 |
| | | 3471 | ( 1) | |
| | | 3312 | ( 1) | |
| | | 2911 | ( 1) | |
| 74 | SILVER, TOTAL | TOTAL | | 3 |
| | | 7395 | ( 1) | |
| | | 5161 | ( 1) | |
| | | 1041 | ( 1) | |
| 98 | PHOSPHORUS, TOTAL | TOTAL | | 3 |
| | | 5161 | ( 1) | |
| | | 4952 | ( 1) | |
| | | 4941 | ( 1) | |
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | | 3 |
| | | 7395 | ( 1) | |
| | | 4911 | ( 1) | |
| | | 3312 | ( 1) | |
| | PRECIPITATION | TOTAL | | 3 |
| | | 0211 | ( 2) | |
| | | 0241 | ( 1) | |
| 34 | BORON, TOTAL | TOTAL | | 2 |
| | | 7395 | ( 1) | |
| | | 5161 | ( 1) | |
| 51 | IRON, DISSOLVED | TOTAL | | 2 |
| | | 3331 | ( 1) | |
| | | 3312 | ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 60 | MOLYBDENUM, TOTAL | TOTAL | 2 |
| | | 1094 ( 1) | |
| | | 1061 ( 1) | |
| 103B | RA-226 | TOTAL | 2 |
| | | 1094 ( 2) | |
| | NITRATE-NITRITE NITROGEN | TOTAL | 2 |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | NO DISCHARGE | TOTAL | 2 |
| | | 4941 ( 1) | |
| | | 1061 ( 1) | |
| | SUCROSE | TOTAL | 2 |
| | | 2063 ( 2) | |
| | URANIUM, TOTAL | TOTAL | 2 |
| | | 1094 ( 2) | |
| 2 | ALKALINITY AS CACO3 | TOTAL | 1 |
| | | 1021 ( 1) | |
| 16 | COLOR | TOTAL | 1 |
| | | 2631 ( 1) | |
| 21 | HARDNESS | TOTAL | 1 |
| | | 1021 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region VIII<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| 24 | ALUMINUM, TOTAL | TOTAL | 1 |
| | | 7395 ( 1) | |
| 43 | CHROMIUM, DISSOLVED | TOTAL | 1 |
| | | 3312 ( 1) | |
| 47 | COPPER, DISSOLVED | TOTAL | 1 |
| | | 3331 ( 1) | |
| 53 | LEAD, DISSOLVED | TOTAL | 1 |
| | | 3331 ( 1) | |
| 54 | MAGNESIUM, TOTAL | TOTAL | 1 |
| | | 1094 ( 1) | |
| 62 | NICKEL, TOTAL | TOTAL | 1 |
| | | 4941 ( 1) | |
| 63 | NICKEL, DISSOLVED | TOTAL | 1 |
| | | 3312 ( 1) | |
| 75 | SILVER, DISSOLVED | TOTAL | 1 |
| | | 7395 ( 1) | |
| 76 | SODIUM, TOTAL | TOTAL | 1 |
| | | 2631 ( 1) | |
| 87 | ZINC, DISSOLVED | TOTAL | 1 |
| | | 3331 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region VIII Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 92 | ORGANIC NITROGEN AS N | TOTAL | 1 |
| | | 2631 ( 1) | |
| 99 | ALPHA, TOTAL | TOTAL | 1 |
| | | 1094 ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | 1 |
| | | 2621 ( 1) | |
| 109 | SPECIFIC CONDUCTANCE | TOTAL | 1 |
| | | 4941 ( 1) | |
| 111 | SULFIDE | TOTAL | 1 |
| | | 2911 ( 1) | |
| 113 | SURFACTANTS | TOTAL | 1 |
| | | 5161 ( 1) | |
| | ALPHA EMITTING RADIUM ISOTOPES, DISSOLVED | TOTAL | 1 |
| | | 1094 ( 1) | |
| | BROMINE AND IODINE | TOTAL | 1 |
| | | 7395 ( 1) | |
| | RADIUM-226, DISSOLVED | TOTAL | 1 |
| | | 1094 ( 1) | |
| | 96 HOUR TL50 | TOTAL | 1 |
| | | 2631 ( 1) | |

TOTAL 405

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | REGION 9 | |
| | FLOW | TOTAL | 41 |
| | | 4952 ( 5) | |
| | | 4911 ( 3) | |
| | | 7996 ( 1) | |
| | | 6515 ( 1) | |
| | | 5171 ( 1) | |
| | | 4971 ( 1) | |
| | | 4953 ( 1) | |
| | | 4931 ( 1) | |
| | | 4582 ( 1) | |
| | | 3769 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 3211 ( 1) | |
| | | 2911 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2841 ( 1) | |
| | | 2819 ( 1) | |
| | | 2646 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2431 ( 1) | |
| | | 2091 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2048 ( 1) | |
| | | 2033 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 0921 ( 1) | |
| | | 0133 ( 1) | |
| 22 | PH | TOTAL | 40 |
| | | 4952 ( 5) | |
| | | 4911 ( 3) | |
| | | 7996 ( 1) | |
| | | 6515 ( 1) | |
| | | 4971 ( 1) | |
| | | 4953 ( 1) | |
| | | 4931 ( 1) | |
| | | 4582 ( 1) | |
| | | 3769 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 3211 ( 1) | |
| | | 2911 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2841 ( 1) | |
| | | 2819 ( 1) | |
| | | 2646 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2431 ( 1) | |
| | | 2421 ( 1) | |
| | | 2091 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2048 ( 1) | |
| | | 2033 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| | | 0921 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA, OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 37 |
| | | 4952 ( 5) | |
| | | 4911 ( 3) | |
| | | 6515 ( 1) | |
| | | 4971 ( 1) | |
| | | 4931 ( 1) | |
| | | 4582 ( 1) | |
| | | 3769 ( 1) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 3211 ( 1) | |
| | | 2911 ( 1) | |
| | | 2873 ( 1) | |
| | | 2841 ( 1) | |
| | | 2819 ( 1) | |
| | | 2646 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2431 ( 1) | |
| | | 2421 ( 1) | |
| | | 2091 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2033 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| | | 0921 ( 1) | |
| | | 0133 ( 1) | |
| 107 | SETTLEABLE RESIDUE | TOTAL | 32 |
| | | 4952 ( 5) | |
| | | 4911 ( 2) | |
| | | 6515 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4971 ( 1) | |
| | | 4953 ( 1) | |
| | | 4582 ( 1) | |
| | | 3769 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 3211 ( 1) | |
| | | 2873 ( 1) | |
| | | 2841 ( 1) | |
| | | 2646 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2431 ( 1) | |
| | | 2421 ( 1) | |
| | | 2091 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2033 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| | | 0921 ( 1) | |
| | | 0133 ( 1) | |
| 10 | BOD5 | TOTAL | 25 |
| | | 4952* ( 5) | |
| | | 6515 ( 1) | |
| | | 4971 ( 1) | |
| | | 4953 ( 1) | |
| | | 4582 ( 1) | |
| | | 3769 ( 1) | |
| | | 3211 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2841 ( 1) | |
| | | 2819 ( 1) | |
| | | 2646 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2499 ( 1) | |
| | | 2421 ( 1) | |
| | | 2091 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2033 ( 1) | |
| | | 0133 ( 1) | |
| 114 | TEMPERATURE | TOTAL | 23 |
| | | 4911 ( 4) | |
| | | 4931 ( 1) | |
| | | 3769 ( 1) | |
| | | 3339 ( 1) | |
| | | 3312 ( 1) | |
| | | 3211 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2841 ( 1) | |
| | | 2819 ( 1) | |
| | | 2646 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2421 ( 1) | |
| | | 2091 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| | | 2033 ( 1) | |
| | | 0133 ( 1) | |
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | 21 |
| | | 4952 ( 3) | |
| | | 6515 ( 1) | |
| | | 4953 ( 1) | |
| | | 4931 ( 1) | |
| | | 4911 ( 1) | |
| | | 4582 ( 1) | |
| | | 3769 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3339 ( 1) | |
| | | 3331 ( 1) | |
| | | 3211 ( 1) | |
| | | 2911 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2431 ( 1) | |
| | | 2048 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| | | 0921 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 19 |
| | | 4911 ( 2) | |
| | | 5171 ( 1) | |
| | | 4931 ( 1) | |
| | | 3769 ( 1) | |
| | | 3339 ( 1) | |
| | | 3325 ( 1) | |
| | | 3312 ( 1) | |
| | | 3211 ( 1) | |
| | | 2911 ( 1) | |
| | | 2869 ( 1) | |
| | | 2841 ( 1) | |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2091 ( 1) | |
| | | 2062 ( 1) | |
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 18 |
| | | 4952 ( 5) | |
| | | 7996 ( 1) | |
| | | 6515 ( 1) | |
| | | 4971 ( 1) | |
| | | 4911 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IX<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| | | 4582 | ( 1) | |
| | | 3769 | ( 1) | |
| | | 3339 | ( 1) | |
| | | 3211 | ( 1) | |
| | | 2631 | ( 1) | |
| | | 2611 | ( 1) | |
| | | 2499 | ( 1) | |
| | | 2091 | ( 1) | |
| | | 2062 | ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | | 17 |
| | | 4911 | ( 2) | |
| | | 7996 | ( 1) | |
| | | 4971 | ( 1) | |
| | | 3312 | ( 1) | |
| | | 2873 | ( 1) | |
| | | 2841 | ( 1) | |
| | | 2819 | ( 1) | |
| | | 2646 | ( 1) | |
| | | 2621 | ( 1) | |
| | | 2611 | ( 1) | |
| | | 2421 | ( 1) | |
| | | 2091 | ( 1) | |
| | | 2062 | ( 1) | |
| | | 2048 | ( 1) | |
| | | 2033 | ( 1) | |
| | | 1061 | ( 1) | |
| | 96 HOUR BIOASSAY | TOTAL | | 16 |
| | | 4953 | ( 1) | |
| | | 4911 | ( 1) | |
| | | 3331 | ( 1) | |
| | | 3312 | ( 1) | |
| | | 3211 | ( 1) | |
| | | 2873 | ( 1) | |
| | | 2841 | ( 1) | |
| | | 2819 | ( 1) | |
| | | 2646 | ( 1) | |
| | | 2621 | ( 1) | |

(continued)

Table 5. (continued)

| Region IX<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2431 ( 1) | |
| | | 2421 ( 1) | |
| | | 2062 ( 1) | |
| | | 1021 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 13 |
| | | 4952 ( 5) | |
| | | 7996 ( 1) | |
| | | 6515 ( 1) | |
| | | 4582 ( 1) | |
| | | 3769 ( 1) | |
| | | 3341 ( 1) | |
| | | 2819 ( 1) | |
| | | 2062 ( 1) | |
| | | 2061 ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | 11 |
| | | 4911 ( 2) | |
| | | 3341 ( 1) | |
| | | 3339 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2819 ( 1) | |
| | | 2062 ( 1) | |
| | | 1021 ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | 10 |
| | | 4911 ( 2) | |
| | | 4931 ( 1) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 2869 ( 1) | |
| | | 2062 ( 1) | |

(continued)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE
BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA; OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region IX<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | 10 |
| | | 4911 ( 2) | |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2062 ( 1) | |
| | | 1061 ( 1) | |
| | | 1021 ( 1) | |
| 115 | TURBIDITY | TOTAL | 10 |
| | | 7996 ( 1) | |
| | | 4911 ( 1) | |
| | | 3312 ( 1) | |
| | | 2873 ( 1) | |
| | | 2869 ( 1) | |
| | | 2841 ( 1) | |
| | | 2646 ( 1) | |
| | | 2611 ( 1) | |
| | | 2061 ( 1) | |
| | | 1061 ( 1) | |
| 52 | LEAD, TOTAL | TOTAL | 8 |
| | | 4911 ( 2) | |
| | | 4931 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 2869 ( 1) | |
| | | 2062 ( 1) | |
| | | 1021 ( 1) | |
| 6 | COLIFORM, TOTAL | TOTAL | 7 |
| | | 7996 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4971 ( 1) | |
| | | 3211 ( 1) | |
| | | 2819 ( 1) | |
| | | 2611 ( 1) | |
| | | 2499 ( 1) | |
| | | 2062 ( 1) | |
| 36 | CADMIUM, TOTAL | TOTAL | 7 |
| | | 4911 ( 2) | |
| | | 3769 ( 1) | |
| | | 3331 ( 1) | |
| | | 2869 ( 1) | |
| | | 2062 ( 1) | |
| | | 1021 ( 1) | |
| 58 | MERCURY, TOTAL | TOTAL | 7 |
| | | 4911 ( 2) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 2869 ( 1) | |
| | | 2062 ( 1) | |
| | | 1021 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 7 |
| | | 7996 ( 1) | |
| | | 3339 ( 1) | |
| | | 2873 ( 1) | |
| | | 2819 ( 1) | |
| | | 1061 ( 1) | |
| | | 0921 ( 1) | |
| | | 0133 ( 1) | |
| 96 | PHENOLS | TOTAL | 7 |
| | | 4911 ( 2) | |
| | | 3312 ( 1) | |
| | | 2873 ( 1) | |
| | | 2499 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD: BEGIN SECTIONS HERE

Table 5. (continued)

Region IX

| Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2431 ( 1) | |
| | | 2062 ( 1) | |
| 3 | AMMONIA AS N | TOTAL | 6 |
| | | 4911 ( 2) | |
| | | 7996 ( 1) | |
| | | 2873 ( 1) | |
| | | 2819 ( 1) | |
| | | 0133 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 6 |
| | | 4911 ( 2) | |
| | | 3331 ( 1) | |
| | | 2873 ( 1) | |
| | | 2062 ( 1) | |
| | | 1021 ( 1) | |
| 62 | NICKEL, TOTAL | TOTAL | 5 |
| | | 4911 ( 2) | |
| | | 3312 ( 1) | |
| | | 2869 ( 1) | |
| | | 2062 ( 1) | |
| | PHOSPHATE, TOTAL AS P | TOTAL | 5 |
| | | 4931 ( 1) | |
| | | 3312 ( 1) | |
| | | 2873 ( 1) | |
| | | 2841 ( 1) | |
| | | 1061 ( 1) | |
| 17 | CYANIDE, TOTAL | TOTAL | 4 |
| | | 4911 ( 2) | |
| | | 3312 ( 1) | |
| | | 2062 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 50 | IRON, TOTAL | TOTAL | 4 |
| | | 4911 ( 2) | |
| | | 3312 ( 1) | |
| | | 1061 ( 1) | |
| 51 | IRON, DISSOLVED | TOTAL | 4 |
| | | 3341 ( 1) | |
| | | 3331 ( 1) | |
| | | 3312 ( 1) | |
| | | 1021 ( 1) | |
| 109 | SPECIFIC CONDUCTANCE | TOTAL | 4 |
| | | 3325 ( 1) | |
| | | 3211 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| 12 | COD | TOTAL | 3 |
| | | 3312 ( 1) | |
| | | 2841 ( 1) | |
| | | 2431 ( 1) | |
| 16 | COLOR | TOTAL | 3 |
| | | 3312 ( 1) | |
| | | 2869 ( 1) | |
| | | 2431 ( 1) | |
| 74 | SILVER, TOTAL | TOTAL | 3 |
| | | 4911 ( 2) | |
| | | 2062 ( 1) | |
| 92 | ORGANIC NITROGEN AS N | TOTAL | 3 |
| | | 7996 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

Table 5. (continued)

| Region IX<br>Test Parameter<br>No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2873 ( 1) | |
| | | 2819 ( 1) | |
| 98 | PHOSPHORUS, TOTAL | TOTAL | 3 |
| | | 3339 ( 1) | |
| | | 3211 ( 1) | |
| | | 0133 ( 1) | |
| 113 | SURFACTANTS | TOTAL | 3 |
| | | 4971 ( 1) | |
| | | 3211 ( 1) | |
| | | 2841 ( 1) | |
| | CHLORINATED HYDROCARBONS TOTAL IDENTIFIABLE | TOTAL | 3 |
| | | 4911 ( 1) | |
| | | 2869 ( 1) | |
| | | 2062 ( 1) | |
| | STANDARD MINERALS | TOTAL | 3 |
| | | 3211 ( 1) | |
| | | 2631 ( 1) | |
| | | 2611 ( 1) | |
| 13 | CHLORIDE | TOTAL | 2 |
| | | 3325 ( 1) | |
| | | 1061 ( 1) | |
| 25 | ALUMINUM, DISSOLVED | TOTAL | 2 |
| | | 4911 ( 1) | |
| | | 3312 ( 1) | |
| 40 | CHROMIUM VI | TOTAL | 2 |
| | | 3769 ( 1) | |
| | | 3312 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-75)

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 71 | SELENIUM, TOTAL | TOTAL | 2 |
| | | 3331 ( 1) | |
| | | 1021 ( 1) | |
| 89 | NITRITE AS N | TOTAL | 2 |
| | | 2873 ( 1) | |
| | | 2819 ( 1) | |
| 110 | SULFATE | TOTAL | 2 |
| | | 3339 ( 1) | |
| | | 1061 ( 1) | |
| 111 | SULFIDE | TOTAL | 2 |
| | | 3312 ( 1) | |
| | | 2873 ( 1) | |
| | AMMONIUM HYDROXIDE, UNIONIZED | TOTAL | 2 |
| | | 2819 ( 1) | |
| | | 2062 ( 1) | |
| | BIOASSAY | TOTAL | 2 |
| | | 4971 ( 1) | |
| | | 3341 ( 1) | |
| | CHLORINE, FREE AVAILABLE | TOTAL | 2 |
| | | 4931 ( 1) | |
| | | 4911 ( 1) | |
| | LIGHT TRANSMITTANCE | TOTAL | 2 |
| | | 4911 ( 1) | |
| | | 3312 ( 1) | |

(continued)

Table 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| | NITROGEN, TOTAL | TOTAL | 2 |
| | | 3312 ( 1) | |
| | | 1061 ( 1) | |
| | PHOSPHATE, TOTAL AS PO4 | TOTAL | 2 |
| | | 6515 ( 1) | |
| | | 0921 ( 1) | |
| | TOXICITY CONCENTRATION | TOTAL | 2 |
| | | 4911 ( 2) | |
| 23 | KJELDAHL NITROGEN | TOTAL | 1 |
| | | 3339 ( 1) | |
| 24 | ALUMINUM, TOTAL | TOTAL | 1 |
| | | 1061 ( 1) | |
| 30 | BARIUM, TOTAL | TOTAL | 1 |
| | | 1061 ( 1) | |
| 60 | MOLYBDENUM, TOTAL | TOTAL | 1 |
| | | 1061 ( 1) | |
| 76 | SODIUM, TOTAL | TOTAL | 1 |
| | | 1061 ( 1) | |
| 80 | TIN, TOTAL | TOTAL | 1 |
| | | 3312 ( 1) | |
| 82 | TITANIUM, TOTAL | TOTAL | 1 |
| | | 3339 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Tabel 5. (continued)

| Region IX Test Parameter No. | Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|---|
| 91 | ORGANIC CARBON, TOTAL | TOTAL | 1 |
| | | 2873 ( 1) | |
| 93 | ORTHOPHOSPHATE | TOTAL | 1 |
| | | 2841 ( 1) | |
| 94 | PENTACHLOROPHENOL | TOTAL | 1 |
| | | 2431 ( 1) | |
| | AMMONIA, UNIONIZED | TOTAL | 1 |
| | | 2873 ( 1) | |
| | BOTTOM SEDIMENT ANALYSIS | TOTAL | 1 |
| | | 3312 ( 1) | |
| | CHLORDANE | TOTAL | 1 |
| | | 2873 ( 1) | |
| | CHLORINE, TOTAL AVAILABLE | TOTAL | 1 |
| | | 4911 ( 1) | |
| | CHLOROPHYLL A | TOTAL | 1 |
| | | 7996 ( 1) | |
| | DIFOLATAN | TOTAL | 1 |
| | | 2873 ( 1) | |
| | DISCHARGE PLUME | TOTAL | 1 |
| | | 2061 ( 1) | |

(continued)

BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
BEGIN LAST LINE OF TEXT
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

Table 5. (continued)

| Region IX Test Parameter No. Description | SIC Codes and Number of Dischargers | Total Dischargers |
|---|---|---|
| IRON, FERROUS | TOTAL | 1 |
| | 3312 ( 1) | |
| LITHIUM, TOTAL | TOTAL | 1 |
| | 4911 ( 1) | |
| NO DISCHARGE | TOTAL | 1 |
| | 0133 ( 1) | |
| NO MONITORING | TOTAL | 1 |
| | 4469 ( 1) | |
| POLYCHLORINATED BIPHENYLS | TOTAL | 1 |
| | 4931 ( 1) | |
| RAINFALL | TOTAL | 1 |
| | 2873 ( 1) | |
| SALMON EGG EXPOSURE | TOTAL | 1 |
| | 2646 ( 1) | |
| TOXAPHENE | TOTAL | 1 |
| | 2873 ( 1) | |

TOTAL 501

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region X<br>Test Parameter<br>No. Description | SIC Codes and<br>Numbers of Dischargers | Total<br>Dischargers |
|---|---|---|
| REGION 10 | | |
| FLOW | TOTAL | 41 |
| | 4952 ( 5) | |
| | 2873 ( 2) | |
| | 9711 ( 1) | |
| | 9621 ( 1) | |
| | 4941 ( 1) | |
| | 4911 ( 1) | |
| | 4612 ( 1) | |
| | 3825 ( 1) | |
| | 3353 ( 1) | |
| | 3339 ( 1) | |
| | 3334 ( 1) | |
| | 3331 ( 1) | |
| | 3295 ( 1) | |
| | 2911 ( 1) | |
| | 2879 ( 1) | |
| | 2874 ( 1) | |
| | 2819 ( 1) | |
| | 2631 ( 1) | |
| | 2621 ( 1) | |
| | 2611 ( 1) | |
| | 2436 ( 1) | |
| | 2421 ( 1) | |
| | 2099 ( 1) | |
| | 2092 ( 1) | |
| | 2091 ( 1) | |
| | 2063 ( 1) | |
| | 2037 ( 1) | |
| | 2035 ( 1) | |
| | 2033 ( 1) | |
| | 2022 ( 1) | |
| | 2011 ( 1) | |
| | 1629 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region X<br>Test Parameter<br>No. | Description | SIC Codes and<br>Number of Dischargers | Total<br>Dischargers |
|---|---|---|---|
| | | 1311 ( 1) | |
| | | 1044 ( 1) | |
| | | 1031 ( 1) | |
| | | 0921 ( 1) | |
| 22 | PH | TOTAL | 39 |
| | | 4952 ( 5) | |
| | | 2873 ( 2) | |
| | | 9711 ( 1) | |
| | | 9621 ( 1) | |
| | | 4941 ( 1) | |
| | | 4911 ( 1) | |
| | | 4612 ( 1) | |
| | | 3825 ( 1) | |
| | | 3353 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3331 ( 1) | |
| | | 3295 ( 1) | |
| | | 2911 ( 1) | |
| | | 2879 ( 1) | |
| | | 2874 ( 1) | |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2436 ( 1) | |
| | | 2421 ( 1) | |
| | | 2099 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2063 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2022 ( 1) | |
| | | 2011 ( 1) | |
| | | 1629 ( 1) | |
| | | 1311 ( 1) | |
| | | 1044 ( 1) | |
| | | 1031 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

Table 5. (continued)

| Region X Test Parameter No. | Description | SIC Codes and Numbers of Dischargers | Total Dischargers |
|---|---|---|---|
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | TOTAL | 34 |
| | | 4952 ( 5) | |
| | | 2873 ( 2) | |
| | | 9711 ( 1) | |
| | | 4911 ( 1) | |
| | | 4612 ( 1) | |
| | | 3825 ( 1) | |
| | | 3353 ( 1) | |
| | | 3339 ( 1) | |
| | | 3334 ( 1) | |
| | | 3295 ( 1) | |
| | | 2911 ( 1) | |
| | | 2879 ( 1) | |
| | | 2874 ( 1) | |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2421 ( 1) | |
| | | 2099 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2063 ( 1) | |
| | | 2037 ( 1) | |
| | | 2022 ( 1) | |
| | | 2011 ( 1) | |
| | | 1629 ( 1) | |
| | | 1044 ( 1) | |
| | | 1031 ( 1) | |
| | | 0921 ( 1) | |
| 10 | BOD5 | TOTAL | 25 |
| | | 4952 ( 5) | |
| | | 2873 ( 2) | |
| | | 9711 ( 1) | |
| | | 3825 ( 1) | |
| | | 3353 ( 1) | |
| | | 3334 ( 1) | |
| | | 2911 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region X Test Parameter No. | Description | SIC Codes and Numbers of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 2879 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2436 ( 1) | |
| | | 2421 ( 1) | |
| | | 2099 ( 1) | |
| | | 2063 ( 1) | |
| | | 2037 ( 1) | |
| | | 2022 ( 1) | |
| | | 2011 ( 1) | |
| | | 1629 ( 1) | |
| | | 0921 ( 1) | |
| 114 | TEMPERATURE | TOTAL | 22 |
| | | 4952 ( 2) | |
| | | 3353 ( 1) | |
| | | 3334 ( 1) | |
| | | 3331 ( 1) | |
| | | 2911 ( 1) | |
| | | 2879 ( 1) | |
| | | 2874 ( 1) | |
| | | 2819 ( 1) | |
| | | 2631 ( 1) | |
| | | 2621 ( 1) | |
| | | 2611 ( 1) | |
| | | 2421 ( 1) | |
| | | 2099 ( 1) | |
| | | 2063 ( 1) | |
| | | 2037 ( 1) | |
| | | 2035 ( 1) | |
| | | 2033 ( 1) | |
| | | 2022 ( 1) | |
| | | 2011 ( 1) | |
| | | 1311 ( 1) | |
| | | 0921 ( 1) | |
| 4 | COLIFORM, FECAL | TOTAL | 16 |
| | | 4952 ( 5) | |
| | | 9711 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region X Test Parameter No. | Description | SIC Codes and Numbers of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 3353 ( 1) | |
| | | 3334 ( 1) | |
| | | 2911 ( 1) | |
| | | 2611 ( 1) | |
| | | 2063 ( 1) | |
| | | 2037 ( 1) | |
| | | 2022 ( 1) | |
| | | 2011 ( 1) | |
| | | 1629 ( 1) | |
| | | 1311 ( 1) | |
| 15 | CHLORINE, TOTAL RESIDUAL | TOTAL | 14 |
| | | 4952 ( 5) | |
| | | 9711 ( 1) | |
| | | 3825 ( 1) | |
| | | 3353 ( 1) | |
| | | 3334 ( 1) | |
| | | 2099 ( 1) | |
| | | 2033 ( 1) | |
| | | 2022 ( 1) | |
| | | 1629 ( 1) | |
| | | 1311 ( 1) | |
| 90 | OIL AND GREASE | TOTAL | 14 |
| | | 9621 ( 1) | |
| | | 4911 ( 1) | |
| | | 4612 ( 1) | |
| | | 3334 ( 1) | |
| | | 3331 ( 1) | |
| | | 2911 ( 1) | |
| | | 2436 ( 1) | |
| | | 2421 ( 1) | |
| | | 2099 ( 1) | |
| | | 2092 ( 1) | |
| | | 2091 ( 1) | |
| | | 2011 ( 1) | |
| | | 1311 ( 1) | |
| | | 0921 ( 1) | |

(continued)

TYPING GUIDE SHEET
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region X Test Parameter No. | Description | SIC Codes and Numbers of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| 107 | SETTLEABLE RESIDUE | TOTAL | | 9 |
| | | 4952 | ( 2) | |
| | | 4941 | ( 1) | |
| | | 2631 | ( 1) | |
| | | 2436 | ( 1) | |
| | | 2421 | ( 1) | |
| | | 2092 | ( 1) | |
| | | 1311 | ( 1) | |
| | | 0921 | ( 1) | |
| 12 | COD | TOTAL | | 6 |
| | | 2873 | ( 2) | |
| | | 4952 | ( 1) | |
| | | 2911 | ( 1) | |
| | | 2879 | ( 1) | |
| | | 2092 | ( 1) | |
| 86 | ZINC, TOTAL | TOTAL | | 6 |
| | | 4952 | ( 1) | |
| | | 3825 | ( 1) | |
| | | 3331 | ( 1) | |
| | | 2819 | ( 1) | |
| | | 1044 | ( 1) | |
| | | 1031 | ( 1) | |
| 3 | AMMONIA AS N | TOTAL | | 5 |
| | | 4952 | ( 1) | |
| | | 3825 | ( 1) | |
| | | 2911 | ( 1) | |
| | | 2819 | ( 1) | |
| | | 2011 | ( 1) | |
| 19 | DISSOLVED OXYGEN | TOTAL | | 5 |
| | | 4952 | ( 2) | |
| | | 2873 | ( 2) | |
| | | 0921 | ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

Table 5. (continued)

| Region X Test Parameter No. | Description | SIC Codes and Numbers of Dischargers | | Total Dischargers |
|---|---|---|---|---|
| 36 | CADMIUM, TOTAL | TOTAL | | 5 |
| | | 4952 | ( 1) | |
| | | 3825 | ( 1) | |
| | | 3331 | ( 1) | |
| | | 1044 | ( 1) | |
| | | 1031 | ( 1) | |
| 42 | CHROMIUM, TOTAL | TOTAL | | 5 |
| | | 4952 | ( 1) | |
| | | 3825 | ( 1) | |
| | | 3353 | ( 1) | |
| | | 2911 | ( 1) | |
| | | 2819 | ( 1) | |
| 46 | COPPER, TOTAL | TOTAL | | 5 |
| | | 4952 | ( 1) | |
| | | 3825 | ( 1) | |
| | | 3331 | ( 1) | |
| | | 1044 | ( 1) | |
| | | 1031 | ( 1) | |
| 52 | LEAD, TOTAL | TOTAL | | 5 |
| | | 4952 | ( 1) | |
| | | 3331 | ( 1) | |
| | | 2819 | ( 1) | |
| | | 1044 | ( 1) | |
| | | 1031 | ( 1) | |
| 96 | PHENOLS | TOTAL | | 5 |
| | | 2873 | ( 2) | |
| | | 2911 | ( 1) | |
| | | 2879 | ( 1) | |
| | | 2421 | ( 1) | |
| 108 | TOTAL VOLATILE | TOTAL | | 4 |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
PAGE NUMBER
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD. BEGIN SECTIONS HERE

Table 5. (continued)

| Region X Test Parameter No. | Description | SIC Codes and Numbers of Dischargers | Total Dischargers |
|---|---|---|---|
| | | 4952 ( 2) | |
| | | 2873 ( 2) | |
| 17 | CYANIDE, TOTAL | TOTAL | 3 |
| | | 3825 ( 1) | |
| | | 3339 ( 1) | |
| | | 1031 ( 1) | |
| 40 | CHROMIUM VI | TOTAL | 3 |
| | | 3825 ( 1) | |
| | | 3353 ( 1) | |
| | | 2911 ( 1) | |
| 58 | MERCURY, TOTAL | TOTAL | 3 |
| | | 4952 ( 1) | |
| | | 1044 ( 1) | |
| | | 1031 ( 1) | |
| 98 | PHOSPHORUS, TOTAL | TOTAL | 3 |
| | | 4952 ( 1) | |
| | | 2874 ( 1) | |
| | | 1044 ( 1) | |
| | NITROGEN, TOTAL | TOTAL | 3 |
| | | 2873 ( 2) | |
| | | 4952 ( 1) | |
| 20 | FLUORIDE | TOTAL | 2 |
| | | 3825 ( 1) | |
| | | 3334 ( 1) | |
| 37 | CADMIUM, DISSOLVED | TOTAL | 2 |
| | | 3339 ( 1) | |
| | | 1044 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region X Test Parameter No. | Description | SIC Codes and Numbers of Dischargers | Total Dischargers |
|---|---|---|---|
| 47 | COPPER, DISSOLVED | TOTAL | 2 |
| | | 3339 ( 1) | |
| | | 1044 ( 1) | |
| 53 | LEAD, DISSOLVED | TOTAL | 2 |
| | | 3339 ( 1) | |
| | | 1044 ( 1) | |
| 62 | NICKEL, TOTAL | TOTAL | 2 |
| | | 4952 ( 1) | |
| | | 3825 ( 1) | |
| 87 | ZINC, DISSOLVED | TOTAL | 2 |
| | | 3339 ( 1) | |
| | | 1044 ( 1) | |
| | FLOATING SOLIDS | TOTAL | 2 |
| | | 2421 ( 1) | |
| | | 2037 ( 1) | |
| | FORMALDEHYDE | TOTAL | 2 |
| | | 2873 ( 2) | |
| 2 | ALKALINITY AS CACO3 | TOTAL | 1 |
| | | 4952 ( 1) | |
| 6 | COLIFORM, TOTAL | TOTAL | 1 |
| | | 2611 ( 1) | |
| 13 | CHLORIDE | TOTAL | 1 |
| | | 2819 ( 1) | |

(continued)

EPA-287 (Cin.)
(4-76)

Table 5. (continued)

| Region X<br>Test Parameter<br>No. | Description | SIC Codes and Numbers of Dischargers | Total Dischargers |
|---|---|---|---|
| 14 | CHLORINATED ORGANIC COMPOUNDS EXCEPT PESTICIDES | TOTAL | 1 |
| | | 2879 ( 1) | |
| 16 | COLOR | TOTAL | 1 |
| | | 2611 ( 1) | |
| 18 | CYANIDE AMENDABLE TO CHLORINATION | TOTAL | 1 |
| | | 3825 ( 1) | |
| 26 | ANTIMONY, TOTAL | TOTAL | 1 |
| | | 3331 ( 1) | |
| 28 | ARSENIC, TOTAL | TOTAL | 1 |
| | | 3331 ( 1) | |
| 50 | IRON, TOTAL | TOTAL | 1 |
| | | 4911 ( 1) | |
| 59 | MERCURY, DISSOLVED | TOTAL | 1 |
| | | 3339 ( 1) | |
| 76 | SODIUM, TOTAL | TOTAL | 1 |
| | | 2819 ( 1) | |
| 88 | NITRATE AS N | TOTAL | 1 |
| | | 4952 ( 1) | |
| 91 | ORGANIC CARBON, TOTAL | TOTAL | 1 |
| | | 2879 ( 1) | |

(continued)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD; BEGIN SECTIONS HERE

Table 5. (continued)

| Region X Test Parameter No. | Description | SIC Codes and Numbers of Dischargers | Total Dischargers |
|---|---|---|---|
| 93 | ORTHOPHOSPHATE | TOTAL | 1 |
| | | 3353 ( 1) | |
| 104 | TOTAL RESIDUE | TOTAL | 1 |
| | | 4952 ( 1) | |
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | TOTAL | 1 |
| | | 2879 ( 1) | |
| 109 | SPECIFIC CONDUCTANCE | TOTAL | 1 |
| | | 2819 ( 1) | |
| 111 | SULFIDE | TOTAL | 1 |
| | | 2911 ( 1) | |
| 115 | TURBIDITY | TOTAL | 1 |
| | | 3295 ( 1) | |
| | BIOASSAY | TOTAL | 1 |
| | | 3825 ( 1) | |
| | CHLORINE, FREE AVAILABLE | TOTAL | 1 |
| | | 4911 ( 1) | |
| | CHLORINE, TOTAL AVAILABLE | TOTAL | 1 |
| | | 2819 ( 1) | |
| | FLOATABLE SOLIDS | TOTAL | 1 |
| | | 2436 ( 1) | |

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
PAGE NUMBER

EPA-287 (Cin.)
(4-76)

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

Table 5. (continued)

| Region X<br>Test Parameter<br>No. Description | SIC Codes and Numbers of Dischargers | Total Dischargers |
|---|---|---|
| GAS ANALYSIS | TOTAL | 1 |
| | 4952 ( 1) | |
| NUTRIENTS ADDED | TOTAL | 1 |
| | 2421 ( 1) | |
| OIL | TOTAL | 1 |
| | 3353 ( 1) | |
| VOLATILE ACIDS | TOTAL | 1 |
| | 4952 ( 1) | |

TOTAL 323

COMBINED TOTAL 8987

BEGIN LAST LINE OF TEXT
3/8"
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

### TABLE 6. SIC CODES WITH THE LARGEST NUMBER OF PERMITS FOR EACH ANALYTICAL TEST PARAMETER

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| 1 | ACIDITY AS CACO3 | 1211 | BITUMINOUS COAL |
| 2 | ALKALINITY AS CACO3 | 1211 | BITUMINOUS COAL |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 2865 | CYCLIC (COAL TAR) CRUDES, AND CYCLIC INTERMEDIATES, DYES, AND ORGANIC PIGMENTS (LAKES AND TONERS) |
| | | 2813 | INDUSTRIAL GASES |
| 3 | AMMONIA AS N | 2911 | PETROLEUM REFINING |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 4 | COLIFORM, FECAL | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 2011 | MEAT PACKING PLANTS |
| | | 3334 | PRIMARY PRODUCTION OF ALUMINUM |
| | | 9711 | NATIONAL SECURITY |
| 6 | COLIFORM, TOTAL | 4952 | SEWERAGE SYSTEMS |
| | | 8211 | ELEMENTARY AND SECONDARY SCHOOLS |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 2611 | PULP MILLS |
| | | 9711 | NATIONAL SECURITY |
| | | 9224 | FIRE PROTECTION |
| 8 | FECAL STREPTOCOCCI | 5148 | FRESH FRUITS AND VEGETABLES |
| | | 4911 | ELECTRIC SERVICES |
| 10 | BOD5 | 4952 | SEWERAGE SYSTEMS |
| | | 2911 | PETROLEUM REFINING |
| | | 2621 | PAPER MILLS, EXCEPT BUILDING PAPER MILLS |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 11 | BROMIDE | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 12 | COD | 2911 | PETROLEUM REFINING |
| | | 2821 | PLASTICS MATERIALS, SYNTHETIC RESINS, AND NONVULCANIZABLE ELASTOMERS |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2873 | NITROGENOUS FERTILIZERS |
| 13 | CHLORIDE | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 3316 | COLD ROLLED STEEL SHEET, STRIP, AND BARS |
| | | 3315 | STEEL WIRE DRAWING AND STEEL NAILS AND SPIKES |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 2899 | CHEMICALS AND CHEMICAL PREPARATIONS, NOT ELSEWHERE CLASSIFIED |
| 14 | CHLORINATED ORGANIC COMPOUNDS EXCEPT PESTICIDES | 2879 | PESTICIDES AND AGRICULTURAL CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2865 | CYCLIC (COAL TAR) CRUDES, AND CYCLIC INTERMEDIATES, DYES, AND ORGANIC PIGMENTS (LAKES AND TONERS) |
| 15 | CHLORINE, TOTAL RESIDUAL | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 9711 | NATIONAL SECURITY |
| | | 8221 | COLLEGES, UNIVERSITIES, AND PROFESSIONAL SCHOOLS |
| | | 4931 | ELECTRIC AND OTHER SERVICES COMBINED |
| 16 | COLOR | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 3479 | COATING, ENGRAVING, AND ALLIED SERVICES, NOT ELSEWHERE CLASSIFIED |
| | | 2631 | PAPERBOARD MILLS |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| 17 | CYANIDE, TOTAL | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 3479 | COATING, ENGRAVING, AND ALLIED SERVICES, NOT ELSEWHERE CLASSIFIED |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 3694 | ELECTRICAL EQUIPMENT FOR INTERNAL COMBUSTION ENGINES |
| 18 | CYANIDE AMENDABLE TO CHLORINATION | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 3661 | TELEPHONE AND TELEGRAPH APPARATUS |
| | | 3499 | FABRICATED METAL PRODUCTS, NOT ELSEWHERE CLASSIFIED |
| | | 3999 | MANUFACTURING INDUSTRIES, NOT ELSEWHERE CLASSIFIED |
| | | 3961 | COSTUME JEWELRY AND COSTUME NOVELTIES, EXCEPT PRECIOUS METAL |
| 19 | DISSOLVED OXYGEN | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 2631 | PAPERBOARD MILLS |
| | | 2033 | CANNED FRUITS, VEGETABLES, PRESERVES, JAMS, AND JELLIES |
| | | 3631 | HOUSEHOLD COOKING EQUIPMENT |
| 20 | FLUORIDE | 3334 | PRIMARY PRODUCTION OF ALUMINUM |
| | | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |
| | | 1475 | PHOSPHATE ROCK |
| | | 7391 | RESEARCH AND DEVELOPMENT LABORATORIES |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 3229 | PRESSED AND BLOWN GLASS AND GLASSWARE, NOT ELSEWHERE CLASSIFIED |
| 21 | HARDNESS | 4911 | ELECTRIC SERVICES |
| | | 1021 | COPPER ORES |
| 22 | PH | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 2911 | PETROLEUM REFINING |
| | | 2621 | PAPER MILLS, EXCEPT BUILDING PAPER MILLS |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| 23 | KJELDAHL NITROGEN | 4952 | SEWERAGE SYSTEMS |
| | | 2873 | NITROGENOUS FERTILIZERS |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2834 | PHARMACEUTICAL PREPARATIONS |
| | | 0259 | POULTRY AND EGGS, NOT ELSEWHERE CLASSIFIED |
| 24 | ALUMINUM, TOTAL | 4953 | REFUSE SYSTEMS |
| | | 3751 | MOTORCYCLES, BICYCLES, AND PARTS |
| | | 3728 | AIRCRAFT PARTS AND AUXILIARY EQUIPMENT, NOT ELSEWHERE CLASSIFIED |
| | | 3721 | AIRCRAFT |
| | | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| 25 | ALUMINUM, DISSOLVED | 7395 | PHOTOFINISHING LABORATORIES |
| | | 7391 | RESEARCH AND DEVELOPMENT LABORATORIES |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 5161 | CHEMICALS AND ALLIED PRODUCTS |
| | | 4941 | COMBINATION UTILITIES, NOT ELSEWHERE CLASSIFIED |
| | | 4911 | ELECTRIC SERVICES |
| 26 | ANTIMONY, TOTAL | 3691 | STORAGE BATTERIES |
| | | 3331 | PRIMARY SMELTING AND REFINING OF COPPER |
| | | 3313 | ELECTROMETALLURGICAL PRODUCTS |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 2873 | NITROGENOUS FERTILIZERS |
| 28 | ARSENIC, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 3331 | PRIMARY SMELTING AND REFINING OF COPPER |
| | | 4953 | REFUSE SYSTEMS |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 1094 | URANIUM-RADIUM-VANADIUM ORES |
| 30 | BARIUM, TOTAL | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 3469 | METAL STAMPINGS, NOT ELSEWHERE CLASSIFIED |
| | | 3351 | ROLLING, DRAWING, AND EXTRUDING OF COPPER |
| 31 | BARIUM, DISSOLVED | 4953 | REFUSE SYSTEMS |
| 32 | BERYLLIUM, TOTAL | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 4953 | REFUSE SYSTEMS |
| 34 | BORON, TOTAL | 7395 | PHOTOFINISHING LABORATORIES |
| | | 5161 | CHEMICALS AND ALLIED PRODUCTS |
| | | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| 36 | CADMIUM, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 3479 | COATING, ENGRAVING, AND ALLIED SERVICES, NOT ELSEWHERE CLASSIFIED |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 3331 | PRIMARY SMELTING AND REFINING OF COPPER |
| 37 | CADMIUM, DISSOLVED | 3692 | PRIMARY BATTERIES, DRY AND WET |
| | | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |
| | | 1044 | SILVER ORES |
| 40 | CHROMIUM VI | 2911 | PETROLEUM REFINING |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 3751 | MOTORCYCLES, BICYCLES, AND PARTS |
| | | 3479 | COATING, ENGRAVING, AND ALLIED SERVICES, NOT ELSEWHERE CLASSIFIED |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 3672 | CATHODE RAY TELEVISION PICTURE TUBES |
| 41 | CHROMIUM VI, DISSOLVED | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| 42 | CHROMIUM, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 2911 | PETROLEUM REFINING |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 43 | CHROMIUM, DISSOLVED | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| | | 1011 | IRON ORES |
| 46 | COPPER, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 3341 | SECONDARY SMELTING AND REFINING OF NONFERROUS METALS |
| | | 3331 | PRIMARY SMELTING AND REFINING OF COPPER |
| 47 | COPPER, DISSOLVED | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 3961 | COSTUME JEWELRY AND COSTUME NOVELTIES, EXCEPT PRECIOUS METAL |
| | | 3914 | SILVERWARE, PLATED WARE, AND STAINLESS STEEL WARE |
| | | 3692 | PRIMARY BATTERIES, DRY AND WET |
| | | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| 48 | GOLD, TOTAL | 3873 | WATCHES, CLOCKS, CLOCKWORK OPERATED DEVICES, AND PARTS |
| | | 3643 | CURRENT-CARRYING WIRING DEVICES |
| | | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| | | 3559 | SPECIAL INDUSTRY MACHINERY, NOT ELSEWHERE CLASSIFIED |
| 50 | IRON, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 1211 | BITUMINOUS COAL AND LIGNITE |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 3479 | COATING, ENGRAVING, AND ALLIED SERVICES, NOT ELSEWHERE CLASSIFIED |
| 51 | IRON, DISSOLVED | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 3331 | PRIMARY SMELTING AND REFINING OF COPPER |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 1011 | IRON ORES |
| | | 5191 | FARM SUPPLIES |
| | | 4941 | COMBINATION UTILITIES, NOT ELSEWHERE CLASSIFIED |
| 52 | LEAD, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 1031 | LEAD AND ZINC ORES |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 3331 | PRIMARY SMELTING AND REFINING OF COPPER |
| | | 3351 | ROLLING, DRAWING, AND EXTRUDING OF COPPER |
| 53 | LEAD, DISSOLVED | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |
| | | 3914 | SILVERWARE, PLATED WARE, AND STAINLESS STEEL WARE |
| | | 3692 | PRIMARY BATTERIES, DRY AND WET |
| | | 3661 | TELEPHONE AND TELEGRAPH APPARATUS |
| | | 3331 | PRIMARY SMELTING AND REFINING OF COPPER |
| 54 | MAGNESIUM, TOTAL | 3361 | ALUMINUM FOUNDRIES (CASTINGS) |
| | | 1094 | URANIUM-RADIUM-VANADIUM ORES |
| 56 | MANGANESE, TOTAL | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 1094 | URANIUM-RADIUM-VANADIUM ORES |
| | | 1061 | FERROALLOY ORES, EXCEPT VANADIUM |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 1031 | LEAD AND ZINC ORES |
| | | 9711 | NATIONAL SECURITY |
| 57 | MANGANESE, DISSOLVED | 3643 | CURRENT-CARRYING WIRING DEVICES |
| | | 1031 | LEAD AND ZINC ORES |
| 58 | MERCURY, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 2812 | ALKALIES AND CHLORINE |
| | | 4953 | REFUSE SYSTEMS |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| 59 | MERCURY, DISSOLVED | 3692 | PRIMARY BATTERIES, DRY AND WET |
| | | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |
| 60 | MOLYBDENUM, TOTAL | 1061 | FERROALLOY ORES, EXCEPT VANADIUM |
| | | 1094 | URANIUM-RADIUM-VANADIUM ORES |
| | | 4953 | REFUSE SYSTEMS |
| | | 3699 | ELECTRICAL MACHINERY, EQUIPMENT, AND SUPPLIES, NOT ELSEWHERE CLASSIFIED |
| 62 | NICKEL, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 3661 | TELEPHONE AND TELEGRAPH APPARATUS |
| | | 3341 | SECONDARY SMELTING AND REFINING OF NONFERROUS METALS |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 63 | NICKEL, DISSOLVED | 3961 | COSTUME JEWELRY AND COSTUME NOVELTIES, EXCEPT PRECIOUS METAL |
| | | 3914 | SILVERWARE, PLATED WARE, AND STAINLESS STEEL WARE |
| | | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 3369 | NONFERROUS FOUNDRIES (CASTINGS), NOT ELSEWHERE CLASSIFIED |
| 65 | PALLADIUM, TOTAL | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| | | 3559 | SPECIAL INDUSTRY MACHINERY, NOT ELSEWHERE CLASSIFIED |
| 66 | PLATINUM, TOTAL | 2899 | CHEMICALS AND CHEMICAL PREPARATIONS, NOT ELSEWHERE CLASSIFIED |
| 71 | SELENIUM, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 3331 | PRIMARY SMELTING AND REFINING OF COPPER |
| | | 9611 | ADMINISTRATION OF GENERAL ECONOMIC PROGRAMS |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 3351 | ROLLING, DRAWING, AND EXTRUDING OF COPPER |
| 74 | SILVER, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 3861 | PHOTOGRAPHIC EQUIPMENT AND SUPPLIES |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 7395 | PHOTOFINISHING LABORATORIES |
| | | 7391 | RESEARCH AND DEVELOPMENT LABORATORIES |
| | | 5161 | CHEMICALS AND ALLIED PRODUCTS |
| 75 | SILVER, DISSOLVED | 3914 | SILVERWARE, PLATED WARE, AND STAINLESS STEEL WARE |
| | | 7395 | PHOTOFINISHING LABORATORIES |
| | | 3961 | COSTUME JEWELRY AND COSTUME NOVELTIES, EXCEPT PRECIOUS METAL |
| | | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| 76 | SODIUM, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 3332 | PRIMARY SMELTING AND REFINING OF LEAD |
| | | 2865 | CYCLIC (COAL TAR) CRUDES, AND CYCLIC INTERMEDIATES, DYES, AND ORGANIC PIGMENTS (LAKES AND TONERS) |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2631 | PAPERBOARD MILLS |
| 80 | TIN, TOTAL | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 3731 | SHIP BUILDING AND REPAIRING |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 5134 | NOTIONS AND OTHER DRY GOODS |
| 81 | TIN, DISSOLVED | 3613 | SWITCHGEAR AND SWITCHBOARD APPARATUS |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| 82 | TITANIUM, TOTAL | 4953 | REFUSE SYSTEMS |
| | | 3731 | SHIP BUILDING AND REPAIRING |
| | | 3721 | AIRCRAFT |
| | | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |
| | | 2861 | GUM AND WOOD CHEMICALS |
| 84 | VANADIUM, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 9611 | ADMINISTRATION OF GENERAL ECONOMIC PROGRAMS |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 1094 | URANIUM-RADIUM-VANADIUM ORES |
| | | 1031 | LEAD AND ZINC ORES |
| 86 | ZINC, TOTAL | 4911 | ELECTRIC SERVICES |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 2621 | PAPER MILLS, EXCEPT BUILDING PAPER MILLS |

(continued)

TABLE 6. (continued)

| Test Parameter No. | Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 3351 | ROLLING, DRAWING, AND EXTRUDING OF COPPER |
| | | 3341 | SECONDARY SMELTING AND REFINING OF NONFERROUS METALS |
| 87 | ZINC, DISSOLVED | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |
| | | 3914 | SILVERWARE, PLATED WARE, AND STAINLESS STEEL WARE |
| | | 3692 | PRIMARY BATTERIES, DRY AND WET |
| | | 3672 | CATHODE RAY TELEVISION PICTURE TUBES |
| | | 3643 | CURRENT-CARRYING WIRING DEVICES |
| 88 | NITRATE AS N | 2873 | NITROGENOUS FERTILIZERS |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 9711 | NATIONAL SECURITY |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |
| 89 | NITRITE AS N | 9711 | NATIONAL SECURITY |
| | | 3483 | AMMUNITION, EXCEPT FOR SMALL ARMS, NOT ELSEWHERE CLASSIFIED |
| | | 2873 | NITROGENOUS FERTILIZERS |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 90 | OIL AND GREASE | 4911 | ELECTRIC SERVICES |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 2911 | PETROLEUM REFINING |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 2011 | MEAT PACKING PLANTS |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 91 | ORGANIC CARBON, TOTAL | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2911 | PETROLEUM REFINING |
| | | 2873 | NITROGENOUS FERTILIZERS |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 2879 | PESTICIDES AND AGRICULTURAL CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 92 | ORGANIC NITROGEN AS N | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 7996 | AMUSEMENT PARKS |
| | | 2874 | PHOSPHATIC FERTILIZERS |
| | | 2873 | NITROGENOUS FERTILIZERS |
| 93 | ORTHOPHOSPHATE | 4911 | ELECTRIC SERVICES |
| | | 3721 | AIRCRAFT |
| | | 3711 | MOTOR VEHICLES AND PASSENGER CAR BODIES |
| | | 3353 | ALUMINUM SHEET, PLATE, AND FOIL |
| | | 2892 | EXPLOSIVES |
| 94 | PENTACHLOROPHENOL | 2431 | MILLWORK |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| 95 | PESTICIDES | 2879 | PESTICIDES AND AGRICULTURAL CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 96 | PHENOLS | 2911 | PETROLEUM REFINING |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2211 | BROAD WOVEN FABRIC MILLS, COTTON |
| | | 2879 | PESTICIDES AND AGRICULTURAL CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| 97 | PHOSPHORUS, ELEMENTAL | 4952 | SEWERAGE SYSTEMS |
| 98 | PHOSPHORUS, TOTAL | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 1475 | PHOSPHATE ROCK |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 3211 | FLAT GLASS |
| 99 | ALPHA, TOTAL | 3443 | FABRICATED PLATE WORK (BOILER SHOPS) |
| | | 1094 | URANIUM-RADIUM-VANADIUM ORES |
| 100 | ALPHA, COUNTING ERROR | 3443 | FABRICATED PLATE WORK (BOILER SHOPS) |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| 102 | BETA, COUNTING ERROR | 3443 | FABRICATED PLATE WORK (BOILER SHOPS) |
| 103B | RA-226 | 1094 | URANIUM-RADIUM-VANADIUM ORES |
| | | 2874 | PHOSPHATIC FERTILIZERS |
| | | 1475 | PHOSPHATE ROCK |
| 104 | TOTAL RESIDUE | 8221 | COLLEGES, UNIVERSITIES, AND PROFESSIONAL SCHOOLS |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 3353 | ALUMINUM SHEET, PLATE, AND FOIL |
| | | 3313 | ELECTROMETALLURGICAL PRODUCTS |
| 105 | TOTAL DISSOLVED RESIDUE, FILTERABLE | 4953 | REFUSE SYSTEMS |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 3691 | STORAGE BATTERIES |
| | | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |
| 106 | TOTAL SUSPENDED RESIDUE, NONFILTERABLE | 4952 | SEWERAGE SYSTEMS |
| | | 4911 | ELECTRIC SERVICES |
| | | 2621 | PAPER MILLS, EXCEPT BUILDING PAPER MILLS |
| | | 2911 | PETROLEUM REFINING |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| 107 | SETTLEABLE RESIDUE | 4952 | SEWERAGE SYSTEMS |
| | | 2621 | PAPER MILLS, EXCEPT BUILDING PAPER MILLS |
| | | 4911 | ELECTRIC SERVICES |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 2646 | PRESSED AND MOLDED PULP GOODS |
| | | 2033 | CANNED FRUITS, VEGETABLES, PRESERVES, JAMS, AND JELLIES |
| 108 | TOTAL VOLATILE | 4952 | SEWERAGE SYSTEMS |
| | | 2873 | NITROGENOUS FERTILIZERS |
| | | 3111 | LEATHER TANNING AND FINISHING |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2035 | PICKLED FRUITS AND VEGETABLES, VEGETABLE SAUCES AND SEASONINGS, AND SALAD DRESSINGS |
| 109 | SPECIFIC CONDUCTANCE | 4941 | COMBINATION UTILITIES, NOT ELSEWHERE CLASSIFIED |
| | | 3631 | HOUSEHOLD COOKING EQUIPMENT |
| | | 3471 | ELECTROPLATING, PLATING, POLISHING, ANODIZING AND COLORING |
| | | 3332 | PRIMARY SMELTING AND REFINING OF LEAD |
| | | 3325 | STEEL FOUNDRIES, NOT ELSEWHERE CLASSIFIED |
| 110 | SULFATE | 3339 | PRIMARY SMELTING AND REFINING OF NONFERROUS METALS, NOT ELSEWHERE CLASSIFIED |
| | | 3315 | STEEL WIRE DRAWING AND STEEL NAILS AND SPIKES |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 1094 | URANIUM-RADIUM-VANADIUM ORES |
| | | 9711 | NATIONAL SECURITY |
| 111 | SULFIDE | 2911 | PETROLEUM REFINING |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 3111 | LEATHER TANNING AND FINISHING |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2281 | YARN SPINNING MILLS: COTTON, MAN-MADE FIBERS AND SILK |
| 112 | SULFITE | 3714 | MOTOR VEHICLE PARTS AND ACCESSORIES |
| | | 2819 | INDUSTRIAL INORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2731 | BOOKS: PUBLISHING AND PRINTING |
| 113 | SURFACTANTS | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2841 | SOAP AND OTHER DETERGENTS, EXCEPT SPECIALTY CLEANERS |
| | | 9711 | NATIONAL SECURITY |
| | | 5161 | CHEMICALS AND ALLIED PRODUCTS |
| | | 4971 | IRRIGATION SYSTEMS |
| 114 | TEMPERATURE | 4911 | ELECTRIC SERVICES |
| | | 2621 | PAPER MILLS, EXCEPT BUILDING PAPER MILLS |

(continued)

TABLE 6. (continued)

| Test No. | Parameter Description | SIC Codes | SIC Code Descriptions |
|---|---|---|---|
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 2869 | INDUSTRIAL ORGANIC CHEMICALS, NOT ELSEWHERE CLASSIFIED |
| | | 2911 | PETROLEUM REFINING |
| 115 | TURBIDITY | 4911 | ELECTRIC SERVICES |
| | | 4952 | SEWERAGE SYSTEMS |
| | | 3312 | BLAST FURNACES (INCLUDING COKE OVENS), STEEL WORKS, AND ROLLING MILLS |
| | | 3295 | MINERALS AND EARTHS, GROUND OR OTHERWISE TREATED |
| | | 3274 | LIME |

BEGIN FIRST LINE OF TEXT HERE
TYPING GUIDE SHEET
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD BEGIN SECTIONS HERE

## REFERENCES

1. Standard Industrial Classification Manual. Office of Management and Budget, Washington, D.C., 1972. 649 pp.

2. "Effluent Guidelines and Standards". 40 CFR 400-460, Office of the Federal Register, General Services Administration, Washington, D.C., 1977. pp 1-762.

3. Federal Water Pollution Control Act, as amended, 33 USC 1251 et seq., 86 Stat 816, Pub. L. 92-500.

4. Cumulative List of CFR Sections Affected. Office of the Federal Register, General Services Administration, Washington, D.C., Various.

5. Permit Compliance System NPDES Majors SIC Code Analysis. EPA, 1978. (Computer printout).

6. "Guidelines Establishing Test Procedures for the Analysis of Pollutants" 40 CFR 136, Office of the Federal Register, General Services Administration, Washington, D.C., December 1, 1976.

7. P.C.S. Quick Look Report NPDES Majors SIC Code Analysis. EPA, 1978. (Computer printout).

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"

PAGE NUMBER
EPA-287 (Cin.)
(4-76)

TYPING GUIDE SHEET
BEGIN FIRST LINE OF TEXT HERE
CENTER OF PAGE
TOP OF IMAGE AREA
DROPPED HEAD, BEGIN SECTIONS HERE

# APPENDIX

## PARAMETERS FOR TESTING

---

Parameter and Units

---

1. Acidity, as CaCO$^3$, milligrams per liter.
2. Alkalinity, as CaCO$^3$, milligrams per liter.
3. Ammonia (as N), milligrams per liter.

BACTERIA

4. Coliform (fecal), number per 100 ml.
5. Coliform (fecal), in presence of chlorine, number per 100 ml.
6. Coliform (total), number per 100 ml.
7. Coliform (total), in presence of chlorine, number per 100 ml.
8. Fecal streptococci, number per 100 ml.
9. Benzidine, milligrams per liter.
10. Biochemical oxygen demand, 5-d (BOD$_5$), milligrams per liter.
11. Bromide, milligrams per liter.
12. Chemical oxygen demand (COD), milligrams per liter.
13. Chloride, milligrams per liter.
14. Chlorinated organic compounds (except pesticides), milligrams per liter.
15. Chlorine - total residual, milligrams per liter.
16. Color, platinum cobalt units or dominant wave length, hue, luminance, purity.

(continued)

BEGIN LAST LINE OF TEXT
BOTTOM OF IMAGE AREA OUTSIDE DIMENSION FOR TABLES AND ILLUSTRATIONS
3/8"
9-1/8"
PAGE NUMBER
EPA-287 (Cin.)
(4-76)

(continued)

17. Cyanide, total, milligrams per liter.
18. Cyanide amenable to chlorination, milligrams per liter.
19. Dissolved oxygen, milligrams per liter.
20. Fluoride, milligrams per liter.
21. Hardness - Total, as $CaCO_3$, milligrams per liter.
22. Hydrogen ion (pH), pH units.
23. Kjeldahl nitrogen (as N), milligrams per liter.

## METALS

24. Aluminum - Total, milligrams per liter.
25. Aluminum - Dissolved, milligrams per liter.
26. Antimony - Total, milligrams per liter.
27. Antimony - Dissolved, milligrams per liter.
28. Arsenic - Total, milligrams per liter.
29. Arsenic - Dissolved, milligrams per liter.
30. Barium - Total, milligrams per liter.
31. Barium - Dissolved, milligrams per liter.
32. Beryllium - Total, milligrams per liter.
33. Beryllium - Dissolved, milligram per liter.
34. Boron - Total, milligrams per liter.
35. Boron - Dissolved, milligrams per liter.
36. Cadmium - Total, milligrams per liter.
37. Cadmium - Dissolved, milligrams per liter.
38. Calcium - Total, milligrams per liter.
39. Calcium - Dissolved, milligrams per liter.

(continued)

EPA-287 (Cin.)
(4-76)

(continued)

40. Chromium VI, milligrams per liter.

41. Chromium VI - Dissolved, milligrams per liter.

42. Chromium - Total, milligrams per liter.

43. Chromium - Dissolved, milligrams per liter.

44. Cobalt - Total, milligrams per liter.

45. Cobalt - Dissolved, milligrams per liter.

46. Copper - Total, milligrams per liter.

47. Copper - Dissolved, milligrams per liter.

48. Gold - Total, milligrams per liter.

49. Iridium - Total, milligrams per liter.

50. Iron - Total, milligrams per liter.

51. Iron - Dissolved, milligrams per liter.

52. Lead - Total, milligrams per liter.

53. Lead - Dissolved, milligrams per liter.

54. Magnesium - Total, grams per liter.

55. Magnesium - Dissolved milligrams per liter.

56. Manganese - Total milligrams per liter.

57. Manganese - Dissolved milligrams per liter.

58. Mercury - Total, milligrams per liter.

59. Mercury - Dissolved, milligrams per liter.

60. Molybdenum - Total, milligrams per liter.

61. Molybdenum - Dissolved, milligrams per liter.

62. Nickel - Total, milligrams per liter.

63. Nickel - Dissolved, milligrams per liter.

64. Osmium - Total, milligrams per liter.

(continued)

(continued)

65. Palladium - Total, milligrams per liter.

66. Platinum - Total, milligrams per liter.

67. Potassium - Total, milligrams per liter.

68. Potassium - Dissolved, milligrams per liter.

69. Rhodium - Total, milligrams per liter.

70. Ruthenium - Total, milligrams per liter.

71. Selenium - Total, milligrams per liter.

72. Selenium - Dissolved, milligrams per liter.

73. Silica - Dissolved, milligrams per liter.

74. Silver - Total, milligrams per liter.

75. Silver - Dissolved, milligrams per liter.

76. Sodium - Total, milligrams per liter.

77. Sodium - Dissolved, milligrams per liter.

78. Thallium - Total, milligrams per liter.

79. Thallium - Dissolved, milligrams per liter.

80. Tin - Total, milligrams per liter.

81. Tin - Dissolved, milligrams per liter.

82. Titanium - Total, milligrams per liter.

83. Titanium - Dissolved, milligrams per liter.

84. Vanadium - Total, milligrams per liter.

85. Vanadium - Dissolved, milligrams per liter.

86. Zinc - Total, milligrams per liter.

87. Zinc - Dissolved, milligrams per liter.

88. Nitrate (as N), milligrams per liter.

89. Nitrite (as N), milligrams per liter.

(continued)

EPA-287 (Cin.)
(4-76)

(continued)

90. Oil and grease, milligrams per liter.

91. Organic carbon, total (TOC), milligrams per liter.

92. Organic nitrogen (as N), milligrams per liter.

93. Orthophosphate (as P), milligrams per liter.

94. Pentachlorophenol, milligrams per liter.

95. Pesticides, milligrams per liter.

96. Phenols, milligrams per liter.

97. Phosphorus (elemental), milligrams per liter.

98. Phosphorus; total (as P), milligrams per liter.

## RADIOLOGICAL

99. Alpha - Total, pCi per liter.

100. Alpha - Counting error, pCi per liter.

101. Beta - Total, pCi per liter.

102. Beta - Counting error, pCi per liter.

103. (a) Radium - Total pCi per liter.

(b) $^{226}$Ra, pCi per liter.

## RESIDUE

104. Total, milligrams per liter.

105. Total, dissolved (filterable), Glass fiber filtration milligrams per liter.

106. Total suspended (nonfilterable), milligrams per liter.

107. Settleable, milliliters per liter.

108. Total volatile, milligrams per liter.

109. Specific conductance, micromhos per centimeter at 25° C.

110. Sulfate (as $SO_4$), milligrams per liter.

(continued)

(continued)

111. Sulfide (as S), milligrams per liter.

112. Sulfate (as $SO_3$), milligrams per liter.

113. Surfactants, milligrams per liter.

114. Temperature, degrees C.

115. Turbidity, NTU.